

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Satisfactory	78	PM _{2.5}	1
2	Ahmedabad	Poor	228	OZONE	1
3	Ajmer	Moderate	198	PM _{2.5}	1
4	Alwar	Satisfactory	94	PM ₁₀	1
5	Amaravati	Good	38	OZONE	1
6	Ambala	Poor	300	PM _{2.5}	1
7	Amritsar	Poor	227	PM _{2.5}	1
8	Ankleshwar	Moderate	139	PM _{2.5}	1
9	Asanol	Good	19	NO ₂	1
10	Aurangabad	Satisfactory	60	PM ₁₀	1
11	Baghpat	Poor	291	PM _{2.5}	1
12	Bahadurgarh	Poor	232	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Chikkaballapur, Damoh, Hubballi, Kanpur, Nashik, Palwal, Shillong, Singrauli, Sirsa as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Poor	214	PM _{2.5}	1
14	Bathinda	Poor	203	PM ₁₀	1
15	Bengaluru	Good	45	CO, PM ₁₀	10
16	Bhiwadi	Poor	227	PM _{2.5}	1
17	Bhiwani	Moderate	147	PM ₁₀	1
18	Bhopal	Moderate	116	PM ₁₀	1
19	Brajrajnagar	Moderate	101	СО	1
20	Bulandshahr	Moderate	172	PM ₁₀	1
21	Chandigarh	Poor	232	PM _{2.5}	1
22	Chandrapur	Good	50	PM ₁₀	2
23	Chennai	Moderate	124	PM _{2.5}	3
24	Coimbatore	Satisfactory	81	СО	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Chikkaballapur, Damoh, Hubballi, Kanpur, Nashik, Palwal, Shillong, Singrauli, Sirsa as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Delhi	Poor	287	PM ₁₀ , PM _{2.5}	33
26	Dewas	Moderate	111	PM ₁₀	1
27	Dharuhera	Poor	277	PM _{2.5}	1
28	Eloor	Good	28	СО	1
29	Faridabad	Poor	259	PM _{2.5}	1
30	Fatehabad	Moderate	157	PM ₁₀	1
31	GandhiNagar	Moderate	107	PM ₁₀	1
32	Gaya	Good	48	PM _{2.5}	1
33	Ghaziabad	Very Poor	303	PM _{2.5}	4
34	Greater_Noida	Poor	248	PM _{2.5}	2
35	Gurugram	Poor	239	PM _{2.5}	1
36	Guwahati	Good	18	OZONE	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Chikkaballapur, Damoh, Hubballi, Kanpur, Nashik, Palwal, Shillong, Singrauli, Sirsa as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Haldia	Good	15	SO ₂	1
38	Hapur	Moderate	198	PM ₁₀	1
39	Hisar	Very Poor	328	PM _{2.5}	1
40	Howrah	Satisfactory	78	PM _{2.5} , PM ₁₀	2
41	Hyderabad	Good	44	PM ₁₀ , PM _{2.5}	6
42	Indore	Moderate	101	PM ₁₀	1
43	Jabalpur	Satisfactory	68	PM ₁₀	1
44	Jaipur	Moderate	158	PM _{2.5} , PM ₁₀	3
45	Jalandhar	Poor	218	PM _{2.5}	1
46	Jind	Poor	290	PM _{2.5}	1
47	Jodhpur	Poor	203	PM _{2.5}	1
48	Jorapokhar	Satisfactory	88	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Chikkaballapur, Damoh, Hubballi, Kanpur, Nashik, Palwal, Shillong, Singrauli, Sirsa as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kaithal	Poor	240	PM ₁₀	1
50	Kalaburagi	Good	29	NO ₂	1
51	Kalyan	Satisfactory	58	PM ₁₀	1
52	Karnal	Poor	247	PM _{2.5}	1
53	Katni	Satisfactory	66	PM ₁₀	1
54	Khanna	Moderate	173	PM ₁₀	1
55	Kolkata	Satisfactory	52	PM ₁₀	6
56	Kota	Moderate	140	PM _{2.5}	1
57	Kurukshetra	Poor	233	PM _{2.5}	1
58	Lucknow	Moderate	155	PM _{2.5}	4
59	Ludhiana	Poor	211	PM _{2.5}	1
60	Maihar	Good	40	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Chikkaballapur, Damoh, Hubballi, Kanpur, Nashik, Palwal, Shillong, Singrauli, Sirsa as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Mandi Gobindgarh	Poor	254	PM _{2.5}	1
62	Mandideep	Moderate	105	PM ₁₀	1
63	Mandikhera	Moderate	133	PM ₁₀	1
64	Manesar	Poor	209	PM _{2.5}	1
65	Meerut	Poor	292	PM _{2.5}	2
66	Moradabad	Poor	224	PM _{2.5}	1
67	Mumbai	Satisfactory	56	CO, PM ₁₀	9
68	Muzaffarnagar	Poor	286	PM _{2.5}	1
69	Muzaffarpur	Moderate	122	OZONE	1
70	Mysuru	Good	21	OZONE	1
71	Nagpur	Satisfactory	67	PM _{2.5}	1
72	Narnaul	Poor	259	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Chikkaballapur, Damoh, Hubballi, Kanpur, Nashik, Palwal, Shillong, Singrauli, Sirsa as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Navi Mumbai	Satisfactory	54	CO, PM ₁₀	3
74	Noida	Poor	280	PM _{2.5}	4
75	Pali	Moderate	130	PM _{2.5}	1
76	Panchkula	Poor	242	PM _{2.5}	1
77	Panipat	Poor	289	PM _{2.5}	1
78	Patiala	Poor	243	PM _{2.5}	1
79	Patna	Satisfactory	89	OZONE	1
80	Pithampur	Moderate	107	PM ₁₀	1
81	Pune	Satisfactory	83	SO ₂	1
82	Rajamahendravaram	Good	41	со	1
83	Ramanagara	Good	41	SO ₂	1
84	Ratlam	Moderate	115	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Chikkaballapur, Damoh, Hubballi, Kanpur, Nashik, Palwal, Shillong, Singrauli, Sirsa as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Rohtak	Poor	291	PM _{2.5}	1
86	Rupnagar	Moderate	130	PM _{2.5}	1
87	Satna	Good	44	SO ₂	1
88	Siliguri	Good	49	PM ₁₀	1
89	Solapur	Satisfactory	62	со	1
90	Sonipat	Poor	260	PM ₁₀	1
91	Talcher	Satisfactory	94	СО	1
92	Thane	Satisfactory	76	SO ₂	1
93	Thiruvananthapuram	Good	42	со	1
94	Tirupati	Good	32	PM ₁₀	1
95	Udaipur	Moderate	155	PM ₁₀	1
96	Ujjain	Moderate	103	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Chikkaballapur, Damoh, Hubballi, Kanpur, Nashik, Palwal, Shillong, Singrauli, Sirsa as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Vapi	Satisfactory	88	PM _{2.5}	1
98	Varanasi	Satisfactory	87	PM _{2.5}	1
99	Vatva	Moderate	163	PM ₁₀	1
100	Vijayawada	Satisfactory	100	СО	1
101	Visakhapatnam	Satisfactory	73	PM ₁₀	1
102	Yadgir	Good	38	OZONE	1
103	Yamunanagar	Very Poor	327	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Chikkaballapur, Damoh, Hubballi, Kanpur, Nashik, Palwal, Shillong, Singrauli, Sirsa as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.