

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	50	PM _{2.5} , PM ₁₀	2
2	Agra	Good	22	O ₃ , SO ₂ , PM ₁₀	5
3	Ahmedabad	Good	40	PM ₁₀	2
4	Aizawl	Good	39	PM ₁₀	1
5	Ajmer	Satisfactory	73	PM ₁₀	1
6	Alwar	Satisfactory	53	PM ₁₀	1
7	Amaravati	Good	35	03	1
8	Ambala	Satisfactory	84	PM ₁₀	1
9	Amritsar	Satisfactory	67	03	1
10	Ankleshwar	Satisfactory	82	со	1
11	Araria	Moderate	101	PM ₁₀	1
12	Asansol	Satisfactory	91	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Bhilai, Bhiwani, Notes: Bidar, Bihar Sharif, Brajrajnagar, Chamarajanagar, Coimbatore, Durgapur, Firozabad, Gangtok, Hapur, Jorapokhar, Kalaburgi, Katihar, Kohima, Kolar, Manguraha, Munger, Naharlagun, Nashik, Pali, Pune, Saharsa, Samastipur, Sasaram, Siliguri, Siwan, Thane, Thrissur, Udupi, Ujjain, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Bihar)	Satisfactory	74	PM ₁₀	1
14	Aurangabad (Maharashtra)	Good	49	PM ₁₀	1
15	Baddi	Satisfactory	62	O ₃	1
16	Bagalkot	Good	46	PM ₁₀	1
17	Baghpat	Good	40	O ₃	1
18	Bahadurgarh	Good	30	O ₃	1
19	Ballabgarh	Satisfactory	80	СО	1
20	Bareilly	Good	50	PM _{2.5} , PM ₁₀	2
21	Bathinda	Moderate	118	PM ₁₀	1
22	Begusarai	Moderate	131	PM _{2.5}	1
23	Belgaum	Good	47	со	1
24	Bengaluru	Satisfactory	79	CO, PM ₁₀	6

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Arrah, Bhilai, Bhiwani,

Notes: Bidar, Bihar Sharif, Brajrajnagar, Chamarajanagar, Coimbatore, Durgapur, Firozabad, Gangtok, Hapur, Jorapokhar, Kalaburgi, Katihar, Kohima, Kolar, Manguraha, Munger, Naharlagun, Nashik, Pali, Pune, Saharsa, Samastipur, Sasaram, Siliguri, Siwan, Thane, Thrissur, Udupi, Ujjain, Vapi as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bettiah	Satisfactory	54	PM ₁₀	1
26	Bhagalpur	Satisfactory	92	NO ₂ , PM ₁₀	2
27	Bhiwadi	Good	48	со	1
28	Bhopal	Good	30	03	1
29	Bilaspur	Satisfactory	62	со	1
30	Bulandshahr	Good	25	PM ₁₀	1
31	Buxar	Moderate	154	PM ₁₀	1
32	Chandigarh	Good	49	O ₃ , PM ₁₀	3
33	Chandrapur	Satisfactory	61	CO, PM ₁₀	2
34	Charkhi Dadri	Good	38	PM ₁₀	1
35	Chengalpattu	Satisfactory	60	SO ₂	1
36	Chennai	Satisfactory	56	PM ₁₀ , CO	9

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Bhilai, Bhiwani, Notes: Bidar, Bihar Sharif, Brajrajnagar, Chamarajanagar, Coimbatore, Durgapur, Firozabad, Gangtok, Hapur, Jorapokhar, Kalaburgi, Katihar, Kohima, Kolar, Manguraha, Munger, Naharlagun, Nashik, Pali, Pune, Saharsa, Samastipur, Sasaram, Siliguri, Siwan, Thane, Thrissur, Udupi, Ujjain, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chhapra	Satisfactory	92	СО	1
38	Chikkaballapur	Good	35	PM ₁₀	1
39	Chikkamagaluru	Good	47	PM ₁₀	1
40	Damoh	Good	22	со	1
41	Darbhanga	Moderate	106	PM ₁₀	1
42	Davanagere	Good	22	PM ₁₀	1
43	Dehradun	Good	31	PM ₁₀	1
44	Delhi	Satisfactory	60	O ₃ , CO, NO ₂	32
45	Dewas	Good	37	PM ₁₀	1
46	Dharuhera	Good	50	PM ₁₀	1
47	Eloor	Satisfactory	61	PM ₁₀	1
48	Ernakulam	Good	39	СО	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Bhilai, Bhiwani, Notes: Bidar, Bihar Sharif, Brajrajnagar, Chamarajanagar, Coimbatore, Durgapur, Firozabad, Gangtok, Hapur, Jorapokhar, Kalaburgi, Katihar, Kohima, Kolar, Manguraha, Munger, Naharlagun, Nashik, Pali, Pune, Saharsa, Samastipur, Sasaram, Siliguri, Siwan, Thane, Thrissur, Udupi, Ujjain, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Faridabad	Good	43	PM ₁₀	3
50	Fatehabad	Good	46	PM ₁₀	1
51	Gadag	Good	38	PM _{2.5}	1
52	Gandhinagar	Good	27	со	1
53	Gaya	Satisfactory	82	PM ₁₀ , PM _{2.5}	3
54	Ghaziabad	Good	45	PM ₁₀ , CO, NO ₂	4
55	Gorakhpur	Satisfactory	52	PM _{2.5}	1
56	Greater Noida	Good	44	со	2
57	Gummidipoondi	Good	21	PM _{2.5}	1
58	Gurugram	Good	37	PM ₁₀ , O ₃	3
59	Guwahati	Satisfactory	54	PM ₁₀	2
60	Gwalior	Satisfactory	55	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: Bidar, Bihar Sharif, Brajrajnagar, Chamarajanagar, Coimbatore, Durgapur, Firozabad, Gangtok, Hapur, Jorapokhar, Kalaburgi, Katihar, Kohima, Kolar, Manguraha, Munger, Naharlagun, Nashik, Pali, Pune, Saharsa, Samastipur, Sasaram, Siliguri, Siwan, Thane, Thrissur, Udupi, Ujjain, Vapi as data was not available.

* AQI is not calculated for today's bulletin for Arrah, Bhilai, Bhiwani,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hajipur	Moderate	120	PM ₁₀	1
62	Haldia	Satisfactory	52	PM ₁₀	1
63	Hassan	Satisfactory	62	SO ₂	1
64	Haveri	Satisfactory	52	со	1
65	Hisar	Satisfactory	68	03	1
66	Hosur	Satisfactory	73	PM ₁₀	1
67	Howrah	Satisfactory	71	PM ₁₀ , PM _{2.5}	3
68	Hubballi	Satisfactory	56	со	1
69	Hyderabad	Good	46	CO, PM ₁₀ , PM _{2.5}	12
70	Imphal	Satisfactory	59	PM ₁₀	1
71	Indore	Good	42	O ₃	1
72	Jabalpur	Satisfactory	51	СО	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Bhilai, Bhiwani, Notes: Bidar, Bihar Sharif, Brajrajnagar, Chamarajanagar, Coimbatore, Durgapur, Firozabad, Gangtok, Hapur, Jorapokhar, Kalaburgi, Katihar, Kohima, Kolar, Manguraha, Munger, Naharlagun, Nashik, Pali, Pune, Saharsa, Samastipur, Sasaram, Siliguri, Siwan, Thane, Thrissur, Udupi, Ujjain, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jaipur	Good	30	со	1
74	Jalandhar	Good	41	PM ₁₀	1
75	Jhansi	Good	21	PM ₁₀	1
76	Jind	Good	38	со	1
77	Jodhpur	Good	45	PM ₁₀	1
78	Kaithal	Good	43	03	1
79	Kalyan	Satisfactory	54	PM ₁₀	1
80	Kannur	Satisfactory	54	PM ₁₀	1
81	Kanpur	Good	29	PM ₁₀ , O ₃	4
82	Karnal	Good	32	PM ₁₀	1
83	Katni	Satisfactory	52	PM ₁₀	1
84	Khanna	Good	42	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Bhilai, Bhiwani, Notes: Bidar, Bihar Sharif, Brajrajnagar, Chamarajanagar, Coimbatore, Durgapur, Firozabad, Gangtok, Hapur, Jorapokhar, Kalaburgi, Katihar, Kohima, Kolar, Manguraha, Munger, Naharlagun, Nashik, Pali, Pune, Saharsa, Samastipur, Sasaram, Siliguri, Siwan, Thane, Thrissur, Udupi, Ujjain, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Khurja	Satisfactory	56	PM _{2.5}	1
86	Kishanganj	Satisfactory	64	O ₃	1
87	Kochi	Moderate	150	СО	1
88	Kolkata	Satisfactory	69	PM ₁₀ , O ₃	7
89	Kollam	Satisfactory	66	PM ₁₀	1
90	Koppal	Satisfactory	79	03	1
91	Kota	Good	37	PM ₁₀	1
92	Kozhikode	Satisfactory	63	PM ₁₀	1
93	Kurukshetra	Good	33	PM ₁₀	1
94	Lucknow	Satisfactory	51	CO, PM ₁₀ , O ₃	6
95	Ludhiana	Satisfactory	66	PM ₁₀	1
96	Madikeri	Good	24	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Arrah, Bhilai, Bhiwani, Notes: Bidar, Bihar Sharif, Brajrajnagar, Chamarajanagar, Coimbatore, Durgapur,

Firozabad, Gangtok, Hapur, Jorapokhar, Kalaburgi, Katihar, Kohima, Kolar, Manguraha, Munger, Naharlagun, Nashik, Pali, Pune, Saharsa, Samastipur, Sasaram, Siliguri, Siwan, Thane, Thrissur, Udupi, Ujjain, Vapi as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Maihar	Good	45	со	1
98	Mandi Gobindgarh	Good	33	PM _{2.5}	1
99	Mandideep	Good	41	PM ₁₀	1
100	Mandikhera	Good	23	SO ₂	1
101	Manesar	Good	41	PM ₁₀	1
102	Manglore	Good	50	со	1
103	Meerut	Satisfactory	54	CO, O ₃ , PM ₁₀	3
104	Moradabad	Satisfactory	66	PM ₁₀ , CO	6
105	Motihari	Moderate	156	PM _{2.5}	1
106	Mumbai	Satisfactory	67	PM ₁₀ , CO	15
107	Muzaffarnagar	Good	50	PM ₁₀	1
108	Muzaffarpur	Satisfactory	99	PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Arrah, Bhilai, Bhiwani, Notes: Bidar, Bihar Sharif, Brajrajnagar, Chamarajanagar, Coimbatore, Durgapur,

Firozabad, Gangtok, Hapur, Jorapokhar, Kalaburgi, Katihar, Kohima, Kolar, Manguraha, Munger, Naharlagun, Nashik, Pali, Pune, Saharsa, Samastipur, Sasaram, Siliguri, Siwan, Thane, Thrissur, Udupi, Ujjain, Vapi as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mysuru	Good	50	PM ₁₀	1
110	Nagpur	Good	38	PM ₁₀	1
111	Nandesari	Moderate	112	СО	1
112	Narnaul	Good	28	NO ₂	1
113	Navi Mumbai	Satisfactory	63	CO, PM ₁₀	2
114	Noida	Good	32	CO, O ₃ , SO ₂	3
115	Palwal	Satisfactory	52	PM _{2.5}	1
116	Panchkula	Good	30	NO ₂	1
117	Panipat	Good	37	SO ₂	1
118	Patiala	Good	37	PM ₁₀	1
119	Patna	Satisfactory	99	PM ₁₀ , NO ₂ , CO	5
120	Pithampur	Good	42	O ₃	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Bhilai, Bhiwani, Notes: Bidar, Bihar Sharif, Brajrajnagar, Chamarajanagar, Coimbatore, Durgapur, Firozabad, Gangtok, Hapur, Jorapokhar, Kalaburgi, Katihar, Kohima, Kolar, Manguraha, Munger, Naharlagun, Nashik, Pali, Pune, Saharsa, Samastipur, Sasaram, Siliguri, Siwan, Thane, Thrissur, Udupi, Ujjain, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Prayagraj	Satisfactory	64	SO ₂ , PM ₁₀	2
122	Puducherry	Good	40	PM ₁₀	1
123	Purnia	Moderate	182	PM _{2.5}	1
124	Raichur	Satisfactory	68	со	1
125	Rajamahendravaram	Satisfactory	56	PM ₁₀	1
126	Rajgir	Moderate	108	со	1
127	Ramanagara	Good	46	03	1
128	Ramanathapuram	Moderate	122	со	1
129	Ratlam	Good	25	NO ₂	1
130	Rohtak	Good	39	NO ₂	1
131	Rupnagar	Satisfactory	71	PM ₁₀	1
132	Sagar	Good	43	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: Bidar, Bihar Sharif, Brajrajnagar, Chamarajanagar, Coimbatore, Durgapur, Firozabad, Gangtok, Hapur, Jorapokhar, Kalaburgi, Katihar, Kohima, Kolar, Manguraha, Munger, Naharlagun, Nashik, Pali, Pune, Saharsa, Samastipur, Sasaram, Siliguri, Siwan, Thane, Thrissur, Udupi, Ujjain, Vapi as data was not available.

* AQI is not calculated for today's bulletin for Arrah, Bhilai, Bhiwani,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Satna	Good	30	PM ₁₀	1
134	Shillong	Good	27	PM ₁₀	2
135	Shivamogga	Good	48	PM ₁₀	1
136	Singrauli	Satisfactory	96	NO ₂	1
137	Sirsa	Good	37	NO ₂	1
138	Solapur	Satisfactory	69	PM ₁₀	1
139	Sonipat	Satisfactory	52	PM ₁₀	1
140	Srinagar	Good	49	SO ₂	1
141	Talcher	Satisfactory	74	со	1
142	Thiruvananthapuram	Good	48	PM _{2.5} , PM ₁₀	2
143	Thoothukudi	Satisfactory	55	PM ₁₀	1
144	Tirupati	Good	44	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Arrah, Bhilai, Bhiwani, Notes: Bidar, Bihar Sharif, Brajrajnagar, Chamarajanagar, Coimbatore, Durgapur, Firozabad, Gangtok, Hapur, Jorapokhar, Kalaburgi, Katihar, Kohima, Kolar, Manguraha, Munger, Naharlagun, Nashik, Pali, Pune, Saharsa, Samastipur, Sasaram, Siliguri, Siwan, Thane, Thrissur, Udupi, Ujjain, Vapi as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Udaipur	Good	27	PM ₁₀	1
146	Varanasi	Good	41	PM ₁₀ , NO ₂ , O ₃	4
147	Vatva	Good	48	PM ₁₀	1
148	Vijayapura	Good	39	PM ₁₀	1
149	Visakhapatnam	Satisfactory	97	PM ₁₀	1
150	Vrindavan	Good	42	SO ₂	1
151	Yadgir	Good	31	со	1
152	Yamunanagar	Satisfactory	56	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Bhilai, Bhiwani, Notes: Bidar, Bihar Sharif, Brajrajnagar, Chamarajanagar, Coimbatore, Durgapur, Firozabad, Gangtok, Hapur, Jorapokhar, Kalaburgi, Katihar, Kohima, Kolar, Manguraha, Munger, Naharlagun, Nashik, Pali, Pune, Saharsa, Samastipur, Sasaram, Siliguri, Siwan, Thane, Thrissur, Udupi, Ujjain, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.