

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	31	PM _{2.5} , PM ₁₀	2
2	Agra	Good	27	PM _{2.5} , SO ₂ , CO	6
3	Ahmedabad	Moderate	109	PM ₁₀	1
4	Aizawl	Good	20	SO ₂	1
5	Alwar	Satisfactory	58	PM ₁₀	1
6	Amaravati	Good	22	03	1
7	Ambala	Moderate	107	PM ₁₀	1
8	Amritsar	Satisfactory	97	PM ₁₀	1
9	Ankleshwar	Satisfactory	69	со	1
10	Araria	Satisfactory	53	со	1
11	Arrah	Good	37	NO ₂	1
12	Asansol	Satisfactory	68	NO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Bahadurgarh, Notes: Belgaum, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Davanagere, Durgapur, Gadag, Hubballi, Jabalpur, Jorapokhar, Kalaburgi, Kochi, Kolar, Kozhikode, Manguraha, Naharlagun, Nandesari, Nashik, Panipat, Pune, Purnia, Ramanagara, Samastipur, Sasaram, Siliguri, Siwan, Sonipat, Thane, Udupi, Vapi as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Bihar)	Moderate	139	PM ₁₀	1
14	Aurangabad (Maharashtra)	Good	50	PM ₁₀	1
15	Baddi	Satisfactory	100	PM ₁₀	1
16	Bagalkot	Good	42	PM ₁₀	1
17	Baghpat	Good	43	03	1
18	Ballabgarh	Satisfactory	79	PM ₁₀	1
19	Bareilly	Good	43	PM ₁₀	1
20	Bathinda	Satisfactory	82	PM ₁₀	1
21	Begusarai	Good	46	PM _{2.5}	1
22	Bengaluru	Satisfactory	53	PM _{2.5} , CO, PM ₁₀	7
23	Bettiah	Satisfactory	94	PM ₁₀	1
24	Bhagalpur	Satisfactory	88	NO ₂ , O ₃	2

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Bahadurgarh, Notes: Belgaum, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Davanagere, Durgapur, Gadag, Hubballi, Jabalpur, Jorapokhar, Kalaburgi, Kochi, Kolar, Kozhikode, Manguraha, Naharlagun, Nandesari, Nashik, Panipat, Pune, Purnia, Ramanagara, Samastipur, Sasaram, Siliguri, Siwan, Sonipat, Thane, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwadi	Good	42	PM ₁₀	1
26	Bhiwani	Satisfactory	53	PM ₁₀	1
27	Bhopal	Satisfactory	85	со	1
28	Bilaspur	Good	50	PM ₁₀	1
29	Bulandshahr	Satisfactory	59	PM ₁₀	1
30	Buxar	Moderate	105	PM _{2.5}	1
31	Chamarajanagar	Good	39	PM ₁₀	1
32	Chandigarh	Satisfactory	71	O ₃ , PM ₁₀	3
33	Chandrapur	Satisfactory	68	со	1
34	Charkhi Dadri	Good	41	PM _{2.5}	1
35	Chennai	Good	49	CO, O ₃ , PM ₁₀	8
36	Chhapra	Moderate	105	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Bahadurgarh,

Notes: Belgaum, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Davanagere, Durgapur,
Gadag, Hubballi, Jabalpur, Jorapokhar, Kalaburgi, Kochi, Kolar, Kozhikode,
Manguraha, Naharlagun, Nandesari, Nashik, Panipat, Pune, Purnia,
Ramanagara, Samastipur, Sasaram, Siliguri, Siwan, Sonipat, Thane, Udupi,
Vapi as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkaballapur	Good	29	со	1
38	Chikkamagaluru	Good	25	PM ₁₀	1
39	Coimbatore	Good	20	SO ₂	1
40	Damoh	Good	24	PM _{2.5}	1
41	Darbhanga	Satisfactory	91	PM ₁₀	1
42	Dehradun	Good	33	PM ₁₀	1
43	Delhi	Satisfactory	84	O ₃ , PM _{2.5} , PM ₁₀	32
44	Dewas	Good	44	PM ₁₀	1
45	Dharuhera	Satisfactory	53	PM ₁₀	1
46	Eloor	Satisfactory	60	PM ₁₀	1
47	Ernakulam	Good	33	NO ₂	1
48	Faridabad	Satisfactory	80	PM ₁₀ , NO ₂	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Bahadurgarh, Notes: Belgaum, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Davanagere, Durgapur, Gadag, Hubballi, Jabalpur, Jorapokhar, Kalaburgi, Kochi, Kolar, Kozhikode, Manguraha, Naharlagun, Nandesari, Nashik, Panipat, Pune, Purnia, Ramanagara, Samastipur, Sasaram, Siliguri, Siwan, Sonipat, Thane, Udupi, Vapi as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Fatehabad	Satisfactory	74	PM ₁₀	1
50	Firozabad	Good	38	со	1
51	Gandhinagar	Good	50	PM ₁₀	1
52	Gangtok	Good	13	SO ₂	1
53	Gaya	Satisfactory	73	PM _{2.5} , CO	3
54	Ghaziabad	Satisfactory	80	PM _{2.5} , PM ₁₀	4
55	Gorakhpur	Good	40	PM _{2.5}	1
56	Greater Noida	Satisfactory	74	CO, PM ₁₀	2
57	Gummidipoondi	Good	20	NO ₂	1
58	Gurugram	Satisfactory	70	PM ₁₀ , PM _{2.5}	2
59	Guwahati	Satisfactory	51	O ₃ , SO ₂	2
60	Gwalior	Good	40	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Bahadurgarh, Notes: Belgaum, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Davanagere, Durgapur, Gadag, Hubballi, Jabalpur, Jorapokhar, Kalaburgi, Kochi, Kolar, Kozhikode, Manguraha, Naharlagun, Nandesari, Nashik, Panipat, Pune, Purnia, Ramanagara, Samastipur, Sasaram, Siliguri, Siwan, Sonipat, Thane, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hajipur	Satisfactory	51	PM ₁₀	1
62	Haldia	Good	38	со	1
63	Hapur	Satisfactory	59	со	1
64	Hassan	Satisfactory	55	SO ₂	1
65	Haveri	Good	47	со	1
66	Hisar	Satisfactory	68	03	1
67	Howrah	Good	29	CO, PM _{2.5} , O ₃	3
68	Hyderabad	Good	42	CO, PM ₁₀ , NO ₂	12
69	Imphal	Satisfactory	84	O ₃	1
70	Indore	Satisfactory	55	PM ₁₀	1
71	Jaipur	Good	46	03	2
72	Jalandhar	Satisfactory	64	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Bahadurgarh, Notes: Belgaum, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Davanagere, Durgapur, Gadag, Hubballi, Jabalpur, Jorapokhar, Kalaburgi, Kochi, Kolar, Kozhikode, Manguraha, Naharlagun, Nandesari, Nashik, Panipat, Pune, Purnia, Ramanagara, Samastipur, Sasaram, Siliguri, Siwan, Sonipat, Thane, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jhansi	Good	33	PM ₁₀	1
74	Jind	Satisfactory	56	PM _{2.5}	1
75	Jodhpur	Satisfactory	83	PM ₁₀	1
76	Kaithal	Satisfactory	74	PM _{2.5}	1
77	Kalyan	Satisfactory	54	со	1
78	Kannur	Satisfactory	56	PM ₁₀	1
79	Kanpur	Good	24	СО	3
80	Karnal	Good	35	PM ₁₀	1
81	Katihar	Satisfactory	89	PM ₁₀	1
82	Katni	Satisfactory	60	PM ₁₀	1
83	Khanna	Satisfactory	59	PM ₁₀	1
84	Khurja	Satisfactory	88	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Bahadurgarh, Notes: Belgaum, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Davanagere, Durgapur, Gadag, Hubballi, Jabalpur, Jorapokhar, Kalaburgi, Kochi, Kolar, Kozhikode, Manguraha, Naharlagun, Nandesari, Nashik, Panipat, Pune, Purnia, Ramanagara, Samastipur, Sasaram, Siliguri, Siwan, Sonipat, Thane, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kishanganj	Satisfactory	71	PM ₁₀	1
86	Kohima	Satisfactory	57	SO ₂	1
87	Kolkata	Good	30	CO, O ₃ , NO ₂	5
88	Kollam	Satisfactory	55	PM ₁₀	1
89	Koppal	Satisfactory	65	со	1
90	Kota	Satisfactory	56	PM _{2.5}	1
91	Kurukshetra	Good	45	PM ₁₀	1
92	Lucknow	Good	50	CO, NO ₂ , O ₃	6
93	Ludhiana	Moderate	105	PM ₁₀	1
94	Madikeri	Good	28	SO ₂	1
95	Maihar	Good	39	со	1
96	Mandi Gobindgarh	Satisfactory	73	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Bahadurgarh, Notes: Belgaum, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Davanagere, Durgapur, Gadag, Hubballi, Jabalpur, Jorapokhar, Kalaburgi, Kochi, Kolar, Kozhikode, Manguraha, Naharlagun, Nandesari, Nashik, Panipat, Pune, Purnia, Ramanagara, Samastipur, Sasaram, Siliguri, Siwan, Sonipat, Thane, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mandideep	Satisfactory	69	SO ₂	1
98	Mandikhera	Good	25	со	1
99	Manesar	Good	39	PM _{2.5}	1
100	Manglore	Good	47	со	1
101	Meerut	Satisfactory	73	CO, PM ₁₀ , O ₃	3
102	Moradabad	Satisfactory	67	PM ₁₀ , PM _{2.5}	5
103	Motihari	Satisfactory	62	03	1
104	Mumbai	Good	48	CO, SO ₂ , O ₃	13
105	Munger	Moderate	113	PM ₁₀	1
106	Muzaffarnagar	Satisfactory	79	PM _{2.5}	1
107	Muzaffarpur	Satisfactory	74	CO, O ₃ , PM ₁₀	3
108	Mysuru	Good	36	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Bahadurgarh, Notes: Belgaum, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Davanagere, Durgapur, Gadag, Hubballi, Jabalpur, Jorapokhar, Kalaburgi, Kochi, Kolar, Kozhikode, Manguraha, Naharlagun, Nandesari, Nashik, Panipat, Pune, Purnia, Ramanagara, Samastipur, Sasaram, Siliguri, Siwan, Sonipat, Thane, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Nagpur	Good	39	03	1
110	Narnaul	Good	35	PM _{2.5}	1
111	Navi Mumbai	Good	33	CO, SO ₂	3
112	Noida	Satisfactory	74	CO, PM ₁₀	4
113	Pali	Satisfactory	66	PM ₁₀	1
114	Palwal	Satisfactory	61	PM ₁₀	1
115	Panchkula	Good	40	PM _{2.5}	1
116	Patiala	Good	47	PM _{2.5}	1
117	Patna	Satisfactory	88	PM ₁₀ , O ₃	6
118	Pithampur	Satisfactory	90	PM ₁₀	1
119	Prayagraj	Moderate	108	O ₃ , PM ₁₀ , SO ₂	3
120	Puducherry	Good	43	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Bahadurgarh, Notes: Belgaum, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Davanagere, Durgapur, Gadag, Hubballi, Jabalpur, Jorapokhar, Kalaburgi, Kochi, Kolar, Kozhikode, Manguraha, Naharlagun, Nandesari, Nashik, Panipat, Pune, Purnia, Ramanagara, Samastipur, Sasaram, Siliguri, Siwan, Sonipat, Thane, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Raichur	Satisfactory	65	со	1
122	Rajamahendravaram	Good	23	со	1
123	Rajgir	Satisfactory	95	со	1
124	Ratlam	Satisfactory	67	PM _{2.5}	1
125	Rohtak	Satisfactory	51	NO ₂	1
126	Rupnagar	Satisfactory	64	PM _{2.5}	1
127	Sagar	Good	48	со	1
128	Saharsa	Satisfactory	87	PM ₁₀	1
129	Satna	Satisfactory	64	PM ₁₀	1
130	Shillong	Good	20	PM ₁₀ , SO ₂	2
131	Shivamogga	Good	44	PM ₁₀	1
132	Singrauli	Satisfactory	92	NO ₂	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Bahadurgarh, Notes: Belgaum, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Davanagere, Durgapur, Gadag, Hubballi, Jabalpur, Jorapokhar, Kalaburgi, Kochi, Kolar, Kozhikode, Manguraha, Naharlagun, Nandesari, Nashik, Panipat, Pune, Purnia, Ramanagara, Samastipur, Sasaram, Siliguri, Siwan, Sonipat, Thane, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Sirsa	Satisfactory	89	O ₃	1
134	Solapur	Satisfactory	74	PM ₁₀	1
135	Srinagar	Good	41	PM ₁₀	1
136	Talcher	Good	40	со	1
137	Thiruvananthapuram	Satisfactory	64	PM _{2.5} , CO	2
138	Thoothukudi	Good	28	PM ₁₀	1
139	Thrissur	Satisfactory	76	PM ₁₀	1
140	Tirupati	Good	44	со	1
141	Udaipur	Satisfactory	54	PM ₁₀	1
142	Ujjain	Satisfactory	52	PM _{2.5}	1
143	Varanasi	Good	49	PM ₁₀	4
144	Vatva	Good	50	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Bahadurgarh, Notes: Belgaum, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Davanagere, Durgapur, Gadag, Hubballi, Jabalpur, Jorapokhar, Kalaburgi, Kochi, Kolar, Kozhikode, Manguraha, Naharlagun, Nandesari, Nashik, Panipat, Pune, Purnia, Ramanagara, Samastipur, Sasaram, Siliguri, Siwan, Sonipat, Thane, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Vijayapura	Good	40	PM ₁₀	1
146	Visakhapatnam	Satisfactory	61	PM ₁₀	1
147	Vrindavan	Satisfactory	54	SO ₂	1
148	Yadgir	Good	32	со	1
149	Yamunanagar	Moderate	114	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Bahadurgarh, Notes: Belgaum, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Davanagere, Durgapur, Gadag, Hubballi, Jabalpur, Jorapokhar, Kalaburgi, Kochi, Kolar, Kozhikode, Manguraha, Naharlagun, Nandesari, Nashik, Panipat, Pune, Purnia, Ramanagara, Samastipur, Sasaram, Siliguri, Siwan, Sonipat, Thane, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.