

# (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Poor	280	PM <sub>2.5</sub>	1
2	Ajmer	Moderate	114	PM <sub>10</sub>	1
3	Alwar	Satisfactory	92	PM <sub>2.5</sub>	1
4	Amaravati	Satisfactory	66	PM <sub>2.5</sub>	1
5	Ambala	Poor	258	PM <sub>2.5</sub>	1
6	Amritsar	Satisfactory	87	PM <sub>10</sub>	1
7	Ankleshwar	Moderate	145	PM <sub>2.5</sub>	1
8	Asanol	Poor	206	PM <sub>2.5</sub>	1
9	Aurangabad	Satisfactory	100	PM <sub>10</sub>	1
10	Bahadurgarh	Moderate	114	PM <sub>10</sub>	1
11	Ballabgarh	Poor	273	PM <sub>2.5</sub>	1
12	Bathinda	Moderate	162	PM <sub>2.5</sub>	1

# Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Poor Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ahmedabad, Baghpat, Bhiwadi, Brajrajnagar, Bulandshahr, Haldia, Hubballi, Moradabad, Muzaffarpur, Solapur, Visakhapatnam as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



# (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bengaluru	Satisfactory	87	PM <sub>10</sub> , O <sub>3</sub> , PM <sub>2.5</sub>	8
14	Bhiwani	Poor	222	PM <sub>2.5</sub>	1
15	Bhopal	Moderate	195	PM <sub>2.5</sub>	1
16	Chandigarh	Moderate	125	PM <sub>2.5</sub>	1
17	Chandrapur	Moderate	107	PM <sub>2.5</sub>	1
18	Chennai	Satisfactory	74	PM <sub>2.5</sub> , PM <sub>10</sub> , O <sub>3</sub>	3
19	Chikkaballapur	Satisfactory	86	PM <sub>10</sub>	1
20	Coimbatore	Satisfactory	73	O <sub>3</sub>	1
21	Damoh	Moderate	140	PM <sub>10</sub>	1
22	Delhi	Very Poor	325	PM <sub>2.5</sub>	35
23	Dewas	Satisfactory	84	PM <sub>10</sub>	1
24	Dharuhera	Poor	202	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ahmedabad, Baghpat, Bhiwadi, Brajrajnagar, Bulandshahr, Haldia, Hubballi, Moradabad, Muzaffarpur, Solapur, Visakhapatnam as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



# (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Eloor	Moderate	121	NO <sub>2</sub>	1
26	Faridabad	Poor	281	PM <sub>2.5</sub>	1
27	Fatehabad	Moderate	131	PM <sub>10</sub>	1
28	GandhiNagar	Moderate	109	PM <sub>2.5</sub>	1
29	Gaya	Poor	244	PM <sub>2.5</sub>	1
30	Ghaziabad	Very Poor	382	PM <sub>2.5</sub>	4
31	Greater_Noida	Very Poor	354	PM <sub>2.5</sub>	2
32	Gurugram	Poor	246	PM <sub>2.5</sub>	2
33	Guwahati	Poor	261	PM <sub>2.5</sub>	1
34	Hapur	Poor	212	PM <sub>2.5</sub>	1
35	Hisar	Moderate	200	PM <sub>2.5</sub>	1
36	Howrah	Poor	254	PM <sub>2.5</sub>	3

# Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ahmedabad, Baghpat, Bhiwadi, Brajrajnagar, Bulandshahr, Haldia, Hubballi, Moradabad, Muzaffarpur, Solapur, Visakhapatnam as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



# (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Hyderabad	Moderate	129	PM <sub>2.5</sub> , PM <sub>10</sub>	5
38	Indore	Moderate	197	PM <sub>10</sub>	1
39	Jabalpur	Poor	207	PM <sub>2.5</sub>	1
40	Jaipur	Moderate	152	PM <sub>2.5</sub> , PM <sub>10</sub>	3
41	Jalandhar	Poor	213	PM <sub>2.5</sub>	1
42	Jind	Poor	260	PM <sub>2.5</sub>	1
43	Jodhpur	Poor	215	PM <sub>2.5</sub>	1
44	Jorapokhar	Moderate	146	PM <sub>10</sub>	1
45	Kaithal	Moderate	187	PM <sub>2.5</sub>	1
46	Kalaburagi	Moderate	120	PM <sub>2.5</sub>	1
47	Kalyan	Poor	211	PM <sub>2.5</sub>	1
48	Kanpur	Very Poor	312	PM <sub>2.5</sub>	1

# Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ahmedabad, Baghpat, Bhiwadi, Brajrajnagar, Bulandshahr, Haldia, Hubballi, Moradabad, Muzaffarpur, Solapur, Visakhapatnam as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



# (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Karnal	Poor	297	PM <sub>2.5</sub>	1
50	Katni	Poor	223	PM <sub>2.5</sub>	1
51	Khanna	Moderate	119	PM <sub>2.5</sub>	1
52	Kolkata	Poor	222	O <sub>3</sub> , PM <sub>2.5</sub>	7
53	Kota	Moderate	113	PM <sub>10</sub>	1
54	Kurukshetra	Poor	285	PM <sub>2.5</sub>	1
55	Lucknow	Poor	286	PM <sub>2.5</sub>	4
56	Ludhiana	Moderate	115	PM <sub>2.5</sub>	1
57	Maihar	Good	28	СО	1
58	Mandi Gobindgarh	Moderate	105	PM <sub>10</sub>	1
59	Mandideep	Moderate	129	PM <sub>10</sub>	1
60	Mandikhera	Moderate	157	PM <sub>2.5</sub>	1

# Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ahmedabad, Baghpat, Bhiwadi, Brajrajnagar, Bulandshahr, Haldia, Hubballi, Moradabad, Muzaffarpur, Solapur, Visakhapatnam as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



# (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Manesar	Poor	229	PM <sub>2.5</sub>	1
62	Meerut	Very Poor	339	PM <sub>2.5</sub>	3
63	Mumbai	Poor	250	PM <sub>2.5</sub> , PM <sub>10</sub>	9
64	Muzaffarnagar	Severe	405	PM <sub>2.5</sub>	1
65	Mysuru	Moderate	131	PM <sub>2.5</sub>	1
66	Nagpur	Satisfactory	77	PM <sub>10</sub>	1
67	Narnaul	Moderate	159	PM <sub>2.5</sub>	1
68	Nashik	Moderate	101	PM <sub>2.5</sub>	1
69	Navi Mumbai	Poor	249	PM <sub>2.5</sub> , O <sub>3</sub>	2
70	Noida	Very Poor	351	PM <sub>2.5</sub>	4
71	Pali	Moderate	104	PM <sub>10</sub>	1
72	Palwal	Poor	229	PM <sub>2.5</sub>	1

# Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ahmedabad, Baghpat, Bhiwadi, Brajrajnagar, Bulandshahr, Haldia, Hubballi, Moradabad, Muzaffarpur, Solapur, Visakhapatnam as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



# (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Panchkula	Moderate	148	PM <sub>2.5</sub>	1
74	Panipat	Very Poor	370	PM <sub>10</sub>	1
75	Patiala	Moderate	157	PM <sub>2.5</sub>	1
76	Patna	Poor	256	PM <sub>2.5</sub>	4
77	Pithampur	Satisfactory	100	PM <sub>10</sub>	1
78	Pune	Poor	221	PM <sub>2.5</sub>	1
79	Rajamahendravaram	Satisfactory	84	PM <sub>10</sub>	1
80	Ramanagara	Satisfactory	80	PM <sub>10</sub>	1
81	Ratlam	Moderate	136	PM <sub>10</sub>	1
82	Rohtak	Poor	221	PM <sub>2.5</sub>	1
83	Rupnagar	Moderate	129	PM <sub>2.5</sub>	1
84	Satna	Moderate	138	PM <sub>10</sub>	1

# Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ahmedabad, Baghpat, Bhiwadi, Brajrajnagar, Bulandshahr, Haldia, Hubballi, Moradabad, Muzaffarpur, Solapur, Visakhapatnam as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



# (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Shillong	Satisfactory	88	PM <sub>2.5</sub>	1
86	Siliguri	Poor	255	PM <sub>2.5</sub>	1
87	Singrauli	Poor	226	PM <sub>10</sub>	1
88	Sirsa	Moderate	111	PM <sub>10</sub>	1
89	Sonipat	Moderate	199	PM <sub>10</sub>	1
90	Talcher	Very Poor	360	PM <sub>2.5</sub>	1
91	Thane	Satisfactory	93	PM <sub>10</sub>	1
92	Thiruvananthapuram	Satisfactory	58	PM <sub>10</sub>	1
93	Tirupati	Satisfactory	67	NO <sub>2</sub>	1
94	Udaipur	Moderate	124	PM <sub>10</sub>	1
95	Ujjain	Poor	210	PM <sub>2.5</sub>	1
96	Vapi	Poor	265	PM <sub>2.5</sub>	1

# Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ahmedabad, Baghpat, Bhiwadi, Brajrajnagar, Bulandshahr, Haldia, Hubballi, Moradabad, Muzaffarpur, Solapur, Visakhapatnam as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



# (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Varanasi	Poor	277	PM <sub>2.5</sub>	1
98	Vatva	Very Poor	318	PM <sub>10</sub>	1
99	Vijayapura	Satisfactory	64	PM <sub>2.5</sub>	1
100	Yadgir	Satisfactory	86	PM <sub>10</sub>	1
101	Yamunanagar	Poor	269	PM <sub>2.5</sub>	1

# Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ahmedabad, Baghpat, Bhiwadi, Brajrajnagar, Bulandshahr, Haldia, Hubballi, Moradabad, Muzaffarpur, Solapur, Visakhapatnam as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.