



## Air Quality Index on Jan 10, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	176	PM <sub>10</sub> , PM <sub>2.5</sub>	2
2	Agra	Moderate	157	PM <sub>2.5</sub>	6
3	Ahmedabad	Moderate	150	PM <sub>10</sub>	1
4	Aizawl	Good	27	PM <sub>10</sub>	1
5	Ajmer	Satisfactory	85	PM <sub>2.5</sub>	1
6	Alwar	Moderate	193	PM <sub>2.5</sub>	1
7	Amaravati	Moderate	157	PM <sub>2.5</sub>	1
8	Ambala	Moderate	178	PM <sub>2.5</sub>	1
9	Amritsar	Poor	203	PM <sub>2.5</sub>	1
10	Anantapur	Satisfactory	86	PM <sub>10</sub>	1
11	Araria	Very Poor	343	PM <sub>2.5</sub>	1
12	Ariyalur	Satisfactory	71	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad (Bihar), Begusarai, Belgaum, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Davanagere, Dehradun, Dharwad, Eloor, Ernakulam, Hassan, Hisar, Kolar, Manguraha, Nandesari, Nayagarh, Panipat, Pune, Solapur, Srinagar, Talcher, Tumakuru, Vrindavan, Vellore as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Jan 10, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Very Poor	368	PM <sub>2.5</sub>	1
14	Asansol	Poor	291	PM <sub>2.5</sub>	1
15	Aurangabad (Maharashtra)	Moderate	118	PM <sub>10</sub>	1
16	Baddi	Very Poor	309	PM <sub>2.5</sub>	1
17	Bagalkot	Good	42	PM <sub>10</sub>	1
18	Baghpat	Poor	259	PM <sub>2.5</sub>	1
19	Bahadurgarh	Poor	247	PM <sub>2.5</sub>	1
20	Ballabgarh	Poor	221	PM <sub>2.5</sub>	1
21	Bareilly	Moderate	119	PM <sub>2.5</sub>	2
22	Baripada	Moderate	162	O <sub>3</sub>	1
23	Bathinda	Moderate	175	PM <sub>2.5</sub>	1
24	Bengaluru	Satisfactory	93	PM <sub>10</sub> , CO	9

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad (Bihar), Begusarai, Belgaum, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Davanagere, Dehradun, Dharwad, Eloor, Ernakulam, Hassan, Hisar, Kolar, Manguraha, Nandesari, Nayagarh, Panipat, Pune, Solapur, Srinagar, Talcher, Tumakuru, Vrindavan, Vellore as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Jan 10, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bettiah	Very Poor	352	PM <sub>2.5</sub>	1
26	Bhagalpur	Severe	406	PM <sub>2.5</sub>	2
27	Bhilai	Moderate	138	O <sub>3</sub>	2
28	Bhiwadi	Poor	262	PM <sub>10</sub>	1
29	Bhiwani	Poor	238	PM <sub>2.5</sub>	1
30	Bhopal	Moderate	164	PM <sub>10</sub> , PM <sub>2.5</sub>	2
31	Bidar	Satisfactory	100	PM <sub>10</sub>	1
32	Bileipada	Moderate	194	PM <sub>2.5</sub>	1
33	Bajrajnagar	Satisfactory	91	PM <sub>10</sub>	1
34	Bulandshahr	Poor	286	PM <sub>2.5</sub>	1
35	Byrnihat	Very Poor	371	PM <sub>2.5</sub>	1
36	Chamarajanagar	Good	42	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad (Bihar), Begusarai, Belgaum, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Davanagere, Dehradun, Dharwad, Eloor, Ernakulam, Hassan, Hisar, Kolar, Manguraha, Nandesari, Nayagarh, Panipat, Pune, Solapur, Srinagar, Talcher, Tumakuru, Vrindavan, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Jan 10, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chandigarh	Very Poor	342	PM <sub>2.5</sub>	2
38	Chandrapur	Poor	222	PM <sub>2.5</sub>	2
39	Charkhi Dadri	Poor	297	PM <sub>2.5</sub>	1
40	Chennai	Moderate	140	PM <sub>2.5</sub> , PM <sub>10</sub>	8
41	Chhapra	Severe	410	PM <sub>10</sub>	1
42	Chikkaballapur	Moderate	124	PM <sub>10</sub>	1
43	Chikkamagaluru	Satisfactory	67	CO	1
44	Chittoor	Satisfactory	67	O <sub>3</sub>	1
45	Coimbatore	Moderate	154	PM <sub>2.5</sub>	1
46	Damoh	Good	40	PM <sub>10</sub>	1
47	Darbhanga	Very Poor	387	PM <sub>2.5</sub>	1
48	Delhi	Severe	407	PM <sub>2.5</sub>	38

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad (Bihar), Begusarai, Belgaum, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Davanagere, Dehradun, Dharwad, Eloor, Ernakulam, Hassan, Hisar, Kolar, Manguraha, Nandesari, Nayagarh, Panipat, Pune, Solapur, Srinagar, Talcher, Tumakuru, Vrindavan, Vellore as data was not available.  
# Some stations have data available at 3PM  
\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.  
\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Jan 10, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Dewas	Moderate	103	PM <sub>10</sub>	1
50	Dharuhera	Very Poor	321	PM <sub>2.5</sub>	1
51	Dindigul	Poor	246	NO <sub>2</sub>	1
52	Durgapur	Moderate	200	PM <sub>2.5</sub>	1
53	Faridabad	Very Poor	302	PM <sub>2.5</sub>	4
54	Fatehabad	Moderate	127	PM <sub>2.5</sub>	1
55	Firozabad	Moderate	159	PM <sub>2.5</sub>	2
56	Gadag	Satisfactory	68	O <sub>3</sub>	1
57	Gandhinagar	Moderate	118	PM <sub>10</sub>	1
58	Gangtok	Good	35	O <sub>3</sub>	1
59	Gaya	Very Poor	340	PM <sub>2.5</sub>	2
60	Ghaziabad	Very Poor	362	PM <sub>2.5</sub>	4

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad (Bihar), Begusarai, Belgaum, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Davanagere, Dehradun, Dharwad, Eloor, Ernakulam, Hassan, Hisar, Kolar, Manguraha, Nandesari, Nayagarh, Panipat, Pune, Solapur, Srinagar, Talcher, Tumakuru, Vrindavan, Vellore as data was not available.  
# Some stations have data available at 3PM  
\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.  
\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Jan 10, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gorakhpur	Moderate	128	PM <sub>2.5</sub>	1
62	Greater Noida	Severe	418	PM <sub>2.5</sub>	2
63	Gummidipoondi	Moderate	132	PM <sub>2.5</sub>	1
64	Gurugram	Very Poor	348	PM <sub>10</sub> , PM <sub>2.5</sub>	4
65	Guwahati	Poor	243	PM <sub>2.5</sub>	3
66	Gwalior	Very Poor	392	PM <sub>2.5</sub>	3
67	Hajipur	Poor	217	PM <sub>10</sub>	1
68	Haldia	Moderate	135	PM <sub>10</sub>	1
69	Hapur	Moderate	199	PM <sub>2.5</sub>	1
70	Haveri	Moderate	114	PM <sub>10</sub>	1
71	Hosur	Moderate	105	CO	1
72	Howrah	Poor	227	PM <sub>2.5</sub>	3

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad (Bihar), Begusarai, Belgaum, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Davanagere, Dehradun, Dharwad, Eloor, Ernakulam, Hassan, Hisar, Kolar, Manguraha, Nandesari, Nayagarh, Panipat, Pune, Solapur, Srinagar, Talcher, Tumakuru, Vrindavan, Vellore as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Jan 10, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hubballi	Moderate	102	PM <sub>10</sub>	2
74	Hyderabad	Moderate	112	PM <sub>2.5</sub> , PM <sub>10</sub>	14
75	Imphal	Moderate	124	PM <sub>2.5</sub> , SO <sub>2</sub>	2
76	Indore	Moderate	149	PM <sub>10</sub>	1
77	Jabalpur	Poor	234	PM <sub>2.5</sub>	1
78	Jaipur	Moderate	191	PM <sub>2.5</sub> , PM <sub>10</sub>	3
79	Jalandhar	Poor	259	PM <sub>2.5</sub>	1
80	Jhansi	Moderate	116	PM <sub>10</sub>	1
81	Jind	Very Poor	304	PM <sub>2.5</sub>	1
82	Jodhpur	Moderate	179	PM <sub>2.5</sub>	1
83	Jorapokhar	Moderate	166	PM <sub>10</sub>	1
84	Kaithal	Poor	282	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad (Bihar), Begusarai, Belgaum, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Davanagere, Dehradun, Dharwad, Eloor, Ernakulam, Hassan, Hisar, Kolar, Manguraha, Nandesari, Nayagarh, Panipat, Pune, Solapur, Srinagar, Talcher, Tumakuru, Vrindavan, Vellore as data was not available.  
# Some stations have data available at 3PM  
\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.  
\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Jan 10, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kalaburgi	Moderate	162	PM <sub>2.5</sub>	1
86	Kalyan	Moderate	140	PM <sub>10</sub>	1
87	Kanchipuram	Satisfactory	67	PM <sub>10</sub>	1
88	Kannur	Satisfactory	93	PM <sub>2.5</sub>	1
89	Kanpur	Moderate	154	PM <sub>2.5</sub>	4
90	Karnal	Moderate	188	PM <sub>2.5</sub>	1
91	Katihar	Very Poor	376	PM <sub>10</sub>	1
92	Katni	Poor	266	PM <sub>2.5</sub>	1
93	Keonjhar	Moderate	167	O <sub>3</sub>	1
94	Khanna	Moderate	164	PM <sub>2.5</sub>	1
95	Khurja	Poor	278	PM <sub>2.5</sub>	1
96	Kishanganj	Very Poor	351	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad (Bihar), Begusarai, Belgaum, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Davanagere, Dehradun, Dharwad, Eloor, Ernakulam, Hassan, Hisar, Kolar, Manguraha, Nandesari, Nayagarh, Panipat, Pune, Solapur, Srinagar, Talcher, Tumakuru, Vrindavan, Vellore as data was not available.  
# Some stations have data available at 3PM  
\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.  
\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.





## Air Quality Index on Jan 10, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kochi	Moderate	194	PM <sub>2.5</sub>	1
98	Kohima	Satisfactory	72	PM <sub>10</sub>	1
99	Kolkata	Poor	242	PM <sub>2.5</sub>	7
100	Kollam	Satisfactory	92	PM <sub>10</sub>	1
101	Koppal	Satisfactory	83	CO	1
102	Korba	Satisfactory	92	PM <sub>10</sub>	2
103	Kota	Poor	204	PM <sub>2.5</sub>	1
104	Kozhikode	Satisfactory	75	PM <sub>2.5</sub>	1
105	Kurukshetra	Poor	267	PM <sub>2.5</sub>	1
106	Lucknow	Poor	204	PM <sub>2.5</sub>	6
107	Ludhiana	Poor	236	PM <sub>2.5</sub>	1
108	Madikeri	Good	50	O <sub>3</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad (Bihar), Begusarai, Belgaum, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Davanagere, Dehradun, Dharwad, Eloor, Ernakulam, Hassan, Hisar, Kolar, Manguraha, Nandesari, Nayagarh, Panipat, Pune, Solapur, Srinagar, Talcher, Tumakuru, Vrindavan, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Jan 10, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Maihar	Good	42	PM <sub>10</sub>	1
110	Mandi Gobindgarh	Poor	256	PM <sub>2.5</sub>	1
111	Mandideep	Moderate	115	NO <sub>2</sub>	1
112	Mandikhera	Moderate	193	PM <sub>10</sub>	1
113	Manesar	Poor	299	PM <sub>2.5</sub>	1
114	Mangalore	Moderate	109	PM <sub>10</sub>	1
115	Meerut	Very Poor	332	PM <sub>2.5</sub>	3
116	Moradabad	Moderate	154	PM <sub>2.5</sub>	6
117	Motihari	Moderate	198	PM <sub>10</sub>	1
118	Mumbai	Moderate	158	PM <sub>2.5</sub> , PM <sub>10</sub>	18
119	Munger	Very Poor	316	PM <sub>2.5</sub>	1
120	Muzaffarnagar	Poor	213	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad (Bihar), Begusarai, Belgaum, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Davanagere, Dehradun, Dharwad, Eloor, Ernakulam, Hassan, Hisar, Kolar, Manguraha, Nandesari, Nayagarh, Panipat, Pune, Solapur, Srinagar, Talcher, Tumakuru, Vrindavan, Vellore as data was not available.  
# Some stations have data available at 3PM  
\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.  
\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Jan 10, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Muzaffarpur	Very Poor	342	PM <sub>2.5</sub>	3
122	Mysuru	Satisfactory	63	PM <sub>10</sub>	1
123	Nagpur	Moderate	146	PM <sub>2.5</sub>	1
124	Naharlagun	Good	42	PM <sub>2.5</sub>	1
125	Nalbari	Poor	262	PM <sub>2.5</sub>	1
126	Narnaul	Moderate	157	PM <sub>10</sub>	1
127	Nashik	Moderate	148	PM <sub>2.5</sub>	1
128	Navi Mumbai	Moderate	190	PM <sub>2.5</sub>	3
129	Noida	Very Poor	393	PM <sub>2.5</sub>	4
130	Ooty	Satisfactory	62	PM <sub>10</sub>	1
131	Pali	Moderate	171	PM <sub>2.5</sub>	1
132	Palwal	Moderate	159	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad (Bihar), Begusarai, Belgaum, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Davanagere, Dehradun, Dharwad, Eloor, Ernakulam, Hassan, Hisar, Kolar, Manguraha, Nandesari, Nayagarh, Panipat, Pune, Solapur, Srinagar, Talcher, Tumakuru, Vrindavan, Vellore as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Jan 10, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Panchkula	Poor	241	PM <sub>2.5</sub>	1
134	Patiala	Moderate	161	PM <sub>2.5</sub>	1
135	Patna	Very Poor	393	PM <sub>10</sub> , PM <sub>2.5</sub>	6
136	Pithampur	Moderate	134	PM <sub>10</sub>	1
137	Prayagraj	Moderate	188	PM <sub>2.5</sub>	3
138	Puducherry	Satisfactory	75	PM <sub>10</sub>	1
139	Purnia	Very Poor	392	PM <sub>2.5</sub>	1
140	Raichur	Moderate	144	PM <sub>10</sub>	1
141	Raipur	Moderate	128	NO <sub>2</sub> , PM <sub>10</sub>	4
142	Rairangpur	Moderate	105	PM <sub>2.5</sub>	1
143	Rajamahendravaram	Moderate	182	PM <sub>2.5</sub>	1
144	Rajgir	Very Poor	388	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad (Bihar), Begusarai, Belgaum, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Davanagere, Dehradun, Dharwad, Eloor, Ernakulam, Hassan, Hisar, Kolar, Manguraha, Nandesari, Nayagarh, Panipat, Pune, Solapur, Srinagar, Talcher, Tumakuru, Vrindavan, Vellore as data was not available.  
# Some stations have data available at 3PM  
\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.  
\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Jan 10, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Ramanagara	Moderate	102	PM <sub>2.5</sub>	1
146	Ramanathapuram	Satisfactory	61	PM <sub>10</sub>	1
147	Ratlam	Moderate	114	PM <sub>10</sub>	1
148	Rohtak	Poor	259	PM <sub>2.5</sub>	1
149	Rourkela	Moderate	173	PM <sub>10</sub>	1
150	Rupnagar	Poor	218	PM <sub>2.5</sub>	1
151	Sagar	Satisfactory	76	PM <sub>2.5</sub> , CO	2
152	Saharsa	Very Poor	348	PM <sub>2.5</sub>	1
153	Salem	Satisfactory	83	SO <sub>2</sub>	1
154	Samastipur	Very Poor	364	PM <sub>2.5</sub>	1
155	Sasaram	Very Poor	360	PM <sub>2.5</sub>	1
156	Satna	Satisfactory	72	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad (Bihar), Begusarai, Belgaum, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Davanagere, Dehradun, Dharwad, Eloor, Ernakulam, Hassan, Hisar, Kolar, Manguraha, Nandesari, Nayagarh, Panipat, Pune, Solapur, Srinagar, Talcher, Tumakuru, Vrindavan, Vellore as data was not available.  
# Some stations have data available at 3PM  
\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.  
\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Jan 10, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Shillong	Good	44	PM <sub>2.5</sub>	1
158	Shivamogga	Good	43	PM <sub>10</sub>	1
159	Siliguri	Poor	231	PM <sub>2.5</sub>	1
160	Singrauli	Poor	249	PM <sub>10</sub>	1
161	Sirsa	Moderate	168	PM <sub>2.5</sub>	1
162	Sivasagar	Good	43	PM <sub>2.5</sub>	1
163	Siwan	Very Poor	351	PM <sub>2.5</sub>	1
164	Sonipat	Moderate	185	PM <sub>10</sub>	1
165	Suakati	Moderate	114	PM <sub>2.5</sub>	1
166	Surat	Moderate	188	PM <sub>2.5</sub>	1
167	Tensa	Satisfactory	72	PM <sub>10</sub>	1
168	Thane	Moderate	153	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad (Bihar), Begusarai, Belgaum, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Davanagere, Dehradun, Dharwad, Eloor, Ernakulam, Hassan, Hisar, Kolar, Manguraha, Nandesari, Nayagarh, Panipat, Pune, Solapur, Srinagar, Talcher, Tumakuru, Vrindavan, Vellore as data was not available.  
# Some stations have data available at 3PM  
\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.  
\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Jan 10, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Thiruvananthapuram	Satisfactory	100	PM <sub>2.5</sub>	2
170	Thoothukudi	Good	49	PM <sub>10</sub>	1
171	Thrissur	Moderate	135	PM <sub>10</sub>	1
172	Tirupati	Satisfactory	97	PM <sub>2.5</sub>	2
173	Tirupur	Satisfactory	65	PM <sub>10</sub>	1
174	Udaipur	Moderate	169	PM <sub>2.5</sub>	1
175	Udupi	Moderate	104	CO	1
176	Ujjain	Poor	232	PM <sub>2.5</sub>	1
177	Vapi	Poor	255	PM <sub>2.5</sub>	1
178	Varanasi	Satisfactory	84	PM <sub>2.5</sub>	4
179	Vatva	Moderate	159	PM <sub>10</sub>	1
180	Vijayapura	Good	46	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad (Bihar), Begusarai, Belgaum, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Davanagere, Dehradun, Dharwad, Eloor, Ernakulam, Hassan, Hisar, Kolar, Manguraha, Nandesari, Nayagarh, Panipat, Pune, Solapur, Srinagar, Talcher, Tumakuru, Vrindavan, Vellore as data was not available.  
# Some stations have data available at 3PM  
\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.  
\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Jan 10, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Visakhapatnam	Moderate	187	PM <sub>10</sub>	1
182	Yadgir	Satisfactory	83	PM <sub>10</sub>	1
183	Yamunanagar	Poor	256	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad (Bihar), Begusarai, Belgaum, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Davanagere, Dehradun, Dharwad, Eloor, Ernakulam, Hassan, Hisar, Kolar, Manguraha, Nandesari, Nayagarh, Panipat, Pune, Solapur, Srinagar, Talcher, Tumakuru, Vrindavan, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.