

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Good	25	PM _{2.5}	1
2	Ahmedabad	Moderate	125	СО	1
3	Ajmer	Good	49	со	1
4	Alwar	Good	46	PM ₁₀	1
5	Ambala	Satisfactory	75	PM ₁₀	1
6	Amritsar	Satisfactory	80	PM _{2.5}	1
7	Ankleshwar	Satisfactory	85	NO ₂	1
8	Asanol	Good	29	PM _{2.5}	1
9	Baghpat	Satisfactory	61	PM ₁₀	1
10	Bahadurgarh	Satisfactory	95	NO ₂	1
11	Ballabgarh	Satisfactory	51	PM ₁₀	1
12	Bathinda	Satisfactory	76	СО	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Amaravati, Aurangabad, Haldia, Khanna, Maihar, Mandi Gobindgarh, Mysuru, Nashik, Singrauli, Talcher, Thane, Varanasi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bengaluru	Satisfactory	68	PM ₁₀ , PM _{2.5} , OZONE	10
14	Bhiwadi	Satisfactory	94	PM ₁₀	1
15	Bhiwani	Satisfactory	59	PM ₁₀	1
16	Bhopal	Good	40	СО	1
17	Brajrajnagar	Satisfactory	99	СО	1
18	Bulandshahr	Good	43	СО	1
19	Chandigarh	Satisfactory	56	PM ₁₀	1
20	Chandrapur	Good	20	OZONE	1
21	Chennai	Satisfactory	85	OZONE, CO, PM _{2.5}	3
22	Chikkaballapur	Good	43	PM ₁₀	1
23	Coimbatore	Satisfactory	81	СО	1
24	Damoh	Good	23	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amaravati, Aurangabad, Haldia, Khanna, Maihar, Mandi Gobindgarh, Mysuru, Nashik, Singrauli, Talcher, Thane, Varanasi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Delhi	Satisfactory	63	PM ₁₀ , CO, NO ₂	33
26	Dewas	Satisfactory	51	OZONE	1
27	Dharuhera	Satisfactory	71	PM ₁₀	1
28	Eloor	Good	47	со	1
29	Faridabad	Satisfactory	53	со	1
30	Fatehabad	Satisfactory	57	PM ₁₀	1
31	GandhiNagar	Good	31	PM ₁₀	1
32	Gaya	Satisfactory	55	NO ₂	1
33	Ghaziabad	Satisfactory	55	NO ₂ , PM ₁₀ , CO	3
34	Greater_Noida	Satisfactory	56	PM ₁₀ , CO	2
35	Gurugram	Good	43	PM ₁₀ , PM _{2.5}	2
36	Guwahati	Good	41	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Amaravati, Aurangabad, Haldia, Khanna, Maihar, Mandi Gobindgarh, Mysuru, Nashik, Singrauli, Talcher, Thane, Varanasi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Hisar	Satisfactory	77	PM ₁₀	1
38	Howrah	Good	44	PM _{2.5}	1
39	Hubballi	Satisfactory	62	PM ₁₀	1
40	Hyderabad	Good	33	CO, PM _{2.5} , PM ₁₀	6
41	Indore	Good	48	NO ₂	1
42	Jabalpur	Good	35	со	1
43	Jaipur	Good	48	PM ₁₀ , CO	2
44	Jalandhar	Satisfactory	82	PM ₁₀	1
45	Jind	Good	47	PM ₁₀	1
46	Jodhpur	Satisfactory	97	PM ₁₀	1
47	Jorapokhar	Satisfactory	59	PM ₁₀	1
48	Kaithal	Satisfactory	60	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Amaravati, Aurangabad, Haldia, Khanna, Maihar, Mandi Gobindgarh, Mysuru, Nashik, Singrauli, Talcher, Thane, Varanasi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kalaburagi	Good	17	СО	1
50	Kalyan	Good	46	со	1
51	Kanpur	Good	27	NO ₂	1
52	Karnal	Satisfactory	71	PM ₁₀	1
53	Katni	Good	33	PM ₁₀	1
54	Kolkata	Good	34	PM ₁₀ , PM _{2.5} , OZONE	6
55	Kota	Good	44	PM ₁₀	1
56	Kurukshetra	Satisfactory	81	PM ₁₀	1
57	Loni_Dehat	Satisfactory	54	PM ₁₀	1
58	Lucknow	Satisfactory	52	CO, OZONE	4
59	Ludhiana	Satisfactory	53	PM ₁₀	1
60	Mandideep	Satisfactory	55	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Amaravati, Aurangabad, Haldia, Khanna, Maihar, Mandi Gobindgarh, Mysuru, Nashik, Singrauli, Talcher, Thane, Varanasi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Mandikhera	Good	45	со	1
62	Manesar	Satisfactory	51	PM ₁₀	1
63	Moradabad	Satisfactory	64	PM ₁₀	1
64	Mumbai	Good	33	CO, NO ₂ , PM ₁₀	8
65	Muzaffarnagar	Good	49	PM ₁₀	1
66	Muzaffarpur	Satisfactory	54	со	1
67	Nagpur	Good	46	NO ₂	1
68	Narnaul	Good	50	PM _{2.5}	1
69	Navi Mumbai	Good	34	PM ₁₀ , CO	2
70	Noida	Good	50	PM ₁₀ , CO	4
71	Pali	Satisfactory	52	PM _{2.5}	1
72	Palwal	Satisfactory	92	NH ₃	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Amaravati, Aurangabad, Haldia, Khanna, Maihar, Mandi Gobindgarh, Mysuru, Nashik, Singrauli, Talcher, Thane, Varanasi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Panchkula	Good	44	PM _{2.5}	1
74	Panipat	Satisfactory	58	PM ₁₀	1
75	Patiala	Good	42	PM ₁₀	1
76	Patna	Satisfactory	59	SO ₂	1
77	Pithampur	Satisfactory	54	PM ₁₀	1
78	Pune	Satisfactory	86	SO ₂	1
79	Rajamahendravaram	Good	42	со	1
80	Ramanagara	Good	34	PM ₁₀	1
81	Ratlam	Good	45	PM ₁₀	1
82	Rohtak	Good	33	со	1
83	Rupnagar	Satisfactory	67	PM ₁₀	1
84	Satna	Satisfactory	70	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amaravati, Aurangabad, Haldia, Khanna, Maihar, Mandi Gobindgarh, Mysuru, Nashik, Singrauli, Talcher, Thane, Varanasi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Shillong	Good	28	со	1
86	Siliguri	Good	29	PM ₁₀	1
87	Sirsa	Satisfactory	77	PM ₁₀	1
88	Solapur	Satisfactory	59	СО	1
89	Sonipat	Satisfactory	63	PM ₁₀	1
90	Thiruvananthapuram	Good	46	СО	1
91	Tirupati	Good	28	PM ₁₀	1
92	Udaipur	Satisfactory	63	PM ₁₀	1
93	Ujjain	Satisfactory	51	OZONE	1
94	Vapi	Good	34	PM ₁₀	1
95	Vatva	Satisfactory	52	PM ₁₀	1
96	Vijayawada	Satisfactory	59	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amaravati, Aurangabad, Haldia, Khanna, Maihar, Mandi Gobindgarh, Mysuru, Nashik, Singrauli, Talcher, Thane, Varanasi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Visakhapatnam	Satisfactory	94	PM ₁₀	1
98	Yadgir	Good	37	OZONE	1
99	Yamunanagar	Satisfactory	82	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Amaravati, Aurangabad, Haldia, Khanna, Maihar, Mandi Gobindgarh, Mysuru, Nashik, Singrauli, Talcher, Thane, Varanasi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.