

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	107	PM <sub>2.5</sub>	1
2	Agra	Satisfactory	76	PM <sub>10</sub>	6
3	Ahmedabad	Satisfactory	66	PM <sub>10</sub>	7
4	Ajmer	Satisfactory	85	PM <sub>2.5</sub>	1
5	Akola	Satisfactory	62	PM <sub>10</sub>	1
6	Alwar	Satisfactory	65	PM <sub>10</sub>	1
7	Amaravati	Satisfactory	51	03	1
8	Ambala	Satisfactory	91	со	1
9	Amravati	Satisfactory	56	PM <sub>10</sub>	2
10	Anantapur	Satisfactory	74	PM <sub>10</sub>	1
11	Ankleshwar	Satisfactory	81	NO <sub>2</sub>	1
12	Araria	Satisfactory	62	со	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Asansol, Bathinda, Bettiah, Boisar, Brajrajnagar,

### Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

-Buxar, Chengalpattu, Chhapra, Ceimbatere, Darbhanga, Dehradun, Dhule Dindigul, Ernakulam, Gadag, Hassan, Hisar, Imphal, Jalna, Jorapokhar,

Kadapa, Kalaburgi, Kanchipuram, Kollam, Kozhikode, Kunjemura, Kurukshetra, Malegaon, Mangalore, Manguraha, Milupara, Mira-Bhayandar, Motihari, Nagaon, Naharlagun, Nandesari, Palkalaiperur, Raichur, Rairangpur, Salem, Sonipat, Talcher, Tensa, Udupi, Virar, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Moderate	113	PM <sub>10</sub>	1
14	Aurangabad (Bihar)	Satisfactory	66	PM <sub>10</sub>	1
15	Aurangabad (Maharashtra)	Satisfactory	54	PM <sub>10</sub>	3
16	Baddi	Moderate	152	PM <sub>10</sub>	1
17	Badlapur	Good	38	PM <sub>10</sub>	1
18	Bagalkot	Good	42	PM <sub>10</sub>	1
19	Baghpat	Moderate	102	PM <sub>10</sub>	1
20	Bahadurgarh	Satisfactory	73	PM <sub>10</sub>	1
21	Ballabgarh	Satisfactory	76	PM <sub>10</sub>	1
22	Banswara	Good	47	PM <sub>2.5</sub>	1
23	Baran	Satisfactory	91	PM <sub>10</sub>	1
24	Bareilly	Satisfactory	55	PM <sub>10</sub>	2

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Asansol, Bathinda, Bettiah, Boisar, Brajrajnagar,

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Baripada	Satisfactory	88	PM <sub>10</sub>	1
26	Barmer	Satisfactory	78	PM <sub>10</sub>	1
27	Begusarai	Satisfactory	97	PM <sub>2.5</sub>	1
28	Belapur	Satisfactory	53	PM <sub>10</sub>	1
29	Belgaum	Good	50	PM <sub>10</sub>	1
30	Bengaluru	Satisfactory	65	PM <sub>10</sub> , CO	7
31	Bhagalpur	Satisfactory	88	PM <sub>10</sub>	2
32	Bharatpur	Moderate	112	PM <sub>10</sub>	1
33	Bhilai	Satisfactory	66	PM <sub>10</sub> , CO	3
34	Bhilwara	Moderate	114	PM <sub>2.5</sub>	1
35	Bhiwadi	Satisfactory	91	PM <sub>10</sub>	1
36	Bhiwandi	Good	38	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

### Possible Health Impacts Notes:

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases		

### Amritsar, Ariyalur, Asansol, Bathinda, Bettiah, Boisar, Brajrajnagar,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhiwani	Satisfactory	53	co	1
38	Bhopal	Satisfactory	63	PM <sub>10</sub>	3
39	Bidar	Good	33	со	1
40	Bihar Sharif	Satisfactory	91	со	1
41	Bikaner	Moderate	105	PM <sub>10</sub>	1
42	Bilaspur	Good	31	PM <sub>2.5</sub>	1
43	Bileipada	Moderate	117	PM <sub>10</sub>	1
44	Bulandshahr	Satisfactory	86	PM <sub>10</sub>	1
45	Bundi	Moderate	123	PM <sub>10</sub>	1
46	Byrnihat	Satisfactory	88	PM <sub>10</sub>	1
47	Chamarajanagar	Good	38	PM <sub>10</sub>	1
48	Chandigarh	Moderate	111	PM <sub>10</sub>	3

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Asansol, Bathinda, Bettiah, Boisar, Brajrajnagar,

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Dindigul, Ernakulam, Gadag, Hassan, Hisar, Imphal, Jalna, Jorapokhar,

Notes:
Kadapa, Kalaburgi, Kanchipuram, Kollam, Kozhikode, Kunjemura, Kurukshetra,
Malegaon, Mangalore, Manguraha, Milupara, Mira-Bhayandar, Motihari, Nagaon,
Naharlagun, Nandesari, Palkalaiperur, Raichur, Rairangpur, Salem, Sonipat,
Talcher, Tensa, Udupi, Virar, Yamunanagar, vellore as data was not
available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chandrapur	Satisfactory	65	co	1
50	Charkhi Dadri	Satisfactory	69	PM <sub>10</sub>	1
51	Chennai	Satisfactory	69	СО	6
52	Chhal	Satisfactory	59	PM <sub>10</sub>	1
53	Chikkaballapur	Satisfactory	51	PM <sub>10</sub>	1
54	Chikkamagaluru	Good	47	PM <sub>10</sub>	1
55	Chittoor	Good	44	PM <sub>2.5</sub>	1
56	Chittorgarh	Satisfactory	67	PM <sub>10</sub>	1
57	Churu	Satisfactory	70	PM <sub>10</sub>	1
58	Cuddalore	Moderate	127	NO <sub>2</sub>	2
59	Damoh	Satisfactory	57	PM <sub>10</sub>	1
60	Dausa	Moderate	104	PM <sub>10</sub>	1

Notes:

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Asansol, Bathinda, Bettiah, Boisar, Brajrajnagar,

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Dindigul, Ernakulam, Gadag, Hassan, Hisar, Imphal, Jalna, Jorapokhar,

Kadapa, Kalaburgi, Kanchipuram, Kollam, Kozhikode, Kunjemura, Kurukshetra, Malegaon, Mangalore, Manguraha, Milupara, Mira-Bhayandar, Motihari, Nagaon, Naharlagun, Nandesari, Palkalaiperur, Raichur, Rairangpur, Salem, Sonipat, Talcher, Tensa, Udupi, Virar, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Davanagere	Good	33	PM <sub>10</sub>	1
62	Delhi	Moderate	105	PM <sub>10</sub>	32
63	Dewas	Good	47	PM <sub>10</sub>	1
64	Dhanbad	Moderate	168	со	1
65	Dharuhera	Moderate	107	PM <sub>10</sub>	1
66	Dharwad	Moderate	115	PM <sub>2.5</sub>	1
67	Dholpur	Satisfactory	59	PM <sub>10</sub>	1
68	Durgapur	Satisfactory	72	PM <sub>2.5</sub>	1
69	Eloor	Satisfactory	67	PM <sub>10</sub>	1
70	Faridabad	Moderate	126	PM <sub>2.5</sub> , PM <sub>10</sub>	3
71	Fatehabad	Moderate	119	O <sub>3</sub>	1
72	Firozabad	Satisfactory	86	PM <sub>10</sub>	2

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Asansol, Bathinda, Bettiah, Boisar, Brajrajnagar,

### Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

#### Buxar, Chengalpattu, Chhapra, Coimbatore, Darbhanga, Dehradun, Dhuk Dindigul, Ernakulam, Gadag, Hassan, Hisar, Imphal, Jalna, Jorapokhar,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gandhinagar	Satisfactory	63	PM <sub>10</sub>	1
74	Gangtok	Satisfactory	58	SO <sub>2</sub>	1
75	Gaya	Satisfactory	74	PM <sub>10</sub> , PM <sub>2.5</sub>	3
76	Ghaziabad	Moderate	111	PM <sub>10</sub>	4
77	Gorakhpur	Satisfactory	93	PM <sub>10</sub>	1
78	Greater Noida	Moderate	127	PM <sub>10</sub>	2
79	Gummidipoondi	Moderate	101	PM <sub>10</sub>	1
80	Gurugram	Moderate	116	PM <sub>10</sub> , PM <sub>2.5</sub>	3
81	Guwahati	Satisfactory	71	CO, SO <sub>2</sub>	3
82	Gwalior	Satisfactory	59	PM <sub>10</sub> , PM <sub>2.5</sub>	4
83	Hajipur	Moderate	127	PM <sub>10</sub>	1
84	Haldia	Satisfactory	53	PM <sub>10</sub>	1

Notes:

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Asansol, Bathinda, Bettiah, Boisar, Brajrajnagar,

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Dindigul, Ernakulam, Gadag, Hassan, Hisar, Imphal, Jalna, Jorapokhar,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hanumangarh	Satisfactory	94	PM <sub>10</sub>	1
86	Hapur	Satisfactory	56	PM <sub>10</sub>	1
87	Haveri	Good	43	PM <sub>10</sub>	1
88	Hosur	Satisfactory	64	PM <sub>10</sub>	1
89	Howrah	Satisfactory	57	PM <sub>2.5</sub> , PM <sub>10</sub>	3
90	Hubballi	Moderate	101	PM <sub>10</sub>	1
91	Hyderabad	Satisfactory	77	PM <sub>10</sub>	9
92	Indore	Satisfactory	68	PM <sub>10</sub>	1
93	Jabalpur	Satisfactory	62	PM <sub>10</sub>	3
94	Jaipur	Satisfactory	89	PM <sub>10</sub>	5
95	Jaisalmer	Moderate	117	PM <sub>10</sub>	1
96	Jalandhar	Satisfactory	98	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Asansol, Bathinda, Bettiah, Boisar, Brajrajnagar,

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jalgaon	Satisfactory	56	PM <sub>10</sub>	1
98	Jhalawar	Satisfactory	68	PM <sub>10</sub>	1
99	Jhansi	Satisfactory	73	PM <sub>10</sub>	1
100	Jhunjhunu	Satisfactory	77	PM <sub>10</sub>	1
101	Jind	Moderate	124	со	1
102	Jodhpur	Moderate	104	PM <sub>10</sub>	5
103	Kaithal	Moderate	154	PM <sub>2.5</sub>	1
104	Kalyan	Satisfactory	55	со	1
105	Kannur	Satisfactory	70	PM <sub>10</sub>	1
106	Kanpur	Satisfactory	68	со	4
107	Karauli	Satisfactory	56	03	1
108	Karnal	Satisfactory	70	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Asansol, Bathinda, Bettiah, Boisar, Brajrajnagar,

### Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### -вихаг, Chengaipattu, Chnapra, Colmbatore, Darbhanga, Denradun, Dhuk Dindigul, Ernakulam, Gadag, Hassan, Hisar, Imphal, Jalna, Jorapokhar,

Kadapa, Kalaburgi, Kanchipuram, Kollam, Kozhikode, Kunjemura, Kurukshetra, Malegaon, Mangalore, Manguraha, Milupara, Mira-Bhayandar, Motihari, Nagaon, Naharlagun, Nandesari, Palkalaiperur, Raichur, Rairangpur, Salem, Sonipat, Talcher, Tensa, Udupi, Virar, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kashipur	Satisfactory	96	PM <sub>10</sub>	1
110	Katihar	Satisfactory	93	со	1
111	Katni	Satisfactory	93	PM <sub>10</sub>	1
112	Keonjhar	Satisfactory	87	PM <sub>10</sub>	1
113	Khanna	Satisfactory	71	PM <sub>10</sub>	1
114	Khurja	Moderate	170	O <sub>3</sub>	1
115	Kishanganj	Good	43	со	1
116	Kochi	Satisfactory	82	со	1
117	Kohima	Good	49	SO <sub>2</sub>	1
118	Kolar	Satisfactory	80	PM <sub>10</sub>	1
119	Kolhapur	Good	49	PM <sub>10</sub>	1
120	Kolkata	Satisfactory	54	PM <sub>10</sub>	6

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Asansol, Bathinda, Bettiah, Boisar, Brajrajnagar,

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Dindigul, Ernakulam, Gadag, Hassan, Hisar, Imphal, Jalna, Jorapokhar,

Notes:

Kadapa, Kalaburgi, Kanchipuram, Kollam, Kozhikode, Kunjemura, Kurukshetra, Malegaon, Mangalore, Manguraha, Milupara, Mira-Bhayandar, Motihari, Nagaon, Naharlagun, Nandesari, Palkalaiperur, Raichur, Rairangpur, Salem, Sonipat, Talcher, Tensa, Udupi, Virar, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Koppal	Good	37	SO <sub>2</sub>	1
122	Korba	Good	35	PM <sub>10</sub>	2
123	Kota	Satisfactory	79	CO, PM <sub>2.5</sub>	3
124	Latur	Satisfactory	66	PM <sub>10</sub>	1
125	Lucknow	Satisfactory	91	PM <sub>10</sub>	6
126	Ludhiana	Satisfactory	67	PM <sub>10</sub>	1
127	Madikeri	Good	39	PM <sub>10</sub>	1
128	Mahad	Good	29	SO <sub>2</sub>	1
129	Maihar	Good	35	PM <sub>10</sub>	1
130	Mandi Gobindgarh	Moderate	130	PM <sub>10</sub>	1
131	Mandideep	Satisfactory	53	PM <sub>10</sub>	1
132	Mandikhera	Satisfactory	94	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Asansol, Bathinda, Bettiah, Boisar, Brajrajnagar,

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Dindigul, Ernakulam, Gadag, Hassan, Hisar, Imphal, Jalna, Jorapokhar,

Kadapa, Kalaburgi, Kanchipuram, Kollam, Kozhikode, Kunjemura, Kurukshetra, Notes: Malegaon, Mangalore, Manguraha, Milupara, Mira-Bhayandar, Motihari, Nagaon, Naharlagun, Nandesari, Palkalaiperur, Raichur, Rairangpur, Salem, Sonipat, Talcher, Tensa, Udupi, Virar, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Manesar	Satisfactory	67	PM <sub>10</sub>	1
134	Meerut	Satisfactory	99	PM <sub>10</sub>	3
135	Moradabad	Moderate	104	PM <sub>10</sub>	6
136	Mumbai	Satisfactory	68	CO, PM <sub>10</sub>	18
137	Munger	Moderate	122	PM <sub>10</sub>	1
138	Muzaffarnagar	Moderate	107	PM <sub>10</sub>	1
139	Muzaffarpur	Satisfactory	75	PM <sub>10</sub> , O <sub>3</sub>	3
140	Mysuru	Satisfactory	65	PM <sub>10</sub>	1
141	Nagaur	Satisfactory	98	PM <sub>10</sub>	1
142	Nagpur	Satisfactory	65	PM <sub>10</sub>	4
143	Nalbari	Satisfactory	97	PM <sub>10</sub>	1
144	Nanded	Satisfactory	52	O <sub>3</sub>	1

Notes:

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Asansol, Bathinda, Bettiah, Boisar, Brajrajnagar,

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Buxar, Chengalpattu, Chhapra, Coimbatore, Darbhanga, Dehradun, Dhul

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Narnaul	Satisfactory	72	PM <sub>10</sub>	1
146	Nashik	Good	32	PM <sub>10</sub>	2
147	Navi Mumbai	Satisfactory	53	PM <sub>10</sub>	7
148	Nayagarh	Satisfactory	95	PM <sub>10</sub>	1
149	Noida	Moderate	108	PM <sub>10</sub> , CO	4
150	Ooty	Satisfactory	85	PM <sub>10</sub>	1
151	Pali	Moderate	116	PM <sub>10</sub>	1
152	Palwal	Good	45	PM <sub>2.5</sub>	1
153	Panchkula	Moderate	105	PM <sub>2.5</sub>	1
154	Panipat	Satisfactory	94	PM <sub>10</sub>	1
155	Parbhani	Good	49	PM <sub>10</sub>	1
156	Patiala	Satisfactory	65	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Asansol, Bathinda, Bettiah, Boisar, Brajrajnagar,

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### — Вихаг, Ghengaipattu, Ghnapra, Goimbatore, Darbhanga, Denradun, Dhuk Dindigul, Ernakulam, Gadag, Hassan, Hisar, Imphal, Jalna, Jorapokhar,

Notes:

Kadapa, Kalaburgi, Kanchipuram, Kollam, Kozhikode, Kunjemura, Kurukshetra,
Malegaon, Mangalore, Manguraha, Milupara, Mira-Bhayandar, Motihari, Nagaon,
Naharlagun, Nandesari, Palkalaiperur, Raichur, Rairangpur, Salem, Sonipat,
Talcher, Tensa, Udupi, Virar, Yamunanagar, vellore as data was not
available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Patna	Moderate	107	PM <sub>10</sub> , CO	4
158	Pimpri Chinchwad	Good	50	PM <sub>10</sub>	3
159	Pithampur	Satisfactory	65	PM <sub>10</sub>	1
160	Pratapgarh	Satisfactory	92	PM <sub>10</sub>	1
161	Prayagraj	Satisfactory	76	PM <sub>2.5</sub>	3
162	Puducherry	Good	47	СО	1
163	Pune	Satisfactory	85	NO <sub>2</sub> , PM <sub>2.5</sub>	7
164	Purnia	Satisfactory	60	СО	1
165	Raipur	Satisfactory	57	PM <sub>10</sub>	3
166	Rajamahendravaram	Satisfactory	57	PM <sub>10</sub>	1
167	Rajgir	Moderate	124	PM <sub>10</sub>	1
168	Rajsamand	Satisfactory	77	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Asansol, Bathinda, Bettiah, Boisar, Brajrajnagar,

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Poor Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Ramanagara	Satisfactory	57	NO <sub>2</sub>	1
170	Ramanathapuram	Good	47	PM <sub>10</sub>	1
171	Ratlam	Satisfactory	53	PM <sub>10</sub>	1
172	Rishikesh	Good	46	PM <sub>10</sub>	1
173	Rohtak	Good	40	O <sub>3</sub>	1
174	Rourkela	Satisfactory	82	PM <sub>2.5</sub>	2
175	Rupnagar	Satisfactory	97	PM <sub>10</sub>	1
176	Sagar	Satisfactory	59	PM <sub>10</sub>	1
177	Saharsa	Moderate	116	СО	1
178	Samastipur	Satisfactory	61	PM <sub>10</sub>	1
179	Sangli	Satisfactory	96	PM <sub>10</sub>	1
180	Sasaram	Moderate	108	со	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Asansol, Bathinda, Bettiah, Boisar, Brajrajnagar,

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### Notes:

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Satna	Satisfactory	58	PM <sub>10</sub>	1
182	Sawai Madhopur	Satisfactory	62	PM <sub>10</sub>	1
183	Shillong	Good	22	O <sub>3</sub> , SO <sub>2</sub>	2
184	Shivamogga	Satisfactory	54	PM <sub>10</sub>	1
185	Sikar	Satisfactory	91	PM <sub>10</sub>	1
186	Silchar	Good	43	со	1
187	Siliguri	Good	36	PM <sub>10</sub>	1
188	Singrauli	Moderate	104	NO <sub>2</sub>	1
189	Sirohi	Good	46	PM <sub>10</sub>	1
190	Sirsa	Satisfactory	91	PM <sub>10</sub>	1
191	Sivasagar	Good	16	PM <sub>10</sub>	1
192	Siwan	Moderate	102	PM <sub>10</sub>	1

Notes:

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Asansol, Bathinda, Bettiah, Boisar, Brajrajnagar,

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Dindigul, Ernakulam, Gadag, Hassan, Hisar, Imphal, Jalna, Jorapokhar,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Solapur	Satisfactory	64	PM <sub>2.5</sub> , PM <sub>10</sub>	3
194	Sri Ganganagar	Moderate	116	PM <sub>10</sub>	1
195	Srinagar	Satisfactory	74	PM <sub>10</sub>	1
196	Suakati	Satisfactory	100	PM <sub>10</sub>	1
197	Surat	Moderate	148	PM <sub>10</sub>	1
198	Thane	Satisfactory	55	PM <sub>10</sub>	1
199	Thiruvananthapuram	Good	30	CO, PM <sub>10</sub>	2
200	Thoothukudi	Good	49	PM <sub>10</sub>	1
201	Thrissur	Satisfactory	58	PM <sub>10</sub>	1
202	Tirupati	Satisfactory	60	PM <sub>10</sub>	2
203	Tirupur	Satisfactory	69	PM <sub>10</sub>	1
204	Tonk	Moderate	116	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Asansol, Bathinda, Bettiah, Boisar, Brajrajnagar,

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Dindigul, Ernakulam, Gadag, Hassan, Hisar, Imphal, Jalna, Jorapokhar,

Notes:

Kadapa, Kalaburgi, Kanchipuram, Kollam, Kozhikode, Kunjemura, Kurukshetra,
Malegaon, Mangalore, Manguraha, Milupara, Mira-Bhayandar, Motihari, Nagaon,
Naharlagun, Nandesari, Palkalaiperur, Raichur, Rairangpur, Salem, Sonipat,
Talcher, Tensa, Udupi, Virar, Yamunanagar, vellore as data was not
available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Tumakuru	Good	48	co	1
206	Tumidih	Good	32	PM <sub>10</sub>	1
207	Udaipur	Satisfactory	65	PM <sub>10</sub>	1
208	Ujjain	Satisfactory	72	PM <sub>10</sub>	1
209	Ulhasnagar	Satisfactory	54	PM <sub>10</sub>	1
210	Vapi	Satisfactory	58	PM <sub>10</sub>	1
211	Varanasi	Good	41	O <sub>3</sub> , PM <sub>10</sub>	3
212	Vatva	Satisfactory	89	PM <sub>10</sub>	1
213	Vijayapura	Good	46	PM <sub>10</sub>	1
214	Vijayawada	Good	47	PM <sub>10</sub>	1
215	Visakhapatnam	Moderate	141	PM <sub>10</sub>	1
216	Vrindavan	Good	39	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Asansol, Bathinda, Bettiah, Boisar, Brajrajnagar,

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
217	Yadgir	Good	43	PM <sub>10</sub>	1

Notes:

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Asansol, Bathinda, Bettiah, Boisar, Brajrajnagar,

Buyer Changelpottu Chhanra Coimhatara Darbhanga Dahradun Dhula

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.