



Air Quality Index on Feb 18, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Very Poor	308	PM _{2.5}	2
2	Agra	Satisfactory	76	PM ₁₀	6
3	Ahmedabad	Moderate	173	PM ₁₀ , NO ₂	7
4	Aizawl	Satisfactory	99	PM ₁₀	1
5	Ajmer	Moderate	164	PM _{2.5}	1
6	Alwar	Moderate	163	PM _{2.5}	1
7	Amaravati	Satisfactory	93	PM ₁₀	1
8	Ambala	Moderate	132	PM _{2.5}	1
9	Amritsar	Moderate	184	PM _{2.5}	1
10	Anantapur	Moderate	167	O ₃	1
11	Ankleshwar	Moderate	198	PM _{2.5}	1
12	Araria	Poor	297	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bikaner, Buxar, Byrnihat, Chengalpattu, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dehradun, Dharwad, Dholpur, Dindigul, Ernakulam, Gorakhpur, Hassan, Hosur, Kochi, Kolar, Kunjemura, Madikeri, Mandikhera, Milupara, Munger, Purnia, Ramanathapuram, Silchar, Sirohi, Sonipat, Tensa, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 18, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Satisfactory	53	NO ₂	1
14	Arrah	Very Poor	326	PM _{2.5}	1
15	Asansol	Poor	289	PM _{2.5}	1
16	Aurangabad (Bihar)	Very Poor	303	PM _{2.5}	1
17	Aurangabad (Maharashtra)	Satisfactory	88	PM ₁₀	1
18	Baddi	Poor	255	PM _{2.5}	1
19	Bagalkot	Good	46	PM ₁₀	1
20	Bahadurgarh	Poor	249	PM _{2.5}	1
21	Ballabgarh	Moderate	115	PM _{2.5}	1
22	Bareilly	Moderate	119	PM ₁₀	2
23	Baripada	Moderate	188	PM _{2.5}	1
24	Bathinda	Moderate	127	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bikaner, Buxar, Byrnihat, Chengalpattu, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dehradun, Dharwad, Dholpur, Dindigul, Ernakulam, Gorakhpur, Hassan, Hosur, Kochi, Kolar, Kunjemura, Madikeri, Mandikhera, Milupara, Munger, Purnia, Ramanathapuram, Silchar, Sirohi, Sonapat, Tensa, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 18, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Begusarai	Severe	447	PM _{2.5}	1
26	Belgaum	Satisfactory	63	NO ₂	1
27	Bengaluru	Moderate	129	PM _{2.5} , PM ₁₀	11
28	Bettiah	Very Poor	314	PM _{2.5}	1
29	Bhagalpur	Very Poor	329	PM _{2.5}	2
30	Bharatpur	Very Poor	364	PM _{2.5}	1
31	Bhilai	Satisfactory	92	PM ₁₀	3
32	Bhiwadi	Very Poor	301	PM ₁₀	1
33	Bhiwani	Poor	270	PM _{2.5}	1
34	Bhopal	Moderate	136	PM ₁₀ , O ₃	2
35	Bidar	Moderate	125	PM ₁₀	1
36	Bihar Sharif	Moderate	158	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bikaner, Buxar, Byrnihat, Chengalpattu, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dehradun, Dharwad, Dholpur, Dindigul, Ernakulam, Gorakhpur, Hassan, Hosur, Kochi, Kolar, Kunjemura, Madikeri, Mandikhera, Milupara, Munger, Purnia, Ramanathapuram, Silchar, Sirohi, Sonapat, Tensa, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 18, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bilaspur	Satisfactory	79	PM ₁₀	1
38	Bileipada	Moderate	169	PM ₁₀	1
39	Brajrajnagar	Satisfactory	89	PM ₁₀	1
40	Bulandshahr	Poor	273	PM _{2.5}	1
41	Chamarajanagar	Good	41	PM ₁₀	1
42	Chandigarh	Poor	272	PM _{2.5}	3
43	Chandrapur	Moderate	124	PM _{2.5}	1
44	Charkhi Dadri	Very Poor	308	PM _{2.5}	1
45	Chennai	Moderate	126	PM _{2.5} , PM ₁₀	6
46	Chhapra	Very Poor	337	PM ₁₀	1
47	Chikkaballapur	Moderate	163	PM _{2.5}	1
48	Chikkamagaluru	Satisfactory	52	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bikaner, Buxar, Byrnihat, Chengalpattu, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dehradun, Dharwad, Dholpur, Dindigul, Ernakulam, Gorakhpur, Hassan, Hosur, Kochi, Kolar, Kunjemura, Madikeri, Mandikhera, Milupara, Munger, Purnia, Ramanathapuram, Silchar, Sirohi, Sonapat, Tensa, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 18, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chittoor	Moderate	102	PM _{2.5}	1
50	Damoh	Satisfactory	89	PM _{2.5}	1
51	Delhi	Very Poor	371	PM _{2.5}	39
52	Dewas	Moderate	108	PM ₁₀	1
53	Dharuhera	Very Poor	325	PM _{2.5}	1
54	Durgapur	Very Poor	319	PM ₁₀	1
55	Eloor	Satisfactory	88	PM ₁₀	1
56	Faridabad	Poor	299	PM ₁₀ , PM _{2.5}	4
57	Fatehabad	Poor	239	PM _{2.5}	1
58	Firozabad	Moderate	105	PM ₁₀	2
59	Gadag	Satisfactory	78	O ₃	1
60	Gandhinagar	Moderate	171	PM _{2.5} , PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bikaner, Buxar, Byrnihat, Chengalpattu, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dehradun, Dharwad, Dholpur, Dindigul, Ernakulam, Gorakhpur, Hassan, Hosur, Kochi, Kolar, Kunjemura, Madikeri, Mandikhera, Milupara, Munger, Purnia, Ramanathapuram, Silchar, Sirohi, Sonipat, Tensa, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 18, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gangtok	Satisfactory	66	PM ₁₀	1
62	Gaya	Poor	287	PM _{2.5}	3
63	Ghaziabad	Very Poor	327	PM ₁₀	4
64	Greater Noida	Very Poor	324	PM _{2.5}	2
65	Gummidipoondi	Moderate	172	PM _{2.5}	1
66	Gurugram	Very Poor	352	PM _{2.5}	3
67	Guwahati	Poor	234	PM _{2.5}	4
68	Gwalior	Poor	281	PM _{2.5}	3
69	Hajipur	Poor	237	PM _{2.5}	1
70	Haldia	Satisfactory	100	PM ₁₀	1
71	Hapur	Moderate	148	PM _{2.5}	1
72	Haveri	Satisfactory	70	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bikaner, Buxar, Byrnihat, Chengalpattu, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dehradun, Dharwad, Dholpur, Dindigul, Ernakulam, Gorakhpur, Hassan, Hosur, Kochi, Kolar, Kunjemura, Madikeri, Mandikhera, Milupara, Munger, Purnia, Ramanathapuram, Silchar, Sirohi, Sonapat, Tensa, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 18, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hisar	Poor	212	PM ₁₀	1
74	Howrah	Moderate	146	PM _{2.5}	3
75	Hubballi	Moderate	124	PM ₁₀	2
76	Hyderabad	Moderate	103	PM _{2.5} , PM ₁₀	14
77	Imphal	Moderate	103	PM _{2.5} , SO ₂	2
78	Indore	Moderate	117	PM ₁₀	1
79	Jabalpur	Poor	245	PM _{2.5}	1
80	Jaipur	Moderate	190	PM _{2.5} , PM ₁₀	3
81	Jalandhar	Moderate	112	PM _{2.5}	1
82	Jhansi	Moderate	126	PM ₁₀	1
83	Jind	Poor	233	PM _{2.5}	1
84	Jodhpur	Poor	208	PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bikaner, Buxar, Byrnihat, Chengalpattu, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dehradun, Dharwad, Dholpur, Dindigul, Ernakulam, Gorakhpur, Hassan, Hosur, Kochi, Kolar, Kunjemura, Madikeri, Mandikhera, Milupara, Munger, Purnia, Ramanathapuram, Silchar, Sirohi, Sonapat, Tensa, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 18, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jorapokhar	Poor	257	PM ₁₀	1
86	Kadapa	Satisfactory	94	O ₃	1
87	Kaithal	Poor	227	PM _{2.5}	1
88	Kalaburgi	Satisfactory	58	PM _{2.5}	1
89	Kalyan	Moderate	146	PM ₁₀	1
90	Kanchipuram	Satisfactory	91	PM ₁₀	1
91	Kannur	Satisfactory	63	PM _{2.5}	1
92	Kanpur	Poor	207	PM _{2.5}	3
93	Karnal	Moderate	134	PM ₁₀	1
94	Kashipur	Satisfactory	87	PM ₁₀	1
95	Katihar	Very Poor	330	PM ₁₀	1
96	Katni	Poor	237	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bikaner, Buxar, Byrnihat, Chengalpattu, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dehradun, Dharwad, Dholpur, Dindigul, Ernakulam, Gorakhpur, Hassan, Hosur, Kochi, Kolar, Kunjemura, Madikeri, Mandikhera, Milupara, Munger, Purnia, Ramanathapuram, Silchar, Sirohi, Sonapat, Tensa, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 18, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Keonjhar	Moderate	185	PM _{2.5}	1
98	Khanna	Moderate	112	PM ₁₀	1
99	Khurja	Poor	226	PM _{2.5}	1
100	Kishanganj	Poor	260	PM _{2.5}	1
101	Kohima	Moderate	123	PM _{2.5}	1
102	Kolkata	Moderate	101	PM _{2.5} , PM ₁₀	7
103	Kollam	Satisfactory	72	PM ₁₀	1
104	Koppal	Moderate	101	PM ₁₀	1
105	Korba	Moderate	110	PM _{2.5} , PM ₁₀	2
106	Kota	Moderate	171	PM _{2.5} , PM ₁₀	3
107	Kozhikode	Satisfactory	90	NH ₃	1
108	Kurukshetra	Poor	235	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bikaner, Buxar, Byrnihat, Chengalpattu, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dehradun, Dharwad, Dholpur, Dindigul, Ernakulam, Gorakhpur, Hassan, Hosur, Kochi, Kolar, Kunjemura, Madikeri, Mandikhera, Milupara, Munger, Purnia, Ramanathapuram, Silchar, Sirohi, Sonipat, Tensa, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 18, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Lucknow	Poor	212	PM _{2.5}	6
110	Ludhiana	Moderate	199	PM _{2.5}	1
111	Maihar	Satisfactory	100	PM ₁₀	1
112	Mandi Gobindgarh	Moderate	145	PM _{2.5}	1
113	Mandideep	Moderate	156	PM ₁₀	1
114	Manesar	Very Poor	317	PM _{2.5}	1
115	Mangalore	Moderate	132	PM ₁₀	1
116	Manguraha	Moderate	160	O ₃	1
117	Meerut	Very Poor	357	PM ₁₀	3
118	Moradabad	Moderate	108	PM _{2.5}	6
119	Motihari	Poor	241	PM ₁₀	1
120	Mumbai	Moderate	185	PM _{2.5} , PM ₁₀	17

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bikaner, Buxar, Byrnihat, Chengalpattu, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dehradun, Dharwad, Dholpur, Dindigul, Ernakulam, Gorakhpur, Hassan, Hosur, Kochi, Kolar, Kunjemura, Madikeri, Mandikhera, Milupara, Munger, Purnia, Ramanathapuram, Silchar, Sirohi, Sonapat, Tensa, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 18, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Muzaffarnagar	Very Poor	359	PM _{2.5}	1
122	Muzaffarpur	Very Poor	316	PM _{2.5}	3
123	Mysuru	Satisfactory	59	PM ₁₀	1
124	Nagaon	Poor	247	PM _{2.5}	1
125	Nagpur	Moderate	132	PM _{2.5}	1
126	Naharlagun	Good	43	PM ₁₀	1
127	Nalbari	Poor	276	PM _{2.5}	1
128	Nandesari	Good	30	PM _{2.5}	1
129	Narnaul	Poor	244	PM _{2.5}	1
130	Nashik	Moderate	109	PM _{2.5}	1
131	Navi Mumbai	Poor	235	PM _{2.5}	3
132	Nayagarh	Moderate	154	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bikaner, Buxar, Byrnihat, Chengalpattu, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dehradun, Dharwad, Dholpur, Dindigul, Ernakulam, Gorakhpur, Hassan, Hosur, Kochi, Kolar, Kunjemura, Madikeri, Mandikhera, Milupara, Munger, Purnia, Ramanathapuram, Silchar, Sirohi, Sonipat, Tensa, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 18, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Noida	Very Poor	336	PM _{2.5}	4
134	Ooty	Satisfactory	84	PM ₁₀	1
135	Pali	Satisfactory	94	PM ₁₀	1
136	Palwal	Moderate	110	PM _{2.5}	1
137	Panchkula	Moderate	124	CO	1
138	Panipat	Poor	219	PM ₁₀	1
139	Patiala	Moderate	115	PM ₁₀	1
140	Patna	Very Poor	351	PM _{2.5}	6
141	Pithampur	Moderate	154	PM ₁₀	1
142	Prayagraj	Moderate	130	PM ₁₀	3
143	Puducherry	Satisfactory	57	PM ₁₀	1
144	Pune	Moderate	144	PM _{2.5} , PM ₁₀	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bikaner, Buxar, Byrnihat, Chengalpattu, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dehradun, Dharwad, Dholpur, Dindigul, Ernakulam, Gorakhpur, Hassan, Hosur, Kochi, Kolar, Kunjemura, Madikeri, Mandikhera, Milupara, Munger, Purnia, Ramanathapuram, Silchar, Sirohi, Sonapat, Tensa, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 18, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Raichur	Moderate	147	PM ₁₀	1
146	Raipur	Moderate	114	PM ₁₀	4
147	Rairangpur	Moderate	144	PM _{2.5}	1
148	Rajamahendravaram	Moderate	101	PM ₁₀	1
149	Rajgir	Very Poor	345	PM _{2.5}	1
150	Ramanagara	Satisfactory	94	PM ₁₀	1
151	Ratlam	Moderate	128	PM ₁₀	1
152	Rishikesh	Satisfactory	70	PM ₁₀	1
153	Rohtak	Moderate	193	PM _{2.5}	1
154	Rourkela	Moderate	183	PM _{2.5}	3
155	Rupnagar	Moderate	160	PM ₁₀	1
156	Sagar	Satisfactory	72	CO	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bikaner, Buxar, Byrnihat, Chengalpattu, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dehradun, Dharwad, Dholpur, Dindigul, Ernakulam, Gorakhpur, Hassan, Hosur, Kochi, Kolar, Kunjemura, Madikeri, Mandikhera, Milupara, Munger, Purnia, Ramanathapuram, Silchar, Sirohi, Sonipat, Tensa, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 18, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Saharsa	Very Poor	321	PM _{2.5}	1
158	Salem	Satisfactory	99	SO ₂	1
159	Samastipur	Very Poor	364	PM ₁₀	1
160	Sasaram	Moderate	166	PM ₁₀	1
161	Satna	Moderate	110	PM ₁₀	1
162	Shillong	Moderate	103	PM _{2.5}	1
163	Shivamogga	Satisfactory	59	O ₃	1
164	Siliguri	Moderate	136	PM ₁₀	1
165	Singrauli	Poor	264	PM _{2.5}	1
166	Sirsa	Moderate	129	PM _{2.5}	1
167	Sivasagar	Satisfactory	68	PM _{2.5}	1
168	Siwan	Very Poor	351	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bikaner, Buxar, Byrnihat, Chengalpattu, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dehradun, Dharwad, Dholpur, Dindigul, Ernakulam, Gorakhpur, Hassan, Hosur, Kochi, Kolar, Kunjemura, Madikeri, Mandikhera, Milupara, Munger, Purnia, Ramanathapuram, Silchar, Sirohi, Sonapat, Tensa, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 18, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Solapur	Moderate	127	PM ₁₀	1
170	Srinagar	Satisfactory	64	PM ₁₀	1
171	Suakati	Moderate	118	PM _{2.5}	1
172	Surat	Moderate	198	PM _{2.5}	1
173	Talcher	Satisfactory	75	PM ₁₀	1
174	Thane	Moderate	199	PM ₁₀	1
175	Thiruvananthapuram	Satisfactory	70	PM ₁₀ , PM _{2.5}	2
176	Thoothukudi	Satisfactory	95	O ₃	1
177	Thrissur	Moderate	153	PM _{2.5}	1
178	Tirupati	Moderate	101	PM _{2.5}	1
179	Tirupur	Satisfactory	77	PM ₁₀	1
180	Udaipur	Moderate	126	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bikaner, Buxar, Byrnihat, Chengalpattu, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dehradun, Dharwad, Dholpur, Dindigul, Ernakulam, Gorakhpur, Hassan, Hosur, Kochi, Kolar, Kunjemura, Madikeri, Mandikhera, Milupara, Munger, Purnia, Ramanathapuram, Silchar, Sirohi, Sonapat, Tensa, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 18, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Udupi	Moderate	105	CO	1
182	Ujjain	Poor	215	PM ₁₀	1
183	Vapi	Very Poor	319	PM _{2.5}	1
184	Varanasi	Satisfactory	84	PM ₁₀	4
185	Vatva	Poor	222	PM _{2.5}	1
186	Vijayapura	Good	46	PM ₁₀	1
187	Vijayawada	Moderate	186	PM _{2.5}	1
188	Visakhapatnam	Moderate	122	PM ₁₀	1
189	Vrindavan	Moderate	145	PM ₁₀	1
190	Yadgir	Satisfactory	96	PM ₁₀	1
191	Yamunanagar	Poor	216	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bikaner, Buxar, Byrnihat, Chengalpattu, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dehradun, Dharwad, Dholpur, Dindigul, Ernakulam, Gorakhpur, Hassan, Hosur, Kochi, Kolar, Kunjemura, Madikeri, Mandikhera, Milupara, Munger, Purnia, Ramanathapuram, Silchar, Sirohi, Sonipat, Tensa, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.