Air Quality Index on May 07, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	192	$PM_{2.5}$	1
2	Agra	Satisfactory	75	PM_{10}, O_3	5
3	Ahmedabad	Moderate	105	PM_{10}, $PM_{2.5}$	7
4	Aizawl	Satisfactory	64	PM_{10}	1
5	Alwar	Satisfactory	71	PM_{10}	1
6	Ambala	Moderate	116	PM_{10}	1
7	Anantapur	Good	39	$PM_{2.5}$	1
8	Ankleshwar	Satisfactory	78	CO	1
9	Araria	Moderate	175	PM_{10}	1
10	Asansol	Moderate	132	PM_{10}	1
11	Aurangabad (Bihar)	Moderate	131	PM_{10}	1
12	Aurangabad (Maharashtra)	Satisfactory	72	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Amaravati, Amritsar, Ariyalur, Arrah, Bhilwara, Bidar, Brajrajnagar, Bundi, Buxar, Chengalpattu, Chikkaballapur, Chittoor, Darbhanga, Dhanbad, Dindigul, Ernakulam, Fatehabad, Gadag, Gummidipoondi, Hapur, Hosur, Imphal, Jaisalmer, Kadapa, Kanchipuram, Kannur, Kashipur, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Naharlagun, Nandesari, Pali, Pimpri Chinchwad, Pratapgarh, Raichur, Satna, Sawai Madhopur, Sirsa, Talcher, Thane, Udupi, Ujjain, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 07, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baddi	Satisfactory	100	O_3	1
14	Bagalkot	Good	46	PM_{10}	1
15	Baghpat	Poor	237	$PM_{2.5}$	1
16	Bahadurgarh	Moderate	111	$PM_{2.5}$	1
17	Ballabgarh	Moderate	121	PM_{10}	1
18	Banswara	Satisfactory	81	PM_{10}	1
19	Bareilly	Satisfactory	67	PM_{10}	2
20	Baripada	Moderate	113	O_3	1
21	Barmer	Satisfactory	75	O_3	1
22	Bathinda	Poor	218	PM_{10}	1
23	Begusarai	Poor	233	PM_{10}	1
24	Belgaum	Good	49	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Amaravati, Amritsar, Ariyalur, Arrah, Bhilwara, Bidar, Brajrajnagar, Bundi, Buxar, Chengalpattu, Chikkaballapur, Chittoor, Darbhanga, Dhanbad, Dindigul, Ernakulam, Fatehabad, Gadag, Gummidipoondi, Hapur, Hosur, Imphal, Jaisalmer, Kadapa, Kanchipuram, Kannur, Kashipur, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Naharlagun, Nandesari, Pali, Pimpri Chinchwad, Pratapgarh, Raichur, Satna, Sawai Madhopur, Sirsa, Talcher, Thane, Udupi, Ujjain, Vijayawada, vellore as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 07, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bengaluru	Satisfactory	51	NO_2, PM_{10}	11
26	Bettiah	Moderate	181	PM_{10}	1
27	Bhagalpur	Moderate	122	PM_{10}, $PM_{2.5}$	2
28	Bharatpur	Moderate	130	PM_{10}	1
29	Bhilai	Good	48	PM_{10}	2
30	Bhiwadi	Moderate	118	PM_{10}	1
31	Bhiwani	Satisfactory	94	PM_{10}	1
32	Bhopal	Satisfactory	94	O_3	3
33	Bihar Sharif	Moderate	173	O_3	1
34	Bikaner	Moderate	124	PM_{10}	1
35	Bilaspur	Moderate	135	PM_{10}	1
36	Bileipada	Moderate	158	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Amaravati, ~~Amritsar, Ariyalur, Arrah, Bhilwara, Bidar, Brajrajnagar, Bundi, Buxar,~~ Chengalpattu, Chikkaballapur, Chittoor, Darbhanga, Dhanbad, Dindigul, Ernakulam, Fatehabad, Gadag, Gummidipoondi, Hapur, Hosur, Imphal, Jaisalmer, Kadapa, Kanchipuram, Kannur, Kashipur, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Naharlagun, Nandesari, Pali, Pimpri Chinchwad, Pratapgarh, Raichur, Satna, Sawai Madhopur, Sirsa, Talcher, Thane, Udupi, Ujjain, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 07, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bulandshahr	Satisfactory	95	PM_{10}	1
38	Byrnihat	Moderate	196	PM_{10}	1
39	Chamarajanagar	Good	40	PM_{10}	1
40	Chandigarh	Satisfactory	90	O_3, PM_{10}	3
41	Chandrapur	Satisfactory	89	$PM_{2.5}$	1
42	Charkhi Dadri	Poor	265	$PM_{2.5}$	1
43	Chennai	Satisfactory	66	NO_2, SO_2	8
44	Chhal	Good	39	O_3	1
45	Chhapra	Poor	206	PM_{10}	1
46	Chikkamagaluru	Good	32	O_3	1
47	Chittorgarh	Satisfactory	85	O_3	1
48	Churu	Satisfactory	91	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Amaravati, Amritsar, Ariyalur, Arrah, Bhilwara, Bidar, Brajrajnagar, Bundi, Buxar, Chengalpattu, Chikkaballapur, Chittoor, Darbhanga, Dhanbad, Dindigul, Ernakulam, Fatehabad, Gadag, Gummidipoondi, Hapur, Hosur, Imphal, Jaisalmer, Kadapa, Kanchipuram, Kannur, Kashipur, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Naharlagun, Nandesari, Pali, Pimpri Chinchwad, Pratapgarh, Raichur, Satna, Sawai Madhopur, Sirsa, Talcher, Thane, Udupi, Ujjain, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 07, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Coimbatore	Satisfactory	51	PM_{10}	1
50	Cuddalore	Moderate	127	NO_2	2
51	Damoh	Good	29	$PM_{2.5}$	1
52	Dausa	Moderate	137	PM_{10}	1
53	Davanagere	Satisfactory	53	PM_{10}	1
54	Dehradun	Satisfactory	98	CO	1
55	Delhi	Moderate	173	O_3, $PM_{2.5}$	39
56	Dewas	Moderate	112	PM_{10}	1
57	Dharuhera	Satisfactory	92	$PM_{2.5}$	1
58	Dharwad	Satisfactory	53	PM_{10}	1
59	Dholpur	Satisfactory	92	O_3	1
60	Durgapur	Moderate	117	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Amaravati, Amritsar, Ariyalur, Arrah, Bhilwara, Bidar, Brajrajnagar, Bundi, Buxar, Chengalpattu, Chikkaballapur, Chittoor, Darbhanga, Dhanbad, Dindigul, Ernakulam, Fatehabad, Gadag, Gummidipoondi, Hapur, Hosur, Imphal, Jaisalmer, Kadapa, Kanchipuram, Kannur, Kashipur, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Naharlagun, Nandesari, Pali, Pimpri Chinchwad, Pratapgarh, Raichur, Satna, Sawai Madhopur, Sirsa, Talcher, Thane, Udupi, Ujjain, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 07, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Eloor	Satisfactory	56	PM_{10}	1
62	Faridabad	Moderate	136	$PM_{2.5}$	4
63	Firozabad	Satisfactory	66	O_3	1
64	Gandhinagar	Moderate	112	$PM_{2.5}$, PM_{10}	3
65	Gangtok	Good	47	O_3	1
66	Gaya	Satisfactory	96	PM_{10}, $PM_{2.5}$	3
67	Ghaziabad	Moderate	160	$PM_{2.5}$, O_3	4
68	Gorakhpur	Moderate	151	PM_{10}	1
69	Greater Noida	Poor	216	O_3	2
70	Gurugram	Moderate	186	$PM_{2.5}$	4
71	Guwahati	Moderate	151	PM_{10}	4
72	Gwalior	Moderate	138	$PM_{2.5}$	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Amaravati, Amritsar, Ariyalur, Arrah, Bhilwara, Bidar, Brajrajnagar, Bundi, Buxar, Chengalpattu, Chikkaballapur, Chittoor, Darbhanga, Dhanbad, Dindigul, Ernakulam, Fatehabad, Gadag, Gummidipoondi, Hapur, Hosur, Imphal, Jaisalmer, Kadapa, Kanchipuram, Kannur, Kashipur, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Naharlagun, Nandesari, Pali, Pimpri Chinchwad, Pratapgarh, Raichur, Satna, Sawai Madhopur, Sirsa, Talcher, Thane, Udupi, Ujjain, Vijayawada, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 07, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hajipur	Moderate	183	PM_{10}	1
74	Haldia	Good	49	PM_{10}	1
75	Hanumangarh	Poor	225	PM_{10}	1
76	Hassan	Satisfactory	51	PM_{10}	1
77	Haveri	Good	40	PM_{10}	1
78	Hisar	Moderate	111	$PM_{2.5}$	1
79	Howrah	Satisfactory	70	PM_{10}, $PM_{2.5}$	3
80	Hubballi	Moderate	101	PM_{10}	1
81	Hyderabad	Satisfactory	72	PM_{10}	11
82	Indore	Satisfactory	71	PM_{10}	2
83	Jabalpur	Satisfactory	93	PM_{10}	1
84	Jaipur	Moderate	132	NO_2	5

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Amaravati, ~~Amritsar, Ariyalur, Arrah, Bhilwara, Bidar, Brajrajnagar, Bundi, Buxar,~~ Chengalpattu, Chikkaballapur, Chittoor, Darbhanga, Dhanbad, Dindigul, Ernakulam, Fatehabad, Gadag, Gummidipoondi, Hapur, Hosur, Imphal, Jaisalmer, Kadapa, Kanchipuram, Kannur, Kashipur, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Naharlagun, Nandesari, Pali, Pimpri Chinchwad, Pratapgarh, Raichur, Satna, Sawai Madhopur, Sirsa, Talcher, Thane, Udupi, Ujjain, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 07, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jalandhar	Satisfactory	90	PM_{10}	1
86	Jhalawar	Satisfactory	76	PM_{10}	1
87	Jhansi	Moderate	134	PM_{10}	1
88	Jhunjhunu	Poor	231	O_3	1
89	Jind	Moderate	125	$PM_{2.5}$	1
90	Jodhpur	Moderate	101	PM_{10}	3
91	Jorapokhar	Moderate	127	PM_{10}	1
92	Kaithal	Moderate	158	$PM_{2.5}$	1
93	Kalaburgi	Good	42	PM_{10}	2
94	Kalyan	Satisfactory	93	PM_{10}	1
95	Kanpur	Moderate	122	$PM_{2.5}$	4
96	Karauli	Satisfactory	84	O_3	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Amaravati, ~~Amritsar, Ariyalur, Arrah, Bhilwara, Bidar, Brajrajnagar, Bundi, Buxar,~~ Chengalpattu, Chikkaballapur, Chittoor, Darbhanga, Dhanbad, Dindigul, Ernakulam, Fatehabad, Gadag, Gummidipoondi, Hapur, Hosur, Imphal, Jaisalmer, Kadapa, Kanchipuram, Kannur, Kashipur, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Naharlagun, Nandesari, Pali, Pimpri Chinchwad, Pratapgarh, Raichur, Satna, Sawai Madhopur, Sirsa, Talcher, Thane, Udupi, Ujjain, Vijayawada, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 07, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Karnal	Moderate	162	$PM_{2.5}$	1
98	Katihar	Moderate	136	$PM_{2.5}$	1
99	Katni	Moderate	166	PM_{10}	1
100	Keonjhar	Satisfactory	97	PM_{10}	1
101	Khanna	Satisfactory	59	PM_{10}	1
102	Khurja	Satisfactory	81	$PM_{2.5}$	1
103	Kishanganj	Moderate	133	PM_{10}	1
104	Kochi	Satisfactory	74	PM_{10}	1
105	Kohima	Satisfactory	71	PM_{10}	1
106	Kolhapur	Satisfactory	74	O_3	2
107	Kolkata	Satisfactory	96	O_3, PM_{10}	7
108	Kollam	Satisfactory	80	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Amaravati, Amritsar, Ariyalur, Arrah, Bhilwara, Bidar, Brajrajnagar, Bundi, Buxar, Chengalpattu, Chikkaballapur, Chittoor, Darbhanga, Dhanbad, Dindigul, Ernakulam, Fatehabad, Gadag, Gummidipoondi, Hapur, Hosur, Imphal, Jaisalmer, Kadapa, Kanchipuram, Kannur, Kashipur, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Naharlagun, Nandesari, Pali, Pimpri Chinchwad, Pratapgarh, Raichur, Satna, Sawai Madhopur, Sirsa, Talcher, Thane, Udupi, Ujjain, Vijayawada, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 07, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Korba	Good	48	PM_{10}	2
110	Kota	Satisfactory	86	O_3, $PM_{2.5}$	3
111	Kurukshetra	Moderate	142	PM_{10}	1
112	Lucknow	Moderate	109	PM_{10}	6
113	Ludhiana	Moderate	108	PM_{10}	1
114	Madikeri	Good	22	$PM_{2.5}$	1
115	Mandi Gobindgarh	Satisfactory	55	PM_{10}	1
116	Mandideep	Satisfactory	79	PM_{10}	1
117	Mandikhera	Satisfactory	98	PM_{10}	1
118	Manesar	Moderate	118	$PM_{2.5}$	1
119	Mangalore	Good	35	PM_{10}	1
120	Manguraha	Moderate	110	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Amaravati, Amritsar, Ariyalur, Arrah, Bhilwara, Bidar, Brajrajnagar, Bundi, Buxar, Chengalpattu, Chikkaballapur, Chittoor, Darbhanga, Dhanbad, Dindigul, Ernakulam, Fatehabad, Gadag, Gummidipoondi, Hapur, Hosur, Imphal, Jaisalmer, Kadapa, Kanchipuram, Kannur, Kashipur, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Naharlagun, Nandesari, Pali, Pimpri Chinchwad, Pratapgarh, Raichur, Satna, Sawai Madhopur, Sirsa, Talcher, Thane, Udupi, Ujjain, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 07, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Meerut	Moderate	194	$PM_{2.5}$	3
122	Milupara	Good	40	PM_{10}	1
123	Moradabad	Moderate	104	PM_{10}, $PM_{2.5}$	6
124	Motihari	Moderate	113	NO_2	1
125	Mumbai	Satisfactory	84	PM_{10}	17
126	Munger	Poor	216	PM_{10}	1
127	Muzaffarnagar	Poor	231	$PM_{2.5}$	1
128	Muzaffarpur	Poor	226	O_3, $PM_{2.5}$	3
129	Mysuru	Good	41	O_3	1
130	Nagaon	Satisfactory	99	O_3	1
131	Nagpur	Moderate	132	$PM_{2.5}$	1
132	Nalbari	Moderate	173	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

Air Quality Index on May 07, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Narnaul	Satisfactory	97	PM_{10}	1
134	Nashik	Satisfactory	52	$PM_{2.5}$	1
135	Navi Mumbai	Satisfactory	76	NO_2, PM_{10}	2
136	Nayagarh	Moderate	121	PM_{10}	1
137	Noida	Moderate	154	PM_{10}	4
138	Ooty	Good	50	SO_2	1
139	Palkalaiperur	Satisfactory	62	SO_2	1
140	Palwal	Satisfactory	75	PM_{10}	1
141	Panchkula	Satisfactory	51	$PM_{2.5}$	1
142	Panipat	Moderate	156	PM_{10}	1
143	Patiala	Moderate	108	PM_{10}	1
144	Patna	Poor	215	$PM_{2.5}$	6

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Amaravati, Amritsar, Ariyalur, Arrah, Bhilwara, Bidar, Brajrajnagar, Bundi, Buxar, Chengalpattu, Chikkaballapur, Chittoor, Darbhanga, Dhanbad, Dindigul, Ernakulam, Fatehabad, Gadag, Gummidipoondi, Hapur, Hosur, Imphal, Jaisalmer, Kadapa, Kanchipuram, Kannur, Kashipur, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Naharlagun, Nandesari, Pali, Pimpri Chinchwad, Pratapgarh, Raichur, Satna, Sawai Madhopur, Sirsa, Talcher, Thane, Udupi, Ujjain, Vijayawada, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 07, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Pithampur	Satisfactory	87	PM_{10}	1
146	Prayagraj	Satisfactory	66	PM_{10}	3
147	Puducherry	Satisfactory	51	O_3	1
148	Pune	Moderate	132	NO_2, PM_{10}	3
149	Purnia	Moderate	174	$PM_{2.5}$	1
150	Raipur	Satisfactory	84	$PM_{2.5}$, PM_{10}	4
151	Rairangpur	Satisfactory	75	PM_{10}	1
152	Rajamahendravaram	Good	27	CO	1
153	Rajgir	Moderate	114	PM_{10}	1
154	Rajsamand	Satisfactory	88	PM_{10}	1
155	Ramanagara	Good	49	O_3	1
156	Ramanathapuram	Good	44	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Amaravati, Amritsar, Ariyalur, Arrah, Bhilwara, Bidar, Brajrajnagar, Bundi, Buxar, Chengalpattu, Chikkaballapur, Chittoor, Darbhanga, Dhanbad, Dindigul, Ernakulam, Fatehabad, Gadag, Gummidipoondi, Hapur, Hosur, Imphal, Jaisalmer, Kadapa, Kanchipuram, Kannur, Kashipur, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Naharlagun, Nandesari, Pali, Pimpri Chinchwad, Pratapgarh, Raichur, Satna, Sawai Madhopur, Sirsa, Talcher, Thane, Udupi, Ujjain, Vijayawada, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 07, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Ratlam	Satisfactory	78	PM_{10}	1
158	Rishikesh	Satisfactory	53	PM_{10}	1
159	Rohtak	Moderate	105	$PM_{2.5}$	1
160	Rourkela	Moderate	120	PM_{10}	2
161	Rupnagar	Moderate	102	PM_{10}	1
162	Sagar	Moderate	171	O_3	1
163	Saharsa	Moderate	147	PM_{10}	1
164	Salem	Satisfactory	92	SO_2	1
165	Samastipur	Poor	201	$PM_{2.5}$	1
166	Sasaram	Very Poor	306	O_3	1
167	Shillong	Satisfactory	60	PM_{10}	1
168	Shivamogga	Good	46	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Amaravati, Amritsar, Ariyalur, Arrah, Bhilwara, Bidar, Brajrajnagar, Bundi, Buxar, Chengalpattu, Chikkaballapur, Chittoor, Darbhanga, Dhanbad, Dindigul, Ernakulam, Fatehabad, Gadag, Gummidipoondi, Hapur, Hosur, Imphal, Jaisalmer, Kadapa, Kanchipuram, Kannur, Kashipur, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Naharlagun, Nandesari, Pali, Pimpri Chinchwad, Pratapgarh, Raichur, Satna, Sawai Madhopur, Sirsa, Talcher, Thane, Udupi, Ujjain, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 07, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Sikar	Moderate	103	PM_{10}	1
170	Silchar	Good	48	CO	1
171	Siliguri	Satisfactory	76	PM_{10}	1
172	Singrauli	Moderate	171	PM_{10}	1
173	Sirohi	Satisfactory	86	O_3	1
174	Sivasagar	Good	19	NO_2	1
175	Siwan	Moderate	162	PM_{10}	1
176	Solapur	Moderate	118	PM_{10}	1
177	Sonipat	Moderate	115	PM_{10}	1
178	Sri Ganganagar	Poor	292	PM_{10}	1
179	Srinagar	Good	44	$PM_{2.5}$	1
180	Suakati	Satisfactory	94	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Amaravati, Amritsar, Ariyalur, Arrah, Bhilwara, Bidar, Brajrajnagar, Bundi, Buxar, Chengalpattu, Chikkaballapur, Chittoor, Darbhanga, Dhanbad, Dindigul, Ernakulam, Fatehabad, Gadag, Gummidipoondi, Hapur, Hosur, Imphal, Jaisalmer, Kadapa, Kanchipuram, Kannur, Kashipur, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Naharlagun, Nandesari, Pali, Pimpri Chinchwad, Pratapgarh, Raichur, Satna, Sawai Madhopur, Sirsa, Talcher, Thane, Udupi, Ujjain, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 07, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Surat	Satisfactory	77	CO	1
182	Tensa	Satisfactory	79	PM_{10}	1
183	Thiruvananthapuram	Good	25	PM_{10}	2
184	Thoothukudi	Satisfactory	59	O_3	1
185	Thrissur	Satisfactory	69	PM_{10}	1
186	Tirupati	Satisfactory	64	$PM_{2.5}$, NO_2	2
187	Tirupur	Good	27	SO_2	1
188	Tonk	Moderate	121	PM_{10}	1
189	Tumakuru	Satisfactory	74	PM_{10}	1
190	Tumidih	Moderate	105	PM_{10}	1
191	Udaipur	Moderate	104	$PM_{2.5}$	1
192	Vapi	Satisfactory	69	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Amaravati, Amritsar, Ariyalur, Arrah, Bhilwara, Bidar, Brajrajnagar, Bundi, Buxar, Chengalpattu, Chikkaballapur, Chittoor, Darbhanga, Dhanbad, Dindigul, Ernakulam, Fatehabad, Gadag, Gummidipoondi, Hapur, Hosur, Imphal, Jaisalmer, Kadapa, Kanchipuram, Kannur, Kashipur, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Naharlagun, Nandesari, Pali, Pimpri Chinchwad, Pratapgarh, Raichur, Satna, Sawai Madhopur, Sirsa, Talcher, Thane, Udupi, Ujjain, Vijayawada, vellore as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 07, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Varanasi	Satisfactory	60	PM_{10}, O_3	4
194	Vatva	Moderate	119	$PM_{2.5}$	1
195	Vijayapura	Good	46	PM_{10}	1
196	Visakhapatnam	Satisfactory	63	PM_{10}	1
197	Vrindavan	Moderate	138	PM_{10}	1
198	Yadgir	Good	38	$PM_{2.5}$	1
199	Yamunanagar	Moderate	124	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Amaravati, Amritsar, Ariyalur, Arrah, Bhilwara, Bidar, Brajrajnagar, Bundi, Buxar, Chengalpattu, Chikkaballapur, Chittoor, Darbhanga, Dhanbad, Dindigul, Ernakulam, Fatehabad, Gadag, Gummidipoondi, Hapur, Hosur, Imphal, Jaisalmer, Kadapa, Kanchipuram, Kannur, Kashipur, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Naharlagun, Nandesari, Pali, Pimpri Chinchwad, Pratapgarh, Raichur, Satna, Sawai Madhopur, Sirsa, Talcher, Thane, Udupi, Ujjain, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.