

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Satisfactory	54	NO ₂	1
2	Ahmedabad	Satisfactory	86	PM ₁₀	1
3	Aizawl	Satisfactory	92	PM _{2.5}	1
4	Ajmer	Satisfactory	65	03	1
5	Alwar	Satisfactory	84	PM ₁₀	1
6	Amaravati	Satisfactory	60	со	1
7	Ambala	Satisfactory	58	PM ₁₀	1
8	Amritsar	Satisfactory	67	PM ₁₀	1
9	Ankleshwar	Satisfactory	76	PM ₁₀	1
10	Bagalkot	Satisfactory	64	со	1
11	Bahadurgarh	Satisfactory	65	PM _{2.5}	1
12	Bengaluru	Satisfactory	58	PM _{2.5} , CO, PM ₁₀	7

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * Athers calculated for today's bulletin for Asanol, Aurangabad, Ballabgarh, Bathinda, Coimbatore, Dharuhera, Hajipur, Jorapokhar, Kalaburgi, Mandideep, Moradabad, Mysuru, Nagpur, Nashik, Rupnagar, Sagar, Siliguri, Solapur, Vijayapura, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bhiwadi	Good	44	PM _{2.5}	1
14	Bhiwani	Satisfactory	98	O ₃	1
15	Bhopal	Satisfactory	80	O ₃	1
16	Brajrajnagar	Moderate	144	PM ₁₀	1
17	Bulandshahr	Satisfactory	89	PM ₁₀	1
18	Chandigarh	Good	40	PM ₁₀	1
19	Chandrapur	Moderate	117	O ₃	1
20	Chennai	Satisfactory	56	PM _{2.5} , CO	3
21	Chikkaballapur	Satisfactory	69	PM ₁₀	1
22	Chikkamagaluru	Satisfactory	62	PM ₁₀	1
23	Damoh	Good	32	PM ₁₀	1
24	Delhi	Satisfactory	92	O ₃ , PM _{2.5}	27

Good	Minimal Impact	
Satisfactory	tisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * Motes calculated for today's bulletin for Asanol, Aurangabad, Ballabgarh, Bathinda, Coimbatore, Dharuhera, Hajipur, Jorapokhar, Kalaburgi, Mandideep, Moradabad, Mysuru, Nagpur, Nashik, Rupnagar, Sagar, Siliguri, Solapur, Vijayapura, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Dewas	Moderate	102	O ₃	1
26	Eloor	Satisfactory	58	PM ₁₀	1
27	Ernakulam	Satisfactory	56	со	1
28	Faridabad	Satisfactory	88	PM ₁₀ , O ₃	3
29	Fatehabad	Satisfactory	62	PM _{2.5}	1
30	Gandhinagar	Satisfactory	75	PM ₁₀	1
31	Gaya	Satisfactory	90	O ₃ , PM _{2.5}	2
32	Ghaziabad	Satisfactory	84	PM _{2.5} , PM ₁₀	2
33	Greater Noida	Moderate	112	CO, PM ₁₀	2
34	Gurugram	Satisfactory	61	PM ₁₀ , PM _{2.5}	2
35	Guwahati	Poor	215	PM _{2.5}	1
36	Gwalior	Satisfactory	97	PM ₁₀ , O ₃	2

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * Motes t calculated for today's bulletin for Asanol, Aurangabad, Ballabgarh, Bathinda, Coimbatore, Dharuhera, Hajipur, Jorapokhar, Kalaburgi, Mandideep, Moradabad, Mysuru, Nagpur, Nashik, Rupnagar, Sagar, Siliguri, Solapur, Vijayapura, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Hapur	Satisfactory	92	PM ₁₀	1
38	Hisar	Satisfactory	73	PM ₁₀	1
39	Howrah	Satisfactory	71	PM ₁₀ , O ₃	3
40	Hubballi	Good	47	PM ₁₀	1
41	Hyderabad	Satisfactory	59	PM ₁₀	4
42	Indore	Satisfactory	56	NO ₂	1
43	Jabalpur	Satisfactory	64	03	1
44	Jaipur	Satisfactory	52	O ₃ , PM ₁₀	3
45	Jalandhar	Good	34	PM ₁₀	1
46	Jind	Satisfactory	68	PM _{2.5}	1
47	Jodhpur	Moderate	171	PM _{2.5}	1
48	Kaithal	Good	49	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * Motes calculated for today's bulletin for Asanol, Aurangabad, Ballabgarh, Bathinda, Coimbatore, Dharuhera, Hajipur, Jorapokhar, Kalaburgi, Mandideep, Moradabad, Mysuru, Nagpur, Nashik, Rupnagar, Sagar, Siliguri, Solapur, Vijayapura, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kalyan	Poor	271	O ₃	1
50	Kannur	Satisfactory	57	PM _{2.5}	1
51	Kanpur	Good	50	PM _{2.5}	1
52	Karnal	Moderate	101	SO ₂	1
53	Katni	Satisfactory	74	O ₃	1
54	Khanna	Good	36	PM ₁₀	1
55	Kochi	Good	42	СО	1
56	Kolkata	Satisfactory	86	O ₃ , PM _{2.5}	7
57	Kollam	Satisfactory	52	PM _{2.5}	1
58	Kota	Good	47	PM ₁₀	1
59	Kozhikode	Good	47	PM _{2.5}	1
60	Kurukshetra	Satisfactory	52	PM ₁₀	1

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Moderate Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Poor Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe Affects healthy people and seriously impacts those with existing disease		

- * Motes t calculated for today's bulletin for Asanol, Aurangabad, Ballabgarh, Bathinda, Coimbatore, Dharuhera, Hajipur, Jorapokhar, Kalaburgi, Mandideep, Moradabad, Mysuru, Nagpur, Nashik, Rupnagar, Sagar, Siliguri, Solapur, Vijayapura, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Lucknow	Satisfactory	90	PM _{2.5}	3
62	Ludhiana	Good	34	PM ₁₀	1
63	Maihar	Satisfactory	51	NO ₂	1
64	Mandi Gobindgarh	Good	43	PM _{2.5}	1
65	Mandikhera	Satisfactory	73	03	1
66	Manesar	Good	46	PM ₁₀	1
67	Meerut	Moderate	104	со	1
68	Mumbai	Satisfactory	69	PM ₁₀ , O ₃	9
69	Muzaffarnagar	Satisfactory	80	PM ₁₀	1
70	Muzaffarpur	Poor	229	03	1
71	Nandesari	Moderate	129	со	1
72	Narnaul	Good	29	PM ₁₀	1

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Moderate Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Poor Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe Affects healthy people and seriously impacts those with existing disease		

- * Architers to alculated for today's bulletin for Asanol, Aurangabad, Ballabgarh, Bathinda, Coimbatore, Dharuhera, Hajipur, Jorapokhar, Kalaburgi, Mandideep, Moradabad, Mysuru, Nagpur, Nashik, Rupnagar, Sagar, Siliguri, Solapur, Vijayapura, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Navi Mumbai	Satisfactory	91	CO, PM ₁₀	3
74	Noida	Satisfactory	72	PM ₁₀	4
75	Pali	Satisfactory	67	PM ₁₀	1
76	Palwal	Satisfactory	76	PM ₁₀	1
77	Panchkula	Satisfactory	85	СО	1
78	Panipat	Satisfactory	90	PM ₁₀	1
79	Patiala	Good	39	PM ₁₀	1
80	Patna	Moderate	112	CO, PM ₁₀	3
81	Pithampur	Satisfactory	84	PM ₁₀	1
82	Pune	Satisfactory	60	со	1
83	Rajamahendravaram	Good	49	O ₃	1
84	Ramanagara	Satisfactory	63	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * Motes t calculated for today's bulletin for Asanol, Aurangabad, Ballabgarh, Bathinda, Coimbatore, Dharuhera, Hajipur, Jorapokhar, Kalaburgi, Mandideep, Moradabad, Mysuru, Nagpur, Nashik, Rupnagar, Sagar, Siliguri, Solapur, Vijayapura, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Ratlam	Satisfactory	90	PM _{2.5}	1
86	Rohtak	Satisfactory	62	PM _{2.5}	1
87	Satna	Good	49	PM ₁₀	1
88	Shillong	Satisfactory	71	PM _{2.5}	1
89	Singrauli	Moderate	119	PM ₁₀	1
90	Sirsa	Satisfactory	85	SO ₂	1
91	Sonipat	Moderate	105	со	1
92	Talcher	Moderate	117	PM _{2.5}	1
93	Thane	Satisfactory	52	PM ₁₀	1
94	Thiruvananthapuram	Satisfactory	53	O ₃	2
95	Tirupati	Good	46	O ₃	1
96	Udaipur	Good	49	O ₃	1

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Ujjain	Satisfactory	99	O ₃	1
98	Vapi	Moderate	108	PM _{2.5}	1
99	Varanasi	Moderate	134	PM _{2.5}	1
100	Vatva	Satisfactory	83	PM ₁₀	1
101	Yadgir	Good	46	PM ₁₀	1
102	Yamunanagar	Satisfactory	54	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	/ery Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

* Motes t calculated for today's bulletin for Asanol, Aurangabad, Ballabgarh, Bathinda, Coimbatore, Dharuhera, Hajipur, Jorapokhar, Kalaburgi, Mandideep, Moradabad, Mysuru, Nagpur, Nashik, Rupnagar, Sagar, Siliguri, Solapur, Vijayapura, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.