

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Poor	203	PM _{2.5}	1
2	Ahmedabad	Poor	207	PM _{2.5}	1
3	Ajmer	Moderate	104	PM ₁₀	1
4	Alwar	Moderate	173	PM _{2.5}	1
5	Amaravati	Good	44	PM ₁₀	1
6	Ambala	Moderate	194	OZONE	1
7	Amritsar	Moderate	187	PM _{2.5}	1
8	Ankleshwar	Satisfactory	100	PM ₁₀	1
9	Asanol	Satisfactory	93	PM _{2.5}	1
10	Aurangabad	Satisfactory	83	OZONE	1
11	Baghpat	Poor	267	PM _{2.5}	1
12	Bahadurgarh	Poor	227	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhiwadi, Brajrajnagar, Damoh, GandhiNagar, Gaya, Haldia, Hubballi, Maihar, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Poor	293	PM ₁₀	1
14	Bathinda	Moderate	129	PM ₁₀	1
15	Bengaluru	Moderate	113	PM _{2.5} , PM ₁₀ , OZONE	8
16	Bhiwani	Moderate	187	PM _{2.5}	1
17	Bulandshahr	Poor	257	PM _{2.5}	1
18	Chandrapur	Satisfactory	94	PM ₁₀	1
19	Chennai	Satisfactory	79	PM _{2.5} , CO	3
20	Chikkaballapur	Satisfactory	86	PM ₁₀	1
21	Delhi	Poor	264	PM _{2.5} , PM ₁₀	36
22	Dewas	Moderate	149	PM ₁₀	1
23	Dharuhera	Poor	212	PM ₁₀	1
24	Durgapur	Satisfactory	90	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhiwadi, Brajrajnagar, Damoh, GandhiNagar, Gaya, Haldia, Hubballi, Maihar, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Faridabad	Poor	244	PM _{2.5}	1
26	Fatehabad	Moderate	160	PM ₁₀	1
27	Ghaziabad	Very Poor	326	PM _{2.5} , PM ₁₀	3
28	Greater_Noida	Poor	283	PM ₁₀	1
29	Gurugram	Poor	282	PM _{2.5}	1
30	Guwahati	Satisfactory	54	OZONE	1
31	Hapur	Poor	265	PM ₁₀	1
32	Hisar	Moderate	191	PM _{2.5}	1
33	Howrah	Satisfactory	68	PM ₁₀ , PM _{2.5}	2
34	Hyderabad	Satisfactory	85	OZONE, PM ₁₀	5
35	Jaipur	Moderate	141	PM ₁₀ , PM _{2.5}	3
36	Jalandhar	Moderate	164	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhiwadi, Brajrajnagar, Damoh, GandhiNagar, Gaya, Haldia, Hubballi, Maihar, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Jind	Moderate	160	PM _{2.5}	1
38	Jodhpur	Moderate	191	PM _{2.5}	1
39	Jorapokhar	Moderate	114	PM ₁₀	1
40	Kaithal	Moderate	175	PM _{2.5}	1
41	Kalaburagi	Satisfactory	71	PM ₁₀	1
42	Kanpur	Moderate	179	PM _{2.5}	1
43	Karnal	Moderate	192	PM _{2.5}	1
44	Khanna	Moderate	130	PM ₁₀	1
45	Kolkata	Satisfactory	78	PM ₁₀ , PM _{2.5}	2
46	Kota	Moderate	173	PM _{2.5}	1
47	Kurukshetra	Moderate	145	PM ₁₀	1
48	Loni_Dehat	Very Poor	338	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhiwadi, Brajrajnagar, Damoh, GandhiNagar, Gaya, Haldia, Hubballi, Maihar, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Lucknow	Poor	279	PM _{2.5}	3
50	Ludhiana	Moderate	124	PM _{2.5}	1
51	Mandi Gobindgarh	Moderate	141	PM ₁₀	1
52	Mandideep	Poor	207	PM ₁₀	1
53	Mandikhera	Moderate	161	PM ₁₀	1
54	Manesar	Poor	235	PM ₁₀	1
55	Moradabad	Poor	283	PM ₁₀	1
56	Mumbai	Satisfactory	91	со	1
57	Muzaffarnagar	Very Poor	309	PM _{2.5}	1
58	Muzaffarpur	Moderate	195	OZONE	1
59	Nagpur	Satisfactory	97	OZONE	1
60	Narnaul	Poor	214	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bhiwadi, Brajrajnagar, Damoh, GandhiNagar, Gaya, Haldia, Hubballi, Maihar, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Nashik	Satisfactory	93	PM ₁₀	1
62	Navi Mumbai	Moderate	108	со	1
63	Noida	Poor	282	PM ₁₀ , PM _{2.5}	2
64	Pali	Moderate	139	PM ₁₀	1
65	Palwal	Poor	280	PM _{2.5}	1
66	Panchkula	Satisfactory	95	PM _{2.5}	1
67	Panipat	Moderate	125	PM ₁₀	1
68	Patiala	Poor	206	PM ₁₀	1
69	Patna	Satisfactory	92	PM _{2.5}	1
70	Pithampur	Moderate	161	PM ₁₀	1
71	Pune	Moderate	102	PM ₁₀	1
72	Rajamahendravaram	Satisfactory	55	OZONE	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhiwadi, Brajrajnagar, Damoh, GandhiNagar, Gaya, Haldia, Hubballi, Maihar, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Ratlam	Moderate	137	PM ₁₀	1
74	Rohtak	Moderate	140	PM _{2.5}	1
75	Rupnagar	Satisfactory	57	PM _{2.5}	1
76	Satna	Moderate	115	PM ₁₀	1
77	Siliguri	Satisfactory	61	PM ₁₀	1
78	Singrauli	Poor	269	PM ₁₀	1
79	Sirsa	Moderate	171	PM _{2.5}	1
80	Solapur	Satisfactory	79	PM ₁₀	1
81	Sonipat	Poor	205	PM _{2.5}	1
82	Talcher	Moderate	159	PM ₁₀	1
83	Thane	Satisfactory	95	PM _{2.5}	1
84	Thiruvananthapuram	Satisfactory	54	OZONE	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhiwadi, Brajrajnagar, Damoh, GandhiNagar, Gaya, Haldia, Hubballi, Maihar, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Tirupati	Satisfactory	77	OZONE	1
86	Udaipur	Satisfactory	77	PM ₁₀	1
87	Ujjain	Moderate	142	PM ₁₀	1
88	Vapi	Satisfactory	88	PM ₁₀	1
89	Varanasi	Poor	203	PM ₁₀	1
90	Vatva	Moderate	176	PM _{2.5}	1
91	Visakhapatnam	Satisfactory	92	PM ₁₀	1
92	Yamunanagar	Moderate	196	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhiwadi, Brajrajnagar, Damoh, GandhiNagar, Gaya, Haldia, Hubballi, Maihar, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.