

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Satisfactory	91	PM _{2.5}	1
2	Ahmedabad	Moderate	199	PM _{2.5}	1
3	Ajmer	Moderate	119	PM _{2.5}	1
4	Alwar	Satisfactory	79	PM ₁₀	1
5	Amaravati	Good	30	OZONE	1
6	Ambala	Poor	204	PM _{2.5}	1
7	Amritsar	Moderate	154	PM ₁₀	1
8	Ankleshwar	Satisfactory	84	PM ₁₀	1
9	Asanol	Moderate	104	PM _{2.5}	1
10	Aurangabad	Satisfactory	57	PM ₁₀	1
11	Baghpat	Poor	205	PM _{2.5}	1
12	Bahadurgarh	Moderate	115	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Kanpur, Nashik, Patna, Ramanagara, Rohtak, Sonipat as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Poor	219	PM _{2.5}	1
14	Bathinda	Moderate	104	со	1
15	Bengaluru	Satisfactory	56	CO, PM ₁₀ , PM _{2.5}	8
16	Bhiwadi	Poor	236	PM _{2.5}	1
17	Bhiwani	Moderate	115	PM ₁₀	1
18	Bhopal	Poor	203	PM _{2.5}	1
19	Brajrajnagar	Moderate	102	со	1
20	Bulandshahr	Moderate	187	PM _{2.5}	1
21	Chandigarh	Moderate	102	PM ₁₀	1
22	Chandrapur	Good	34	OZONE, PM ₁₀	2
23	Chennai	Satisfactory	58	PM _{2.5} , OZONE, CO	4
24	Chikkaballapur	Good	32	OZONE	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Kanpur, Nashik, Patna, Ramanagara, Rohtak, Sonipat as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Coimbatore	Satisfactory	88	СО	1
26	Damoh	Poor	235	PM _{2.5}	1
27	Delhi	Poor	207	PM ₁₀ , PM _{2.5}	35
28	Dewas	Moderate	134	PM _{2.5}	1
29	Dharuhera	Poor	236	PM _{2.5}	1
30	Eloor	Good	31	со	1
31	Faridabad	Moderate	161	PM _{2.5}	1
32	Fatehabad	Moderate	150	OZONE	1
33	GandhiNagar	Moderate	112	PM ₁₀	1
34	Gaya	Moderate	129	PM _{2.5}	1
35	Ghaziabad	Poor	236	PM _{2.5}	4
36	Greater_Noida	Poor	228	NO ₂ , PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Kanpur, Nashik, Patna, Ramanagara, Rohtak, Sonipat as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gurugram	Moderate	174	PM _{2.5}	1
38	Guwahati	Moderate	132	PM _{2.5}	1
39	Haldia	Satisfactory	70	PM ₁₀	1
40	Hapur	Moderate	165	PM ₁₀	1
41	Hisar	Poor	215	PM _{2.5}	1
42	Howrah	Poor	222	PM _{2.5}	2
43	Hubballi	Good	35	NO ₂	1
44	Hyderabad	Satisfactory	76	PM _{2.5} , PM ₁₀	6
45	Indore	Satisfactory	91	PM ₁₀	1
46	Jabalpur	Poor	218	PM _{2.5}	1
47	Jaipur	Moderate	143	PM _{2.5} , PM ₁₀	3
48	Jalandhar	Moderate	135	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Kanpur, Nashik, Patna, Ramanagara, Rohtak, Sonipat as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jind	Poor	206	PM _{2.5}	1
50	Jodhpur	Poor	230	PM _{2.5}	1
51	Jorapokhar	Satisfactory	91	PM ₁₀	1
52	Kaithal	Moderate	115	PM ₁₀	1
53	Kalaburagi	Good	50	PM ₁₀	1
54	Kalyan	Satisfactory	63	PM ₁₀	1
55	Karnal	Poor	253	PM _{2.5}	1
56	Katni	Poor	215	PM _{2.5}	1
57	Khanna	Moderate	148	PM ₁₀	1
58	Kolkata	Moderate	167	PM _{2.5}	7
59	Kota	Moderate	134	PM _{2.5}	1
60	Kurukshetra	Poor	230	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Kanpur, Nashik, Patna, Ramanagara, Rohtak, Sonipat as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Lucknow	Poor	269	PM _{2.5}	4
62	Ludhiana	Moderate	172	PM _{2.5}	1
63	Maihar	Satisfactory	64	PM ₁₀	1
64	Mandi Gobindgarh	Poor	218	PM _{2.5}	1
65	Mandideep	Moderate	130	PM ₁₀	1
66	Mandikhera	Moderate	131	OZONE	1
67	Manesar	Moderate	135	PM ₁₀	1
68	Meerut	Poor	238	PM _{2.5}	3
69	Moradabad	Poor	256	PM _{2.5}	1
70	Mumbai	Satisfactory	56	CO, PM ₁₀ , NO ₂	9
71	Muzaffarnagar	Poor	266	PM _{2.5}	1
72	Muzaffarpur	Poor	262	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Kanpur, Nashik, Patna, Ramanagara, Rohtak, Sonipat as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Mysuru	Good	48	со	1
74	Nagpur	Satisfactory	52	PM ₁₀	1
75	Narnaul	Moderate	164	PM _{2.5}	1
76	Navi Mumbai	Satisfactory	54	CO, PM ₁₀	3
77	Noida	Poor	210	PM _{2.5}	4
78	Pali	Moderate	105	PM _{2.5}	1
79	Palwal	Moderate	146	PM ₁₀	1
80	Panchkula	Satisfactory	80	OZONE	1
81	Panipat	Poor	235	PM _{2.5}	1
82	Patiala	Moderate	118	PM ₁₀	1
83	Pithampur	Satisfactory	96	PM ₁₀	1
84	Pune	Satisfactory	86	SO ₂	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Kanpur, Nashik, Patna, Ramanagara, Rohtak, Sonipat as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Rajamahendravaram	Good	42	со	1
86	Ratlam	Moderate	148	PM ₁₀	1
87	Rupnagar	Satisfactory	81	PM ₁₀	1
88	Satna	Moderate	151	PM ₁₀	1
89	Shillong	Satisfactory	57	OZONE	1
90	Siliguri	Moderate	166	PM _{2.5}	1
91	Singrauli	Poor	221	PM _{2.5}	1
92	Sirsa	Poor	247	PM _{2.5}	1
93	Solapur	Satisfactory	78	со	1
94	Talcher	Satisfactory	64	СО	1
95	Thane	Good	47	СО	1
96	Thiruvananthapuram	Good	40	СО	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Kanpur, Nashik, Patna, Ramanagara, Rohtak, Sonipat as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Tirupati	Good	49	NO ₂	1
98	Udaipur	Moderate	122	PM ₁₀	1
99	Ujjain	Moderate	120	PM _{2.5}	1
100	Vapi	Satisfactory	95	PM ₁₀	1
101	Varanasi	Poor	276	PM _{2.5}	1
102	Vatva	Moderate	117	PM ₁₀	1
103	Vijayawada	Good	43	со	1
104	Visakhapatnam	Satisfactory	57	со	1
105	Yadgir	Satisfactory	57	OZONE	1
106	Yamunanagar	Poor	264	OZONE	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Kanpur, Nashik, Patna, Ramanagara, Rohtak, Sonipat as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.