

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	86	SO ₂ , PM ₁₀	2
2	Agra	Moderate	128	PM ₁₀	4
3	Ahmedabad	Moderate	168	PM ₁₀ , PM _{2.5}	8
4	Aizawl	Good	45	PM ₁₀	1
5	Ajmer	Moderate	117	PM ₁₀	1
6	Alwar	Moderate	104	PM ₁₀	1
7	Amaravati	Satisfactory	51	PM ₁₀	1
8	Ambala	Moderate	132	PM ₁₀	1
9	Amritsar	Moderate	132	PM ₁₀	1
10	Ankleshwar	Moderate	148	PM _{2.5}	1
11	Arrah	Moderate	165	PM ₁₀	1
12	Asansol	Poor	273	O ₃	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Bettiah, Bhilai, Bidar, Buxar, Chikkamagaluru, Coimbatore, Gadag, Gwalior, Jorapokhar, Kalaburgi, Kohima, Kolar, Koppal, Maihar, Manguraha, Motihari, Nandesari, Panipat, Satna, Thrissur, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad	Satisfactory	79	PM _{2.5}	1
14	Baddi	Moderate	188	PM _{2.5}	1
15	Bagalkot	Satisfactory	51	PM ₁₀	1
16	Baghpat	Moderate	190	PM ₁₀	1
17	Bahadurgarh	Moderate	182	PM ₁₀	1
18	Ballabgarh	Moderate	132	PM ₁₀	1
19	Bathinda	Moderate	121	PM ₁₀	1
20	Bengaluru	Moderate	112	PM ₁₀ , CO	7
21	Bhagalpur	Poor	242	PM ₁₀	2
22	Bhiwadi	Poor	244	PM _{2.5}	1
23	Bhiwani	Moderate	143	PM ₁₀	1
24	Bhopal	Moderate	129	PM ₁₀	1

Possible Health Impacts

Minimal Impact

Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Bettiah, Bhilai, Bidar, Buxar, Chikkamagaluru, Coimbatore, Gadag, Gwalior, Jorapokhar, Kalaburgi, Kohima, Kolar, Koppal, Maihar, Manguraha, Motihari, Nandesari, Panipat, Satna, Thrissur, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bihar Sharif	Moderate	158	PM ₁₀	1
26	Bilaspur	Satisfactory	54	PM ₁₀	1
27	Brajrajnagar	Poor	273	03	1
28	Bulandshahr	Moderate	194	PM ₁₀	1
29	Chamarajanagar	Good	38	PM ₁₀	1
30	Chandigarh	Moderate	133	O ₃ , PM ₁₀	3
31	Chandrapur	Moderate	152	O ₃ , PM _{2.5}	2
32	Charkhi Dadri	Moderate	173	PM _{2.5}	1
33	Chennai	Satisfactory	55	PM ₁₀ , CO	8
34	Chhapra	Moderate	177	PM ₁₀	1
35	Chikkaballapur	Satisfactory	96	PM ₁₀	1
36	Damoh	Moderate	112	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Bettiah, Bhilai, Bidar, Buxar, Chikkamagaluru, Coimbatore, Gadag, Gwalior, Jorapokhar, Kalaburgi, Kohima, Kolar, Koppal, Maihar, Manguraha, Motihari, Nandesari, Panipat, Satna, Thrissur, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Darbhanga	Poor	222	PM ₁₀	1
38	Davanagere	Satisfactory	77	PM ₁₀	1
39	Delhi	Moderate	195	PM _{2.5} , PM ₁₀	34
40	Dewas	Moderate	156	PM ₁₀	1
41	Dharuhera	Poor	252	PM ₁₀	1
42	Durgapur	Poor	293	PM ₁₀	1
43	Eloor	Satisfactory	81	со	1
44	Ernakulam	Good	45	PM _{2.5}	1
45	Faridabad	Poor	220	PM ₁₀ , PM _{2.5}	3
46	Fatehabad	Moderate	156	PM ₁₀	1
47	Firozabad	Moderate	188	03	1
48	Gandhinagar	Moderate	176	PM _{2.5} , PM ₁₀	3

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Bettiah, Bhilai, Bidar, Buxar, Chikkamagaluru, Coimbatore, Gadag, Gwalior, Jorapokhar, Kalaburgi, Kohima, Kolar, Koppal, Maihar, Manguraha, Motihari, Nandesari, Panipat, Satna, Thrissur, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gaya	Moderate	109	NO ₂ , PM _{2.5} , PM ₁₀	3
50	Ghaziabad	Poor	225	PM ₁₀ , PM _{2.5}	4
51	Gorakhpur	Satisfactory	89	PM ₁₀	1
52	Greater Noida	Moderate	174	PM ₁₀	2
53	Gummidipoondi	Good	32	PM ₁₀	1
54	Gurugram	Poor	228	PM _{2.5} , PM ₁₀	3
55	Guwahati	Satisfactory	86	PM ₁₀	2
56	Hajipur	Moderate	180	PM _{2.5}	1
57	Haldia	Good	48	PM _{2.5}	1
58	Hapur	Moderate	168	O ₃	1
59	Hassan	Satisfactory	95	PM ₁₀	1
60	Hisar	Moderate	198	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Bettiah, Bhilai, Bidar, Buxar, Chikkamagaluru, Coimbatore, Gadag, Gwalior, Jorapokhar, Kalaburgi, Kohima, Kolar, Koppal, Maihar, Manguraha, Motihari, Nandesari, Panipat, Satna, Thrissur, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Howrah	Satisfactory	90	PM _{2.5} , PM ₁₀	2
62	Hubballi	Satisfactory	92	PM ₁₀	1
63	Hyderabad	Moderate	114	PM _{2.5} , PM ₁₀	6
64	Indore	Moderate	190	PM ₁₀	1
65	Jabalpur	Moderate	169	PM ₁₀	1
66	Jaipur	Moderate	165	PM _{2.5}	3
67	Jalandhar	Moderate	163	PM ₁₀	1
68	Jhansi	Moderate	164	PM ₁₀	1
69	Jind	Moderate	153	PM ₁₀	1
70	Jodhpur	Poor	221	PM _{2.5}	1
71	Kaithal	Moderate	133	PM _{2.5}	1
72	Kalyan	Moderate	131	PM ₁₀	1

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Araria, Bettiah, Bhilai, Bidar, Buxar, Chikkamagaluru, Coimbatore, Gadag, Gwalior, Jorapokhar, Kalaburgi, Kohima, Kolar, Koppal, Maihar, Manguraha, Motihari, Nandesari, Panipat, Satna, Thrissur, Vapi as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

[#] Some stations have data available at 3PM



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kannur	Satisfactory	64	PM ₁₀	1
74	Kanpur	Moderate	113	PM ₁₀	3
75	Karnal	Moderate	115	PM ₁₀	1
76	Katihar	Poor	232	PM ₁₀	1
77	Katni	Poor	230	PM ₁₀	1
78	Khanna	Moderate	132	PM ₁₀	1
79	Kishanganj	Poor	212	O ₃	1
80	Kochi	Satisfactory	70	PM _{2.5}	1
81	Kolkata	Satisfactory	85	PM ₁₀	7
82	Kollam	Satisfactory	93	PM ₁₀	1
83	Kota	Moderate	158	PM _{2.5}	1
84	Kozhikode	Satisfactory	53	PM ₁₀	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Bettiah, Bhilai, Bidar, Buxar, Chikkamagaluru, Coimbatore, Gadag, Gwalior, Jorapokhar, Kalaburgi, Kohima, Kolar, Koppal, Maihar, Manguraha, Motihari, Nandesari, Panipat, Satna, Thrissur, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kurukshetra	Moderate	168	O ₃	1
86	Lucknow	Moderate	157	PM ₁₀	6
87	Ludhiana	Moderate	125	PM ₁₀	1
88	Madikeri	Satisfactory	57	PM ₁₀	1
89	Mandi Gobindgarh	Satisfactory	57	PM ₁₀	1
90	Mandideep	Moderate	196	PM ₁₀	1
91	Mandikhera	Satisfactory	99	PM ₁₀	1
92	Manesar	Poor	243	PM _{2.5}	1
93	Manglore	Good	47	со	1
94	Meerut	Poor	210	PM ₁₀	3
95	Moradabad	Moderate	121	O ₃ , PM ₁₀	4
96	Mumbai	Moderate	110	PM ₁₀ , PM _{2.5}	16

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Bettiah, Bhilai, Bidar, Buxar, Chikkamagaluru, Coimbatore, Gadag, Gwalior, Jorapokhar, Kalaburgi, Kohima, Kolar, Koppal, Maihar, Manguraha, Motihari, Nandesari, Panipat, Satna, Thrissur, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Munger	Poor	236	PM ₁₀	1
98	Muzaffarnagar	Moderate	194	03	1
99	Muzaffarpur	Poor	239	PM ₁₀ , PM _{2.5}	2
100	Mysuru	Good	50	PM ₁₀	1
101	Nagpur	Satisfactory	93	PM ₁₀	1
102	Naharlagun	Satisfactory	61	SO ₂	1
103	Narnaul	Moderate	125	PM _{2.5}	1
104	Nashik	Satisfactory	63	PM ₁₀	1
105	Navi Mumbai	Moderate	142	O ₃ , CO, PM ₁₀	3
106	Noida	Moderate	172	PM ₁₀	4
107	Pali	Moderate	143	PM _{2.5}	1
108	Palwal	Moderate	115	PM ₁₀	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Bettiah, Bhilai, Bidar, Buxar, Chikkamagaluru, Coimbatore, Gadag, Gwalior, Jorapokhar, Kalaburgi, Kohima, Kolar, Koppal, Maihar, Manguraha, Motihari, Nandesari, Panipat, Satna, Thrissur, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Panchkula	Moderate	134	PM _{2.5}	1
110	Patiala	Moderate	131	PM ₁₀	1
111	Patna	Poor	237	PM _{2.5} , PM ₁₀	6
112	Pithampur	Moderate	101	PM ₁₀	1
113	Prayagraj	Moderate	124	PM ₁₀	3
114	Puducherry	Satisfactory	55	PM ₁₀	1
115	Pune	Moderate	124	PM _{2.5}	4
116	Purnia	Moderate	175	PM _{2.5}	1
117	Raichur	Moderate	118	PM ₁₀	1
118	Rajamahendravaram	Satisfactory	55	PM ₁₀	1
119	Rajgir	Moderate	144	PM ₁₀	1
120	Ramanagara	Moderate	105	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Bettiah, Bhilai, Bidar, Buxar, Chikkamagaluru, Coimbatore, Gadag, Gwalior, Jorapokhar, Kalaburgi, Kohima, Kolar, Koppal, Maihar, Manguraha, Motihari, Nandesari, Panipat, Satna, Thrissur, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Ratlam	Moderate	155	PM ₁₀	1
122	Rohtak	Moderate	173	PM _{2.5}	1
123	Rupnagar	Moderate	185	PM ₁₀	1
124	Sagar	Satisfactory	89	PM _{2.5}	1
125	Saharsa	Poor	224	PM ₁₀	1
126	Samastipur	Poor	282	PM ₁₀	1
127	Sasaram	Moderate	193	O ₃	1
128	Shillong	Good	41	PM _{2.5}	1
129	Shivamogga	Satisfactory	56	PM ₁₀	1
130	Siliguri	Moderate	167	PM ₁₀	1
131	Singrauli	Very Poor	370	PM ₁₀	1
132	Sirsa	Satisfactory	95	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Bettiah, Bhilai, Bidar, Buxar, Chikkamagaluru, Coimbatore, Gadag, Gwalior, Jorapokhar, Kalaburgi, Kohima, Kolar, Koppal, Maihar, Manguraha, Motihari, Nandesari, Panipat, Satna, Thrissur, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Siwan	Poor	206	PM ₁₀	1
134	Solapur	Moderate	120	PM ₁₀	1
135	Sonipat	Moderate	183	PM ₁₀	1
136	Srinagar	Good	44	PM ₁₀	1
137	Talcher	Satisfactory	97	со	1
138	Thane	Poor	246	03	1
139	Thiruvananthapuram	Good	50	PM ₁₀	2
140	Thoothukudi	Satisfactory	68	PM ₁₀	1
141	Tirupati	Satisfactory	90	PM ₁₀	1
142	Udaipur	Moderate	119	PM ₁₀	1
143	Udupi	Satisfactory	89	03	1
144	Ujjain	Moderate	181	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Bettiah, Bhilai, Bidar, Buxar, Chikkamagaluru, Coimbatore, Gadag, Gwalior, Jorapokhar, Kalaburgi, Kohima, Kolar, Koppal, Maihar, Manguraha, Motihari, Nandesari, Panipat, Satna, Thrissur, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Varanasi	Moderate	101	PM ₁₀	4
146	Vatva	Moderate	136	PM _{2.5}	1
147	Vijayapura	Good	50	PM ₁₀	1
148	Visakhapatnam	Moderate	122	PM ₁₀	1
149	Vrindavan	Moderate	126	PM ₁₀	1
150	Yadgir	Satisfactory	83	PM _{2.5}	1
151	Yamunanagar	Moderate	138	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Bettiah, Bhilai, Bidar, Buxar, Chikkamagaluru, Coimbatore, Gadag, Gwalior, Jorapokhar, Kalaburgi, Kohima, Kolar, Koppal, Maihar, Manguraha, Motihari, Nandesari, Panipat, Satna, Thrissur, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.