

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	59	PM ₁₀	2
2	Agra	Satisfactory	88	O ₃ , PM ₁₀ , PM _{2.5}	6
3	Ahmedabad	Moderate	131	PM _{2.5} , PM ₁₀	7
4	Aizawl	Good	28	PM ₁₀	1
5	Ajmer	Moderate	188	PM _{2.5}	1
6	Alwar	Satisfactory	86	PM ₁₀	1
7	Amaravati	Satisfactory	80	O ₃	1
8	Ambala	Satisfactory	72	PM ₁₀	1
9	Amritsar	Satisfactory	97	03	1
10	Ankleshwar	Satisfactory	81	PM ₁₀	1
11	Arrah	Satisfactory	89	PM ₁₀	1
12	Asansol	Moderate	108	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Aurangabad (Maharashtra), Begusarai, Bhilai, Buxar, Dharuhera, Durgapur, Eloor, Gadag, Haveri, Indore, Jodhpur, Jorapokhar, Kishanganj, Kolar, Nandesari, Raichur, Rajgir, Sirsa, Siwan, Talcher, Thane, Vapi, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Bihar)	Moderate	129	PM ₁₀	1
14	Baddi	Good	43	03	1
15	Bagalkot	Good	50	PM _{2.5}	1
16	Baghpat	Moderate	167	03	1
17	Bahadurgarh	Moderate	166	PM _{2.5}	1
18	Ballabgarh	Satisfactory	91	PM _{2.5}	1
19	Bathinda	Good	36	со	1
20	Bengaluru	Satisfactory	74	PM ₁₀	8
21	Bettiah	Moderate	181	PM ₁₀	1
22	Bhagalpur	Moderate	123	NO ₂ , PM ₁₀	2
23	Bhiwadi	Moderate	164	PM _{2.5}	1
24	Bhiwani	Satisfactory	80	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Aurangabad (Maharashtra), Begusarai, Bhilai, Buxar, Dharuhera, Durgapur, Eloor, Gadag, Haveri, Indore, Jodhpur, Jorapokhar, Kishanganj, Kolar, Nandesari, Raichur, Rajgir, Sirsa, Siwan, Talcher, Thane, Vapi, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhopal	Poor	215	PM ₁₀	1
26	Bidar	Satisfactory	95	PM ₁₀	1
27	Bihar Sharif	Moderate	178	PM ₁₀	1
28	Bilaspur	Satisfactory	64	PM ₁₀	1
29	Brajrajnagar	Satisfactory	56	со	1
30	Bulandshahr	Moderate	114	PM ₁₀	1
31	Chamarajanagar	Good	38	PM ₁₀	1
32	Chandigarh	Moderate	121	03	3
33	Chandrapur	Moderate	190	03	1
34	Charkhi Dadri	Moderate	180	PM _{2.5}	1
35	Chennai	Satisfactory	61	PM ₁₀ , PM _{2.5} , O ₃	7
36	Chhapra	Satisfactory	100	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Aurangabad (Maharashtra), Begusarai, Bhilai, Buxar, Dharuhera, Durgapur, Eloor, Gadag, Haveri, Indore, Jodhpur, Jorapokhar, Kishanganj, Kolar, Nandesari, Raichur, Rajgir, Sirsa, Siwan, Talcher, Thane, Vapi, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkaballapur	Satisfactory	55	PM ₁₀	1
38	Chikkamagaluru	Good	48	PM ₁₀	1
39	Coimbatore	Satisfactory	55	PM ₁₀	1
40	Damoh	Good	45	PM ₁₀	1
41	Darbhanga	Moderate	121	PM ₁₀	1
42	Davanagere	Satisfactory	61	PM ₁₀	1
43	Dehradun	Good	47	O ₃	1
44	Delhi	Moderate	166	PM ₁₀ , O ₃ , PM _{2.5}	31
45	Dewas	Moderate	164	PM _{2.5}	1
46	Ernakulam	Good	32	со	1
47	Faridabad	Moderate	154	PM ₁₀	3
48	Fatehabad	Satisfactory	65	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Aurangabad (Maharashtra), Begusarai, Bhilai, Buxar, Dharuhera, Durgapur, Eloor, Gadag, Haveri, Indore, Jodhpur, Jorapokhar, Kishanganj, Kolar, Nandesari, Raichur, Rajgir, Sirsa, Siwan, Talcher, Thane, Vapi, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Firozabad	Satisfactory	71	PM ₁₀	1
50	Gandhinagar	Moderate	170	PM _{2.5} , PM ₁₀	3
51	Gangtok	Good	45	PM ₁₀	1
52	Gaya	Satisfactory	60	PM _{2.5} , PM ₁₀	2
53	Ghaziabad	Moderate	178	PM _{2.5} , O ₃ , PM ₁₀	3
54	Gorakhpur	Good	48	O ₃	1
55	Greater Noida	Moderate	172	PM ₁₀	1
56	Gummidipoondi	Good	38	PM ₁₀	1
57	Gurugram	Moderate	158	PM _{2.5} , PM ₁₀	4
58	Guwahati	Satisfactory	77	PM ₁₀	2
59	Gwalior	Moderate	107	PM ₁₀	1
60	Hajipur	Moderate	113	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Aurangabad (Maharashtra), Begusarai, Bhilai, Buxar, Dharuhera, Durgapur, Eloor, Gadag, Haveri, Indore, Jodhpur, Jorapokhar, Kishanganj, Kolar, Nandesari, Raichur, Rajgir, Sirsa, Siwan, Talcher, Thane, Vapi, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Haldia	Satisfactory	61	PM ₁₀	1
62	Hapur	Moderate	142	PM _{2.5}	1
63	Hassan	Satisfactory	66	PM ₁₀	1
64	Hisar	Satisfactory	93	PM _{2.5}	1
65	Howrah	Satisfactory	82	PM ₁₀ , O ₃	3
66	Hubballi	Satisfactory	66	PM ₁₀	1
67	Hyderabad	Moderate	107	PM ₁₀ , PM _{2.5}	5
68	Imphal	Satisfactory	68	SO ₂ , PM ₁₀	2
69	Jabalpur	Moderate	122	PM ₁₀	1
70	Jaipur	Moderate	155	O ₃ , PM _{2.5} , PM ₁₀	3
71	Jalandhar	Satisfactory	77	PM ₁₀	1
72	Jhansi	Moderate	125	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Aurangabad (Maharashtra), Begusarai, Bhilai, Buxar, Dharuhera, Durgapur, Eloor, Gadag, Haveri, Indore, Jodhpur, Jorapokhar, Kishanganj, Kolar, Nandesari, Raichur, Rajgir, Sirsa, Siwan, Talcher, Thane, Vapi, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jind	Satisfactory	80	PM _{2.5}	1
74	Kaithal	Satisfactory	55	PM ₁₀	1
75	Kalaburgi	Satisfactory	89	PM ₁₀	1
76	Kalyan	Satisfactory	83	PM ₁₀	1
77	Kannur	Satisfactory	74	PM ₁₀	1
78	Kanpur	Satisfactory	70	PM ₁₀	3
79	Karnal	Good	49	PM ₁₀	1
80	Katihar	Moderate	131	PM ₁₀	1
81	Katni	Moderate	124	PM ₁₀	1
82	Khanna	Satisfactory	62	со	1
83	Kochi	Satisfactory	66	PM _{2.5}	1
84	Kohima	Satisfactory	85	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Aurangabad (Maharashtra), Begusarai, Bhilai, Buxar, Dharuhera, Durgapur, Eloor, Gadag, Haveri, Indore, Jodhpur, Jorapokhar, Kishanganj, Kolar, Nandesari, Raichur, Rajgir, Sirsa, Siwan, Talcher, Thane, Vapi, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kolkata	Satisfactory	82	O ₃ , PM ₁₀ , NO ₂	7
86	Kollam	Satisfactory	67	PM ₁₀	1
87	Koppal	Satisfactory	65	PM ₁₀	1
88	Kota	Poor	228	PM _{2.5}	1
89	Kozhikode	Satisfactory	61	PM ₁₀	1
90	Kurukshetra	Moderate	186	03	1
91	Lucknow	Satisfactory	86	PM ₁₀ , PM _{2.5}	6
92	Ludhiana	Satisfactory	80	03	1
93	Madikeri	Good	31	PM ₁₀	1
94	Maihar	Good	33	со	1
95	Mandi Gobindgarh	Satisfactory	64	PM _{2.5}	1
96	Mandideep	Moderate	102	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Aurangabad (Maharashtra), Begusarai, Bhilai, Buxar, Dharuhera, Durgapur, Eloor, Gadag, Haveri, Indore, Jodhpur, Jorapokhar, Kishanganj, Kolar, Nandesari, Raichur, Rajgir, Sirsa, Siwan, Talcher, Thane, Vapi, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mandikhera	Satisfactory	79	PM ₁₀	1
98	Manesar	Poor	211	PM _{2.5}	1
99	Manglore	Satisfactory	62	со	1
100	Manguraha	Satisfactory	56	03	1
101	Meerut	Moderate	107	PM ₁₀	3
102	Moradabad	Satisfactory	89	O ₃ , CO, PM ₁₀	4
103	Motihari	Moderate	169	03	1
104	Mumbai	Satisfactory	97	PM ₁₀ , O ₃ , CO	18
105	Munger	Moderate	125	PM ₁₀	1
106	Muzaffarnagar	Moderate	133	PM _{2.5}	1
107	Muzaffarpur	Moderate	104	PM _{2.5} , O ₃	3
108	Mysuru	Good	42	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Aurangabad (Maharashtra), Begusarai, Bhilai, Buxar, Dharuhera, Durgapur, Eloor, Gadag, Haveri, Indore, Jodhpur, Jorapokhar, Kishanganj, Kolar, Nandesari, Raichur, Rajgir, Sirsa, Siwan, Talcher, Thane, Vapi, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Nagpur	Moderate	164	O ₃	1
110	Naharlagun	Satisfactory	67	SO ₂	1
111	Narnaul	Satisfactory	93	PM ₁₀	1
112	Nashik	Moderate	102	PM ₁₀	1
113	Navi Mumbai	Satisfactory	93	PM ₁₀ , CO	2
114	Noida	Moderate	190	O ₃ , PM _{2.5} , PM ₁₀	4
115	Pali	Poor	217	PM _{2.5}	1
116	Palwal	Moderate	115	PM ₁₀	1
117	Panchkula	Satisfactory	76	со	1
118	Panipat	Moderate	130	PM ₁₀	1
119	Patiala	Satisfactory	73	PM ₁₀	1
120	Patna	Moderate	130	O ₃ , PM ₁₀ , NO ₂	6

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Aurangabad (Maharashtra), Begusarai, Bhilai, Buxar, Dharuhera, Durgapur, Eloor, Gadag, Haveri, Indore, Jodhpur, Jorapokhar, Kishanganj, Kolar, Nandesari, Raichur, Rajgir, Sirsa, Siwan, Talcher, Thane, Vapi, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Pithampur	Moderate	102	PM ₁₀	1
122	Prayagraj	Moderate	133	PM ₁₀	3
123	Puducherry	Good	47	PM ₁₀	1
124	Pune	Satisfactory	98	PM _{2.5} , CO	5
125	Purnia	Moderate	122	PM _{2.5}	1
126	Rajamahendravaram	Good	44	PM ₁₀	1
127	Ramanagara	Good	43	PM ₁₀	1
128	Ratlam	Moderate	168	PM _{2.5}	1
129	Rohtak	Moderate	120	PM _{2.5}	1
130	Rupnagar	Good	37	PM ₁₀	1
131	Sagar	Satisfactory	63	PM _{2.5}	1
132	Saharsa	Moderate	139	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Aurangabad (Maharashtra), Begusarai, Bhilai, Buxar, Dharuhera, Durgapur, Eloor, Gadag, Haveri, Indore, Jodhpur, Jorapokhar, Kishanganj, Kolar, Nandesari, Raichur, Rajgir, Sirsa, Siwan, Talcher, Thane, Vapi, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Samastipur	Moderate	166	PM ₁₀	1
134	Sasaram	Moderate	153	03	1
135	Satna	Satisfactory	60	03	1
136	Shillong	Good	43	PM ₁₀	2
137	Shivamogga	Satisfactory	63	PM ₁₀	1
138	Siliguri	Satisfactory	85	PM ₁₀	1
139	Singrauli	Moderate	132	PM _{2.5}	1
140	Solapur	Moderate	103	PM ₁₀	1
141	Sonipat	Moderate	133	PM ₁₀	1
142	Srinagar	Moderate	105	PM ₁₀	1
143	Thiruvananthapuram	Satisfactory	51	CO, PM ₁₀	2
144	Thoothukudi	Good	41	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Aurangabad (Maharashtra), Begusarai, Bhilai, Buxar, Dharuhera, Durgapur, Eloor, Gadag, Haveri, Indore, Jodhpur, Jorapokhar, Kishanganj, Kolar, Nandesari, Raichur, Rajgir, Sirsa, Siwan, Talcher, Thane, Vapi, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Thrissur	Good	39	03	1
146	Tirupati	Satisfactory	77	PM ₁₀	1
147	Udaipur	Moderate	134	PM ₁₀	1
148	Udupi	Satisfactory	60	со	1
149	Ujjain	Moderate	198	PM ₁₀	1
150	Varanasi	Satisfactory	75	O ₃ , SO ₂	4
151	Vatva	Satisfactory	91	PM ₁₀	1
152	Vijayapura	Satisfactory	56	PM ₁₀	1
153	Vrindavan	Satisfactory	72	PM ₁₀	1
154	Yadgir	Satisfactory	72	PM ₁₀	1
155	Yamunanagar	Moderate	101	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Aurangabad (Maharashtra), Begusarai, Bhilai, Buxar, Dharuhera, Durgapur, Eloor, Gadag, Haveri, Indore, Jodhpur, Jorapokhar, Kishanganj, Kolar, Nandesari, Raichur, Rajgir, Sirsa, Siwan, Talcher, Thane, Vapi, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.