

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	105	PM <sub>2.5</sub>	1
2	Agra	Satisfactory	82	PM <sub>10</sub>	6
3	Ahmedabad	Satisfactory	77	PM <sub>10</sub> , PM <sub>2.5</sub>	6
4	Aizawl	Satisfactory	51	PM <sub>10</sub>	1
5	Ajmer	Satisfactory	81	PM <sub>10</sub>	1
6	Akola	Satisfactory	78	PM <sub>10</sub>	1
7	Alwar	Satisfactory	64	PM <sub>10</sub>	1
8	Amaravati	Satisfactory	61	PM <sub>10</sub>	1
9	Ambala	Satisfactory	69	PM <sub>10</sub>	1
10	Amravati	Satisfactory	90	PM <sub>10</sub>	2
11	Amritsar	Moderate	111	PM <sub>10</sub>	1
12	Anantapur	Satisfactory	64	PM <sub>10</sub>	1

### \* AQI is not calculated for today's bulletin for Ahmednagar, Araria, <del>Ariyalur, Aurangabad (Bihar), Baran, Bathinda, Bhagalpur, Bhil</del>

## Notes:

Bileipada, Brajrajnagar, Buxar, Byrnihat, Chandrapur, Chengalpattu, Chikkaballapur, Coimbatore, Darbhanga, Ernakulam, Fatehabad, Hassan, Imphal, Jorapokhar, Kanchipuram, Kashipur, Katihar, Keonjhar, Kohima, Kolar, Koppal, Kozhikode, Naharlagun, Nalbari, Panchkula, Parbhani, Rajgir, Rourkela, Rupnagar, Salem, Sirsa, Srinagar, Suakati, Talcher, Thane, Udupi,

vellore as data was not available. # Some stations have data available at 3PM

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ankleshwar	Satisfactory	92	03	1
14	Arrah	Poor	238	PM <sub>10</sub>	1
15	Asansol	Moderate	108	PM <sub>10</sub>	1
16	Aurangabad (Maharashtra)	Satisfactory	94	PM <sub>10</sub>	2
17	Baddi	Moderate	123	PM <sub>10</sub>	1
18	Bagalkot	Good	46	PM <sub>10</sub>	1
19	Baghpat	Poor	262	PM <sub>10</sub>	1
20	Bahadurgarh	Moderate	162	PM <sub>10</sub>	1
21	Ballabgarh	Moderate	160	PM <sub>10</sub>	1
22	Banswara	Moderate	164	PM <sub>2.5</sub>	1
23	Bareilly	Moderate	111	PM <sub>10</sub>	2
24	Baripada	Satisfactory	89	PM <sub>10</sub>	1

### \* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Ariyalur, Aurangabad (Bihar), Baran, Bathinda, Bhagalpur, Bhilwar

## Notes:

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Bileipada, Brajrajnagar, Buxar, Byrnihat, Chandrapur, Chengalpattu, Chikkaballapur, Coimbatore, Darbhanga, Ernakulam, Fatehabad, Hassan, Imphal, Jorapokhar, Kanchipuram, Kashipur, Katihar, Keonjhar, Kohima, Kolar, Koppal, Kozhikode, Naharlagun, Nalbari, Panchkula, Parbhani, Rajgir, Rourkela, Rupnagar, Salem, Sirsa, Srinagar, Suakati, Talcher, Thane, Udupi,

vellore as data was not available.

- # Some stations have data available at 3PM

  \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Barmer	Moderate	119	PM <sub>10</sub>	1
26	Begusarai	Moderate	171	PM <sub>10</sub>	1
27	Belgaum	Good	47	со	1
28	Bengaluru	Satisfactory	61	PM <sub>10</sub> , CO	11
29	Bettiah	Moderate	116	PM <sub>10</sub>	1
30	Bharatpur	Moderate	114	PM <sub>10</sub>	1
31	Bhilai	Good	46	PM <sub>10</sub> , NO <sub>2</sub>	2
32	Bhiwadi	Moderate	131	PM <sub>2.5</sub>	1
33	Bhiwani	Moderate	159	PM <sub>10</sub>	1
34	Bhopal	Satisfactory	78	PM <sub>10</sub>	3
35	Bidar	Good	48	NH <sub>3</sub>	1
36	Bihar Sharif	Moderate	129	PM <sub>10</sub>	1

### \* AQI is not calculated for today's bulletin for Ahmednagar, Araria,

## Notes:

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

-Ariyalur, Aurangabad (Bihar), Baran, Bathinda, Bhagalpur, Bhilwara,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bikaner	Moderate	127	PM <sub>10</sub>	1
38	Bilaspur	Satisfactory	62	со	1
39	Bulandshahr	Moderate	142	PM <sub>10</sub>	1
40	Bundi	Moderate	101	PM <sub>10</sub>	1
41	Chamarajanagar	Good	45	PM <sub>10</sub>	1
42	Chandigarh	Moderate	105	PM <sub>10</sub>	3
43	Charkhi Dadri	Poor	212	PM <sub>2.5</sub>	1
44	Chennai	Satisfactory	73	NO <sub>2</sub>	7
45	Chhal	Good	50	03	1
46	Chhapra	Poor	270	PM <sub>10</sub>	1
47	Chikkamagaluru	Good	40	03	1
48	Chittoor	Good	27	PM <sub>10</sub>	1

### \* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Ariyalur, Aurangabad (Bihar), Baran, Bathinda, Bhagalpur, Bhilwar

## Notes: Chikk

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chittorgarh	Satisfactory	86	PM <sub>2.5</sub>	1
50	Churu	Satisfactory	97	PM <sub>10</sub>	1
51	Cuddalore	Good	15	PM <sub>2.5</sub>	1
52	Damoh	Good	18	PM <sub>10</sub>	1
53	Dausa	Moderate	131	PM <sub>10</sub>	1
54	Davanagere	Satisfactory	79	O <sub>3</sub>	1
55	Dehradun	Satisfactory	99	PM <sub>10</sub>	1
56	Delhi	Poor	213	PM <sub>10</sub> , PM <sub>2.5</sub>	37
57	Dewas	Satisfactory	98	PM <sub>10</sub>	1
58	Dhanbad	Moderate	150	со	1
59	Dharuhera	Moderate	161	PM <sub>10</sub>	1
60	Dharwad	Moderate	106	PM <sub>10</sub>	1

### \* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Ariyalur, Aurangabad (Bihar), Baran, Bathinda, Bhagalpur, Bhilwar

## Notes:

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Bileipada, Brajrajnagar, Buxar, Byrnihat, Chandrapur, Chengalpattu, Chikkaballapur, Coimbatore, Darbhanga, Ernakulam, Fatehabad, Hassan, Imphal, Jorapokhar, Kanchipuram, Kashipur, Katihar, Keonjhar, Kohima, Kolar, Koppal, Kozhikode, Naharlagun, Nalbari, Panchkula, Parbhani, Rajgir, Rourkela, Rupnagar, Salem, Sirsa, Srinagar, Suakati, Talcher, Thane, Udupi,

# Some stations have data available at 3PM

vellore as data was not available.

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dholpur	Satisfactory	93	PM <sub>10</sub>	1
62	Dindigul	Good	40	SO <sub>2</sub>	1
63	Durgapur	Moderate	107	PM <sub>10</sub>	1
64	Eloor	Satisfactory	69	PM <sub>10</sub>	1
65	Faridabad	Moderate	155	PM <sub>2.5</sub>	4
66	Firozabad	Moderate	104	PM <sub>10</sub>	2
67	Gadag	Good	48	SO <sub>2</sub>	1
68	Gandhinagar	Satisfactory	90	PM <sub>2.5</sub> , PM <sub>10</sub>	3
69	Gangtok	Good	42	SO <sub>2</sub>	1
70	Gaya	Moderate	133	PM <sub>10</sub> , PM <sub>2.5</sub>	3
71	Ghaziabad	Poor	206	PM <sub>10</sub>	4
72	Gorakhpur	Moderate	177	PM <sub>10</sub>	1

# \* AQI is not calculated for today's bulletin for Ahmednagar, Araria, - Ariyalur, Aurangabad (Bihar), Baran, Bathinda, Bhagalpur, Bhilwar

## Notes:

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Greater Noida	Poor	238	PM <sub>10</sub>	2
74	Gummidipoondi	Satisfactory	70	PM <sub>10</sub>	1
75	Gurugram	Poor	263	PM <sub>2.5</sub>	3
76	Guwahati	Satisfactory	62	O <sub>3</sub> , PM <sub>10</sub>	4
77	Gwalior	Satisfactory	86	PM <sub>10</sub> , PM <sub>2.5</sub>	4
78	Hajipur	Moderate	146	PM <sub>10</sub>	1
79	Haldia	Satisfactory	65	PM <sub>10</sub>	1
80	Hanumangarh	Poor	219	PM <sub>10</sub>	1
81	Hapur	Satisfactory	82	PM <sub>10</sub>	1
82	Haveri	Good	36	PM <sub>10</sub>	1
83	Hisar	Satisfactory	99	PM <sub>2.5</sub>	1
84	Hosur	Good	50	PM <sub>10</sub>	1

### \* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Ariyalur, Aurangabad (Bihar), Baran, Bathinda, Bhagalpur, Bhilwar

## Notes: Chik

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Howrah	Satisfactory	74	PM <sub>10</sub>	3
86	Hubballi	Moderate	132	СО	2
87	Hyderabad	Satisfactory	69	PM <sub>10</sub>	11
88	Indore	Satisfactory	80	PM <sub>10</sub>	2
89	Jabalpur	Satisfactory	90	PM <sub>10</sub>	1
90	Jaipur	Moderate	107	PM <sub>10</sub>	6
91	Jaisalmer	Satisfactory	88	PM <sub>10</sub>	1
92	Jalandhar	Satisfactory	74	PM <sub>10</sub>	1
93	Jalgaon	Moderate	106	PM <sub>10</sub>	1
94	Jalna	Satisfactory	100	PM <sub>2.5</sub>	1
95	Jhalawar	Satisfactory	58	PM <sub>10</sub>	1
96	Jhansi	Satisfactory	57	SO <sub>2</sub>	1

### \* AQI is not calculated for today's bulletin for Ahmednagar, Araria,

## Notes:

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Ariyalur, Aurangabad (Bihar), Baran, Bathinda, Bhagalpur, Bhilwara, Bileipada, Brajrajnagar, Buxar, Byrnihat, Chandrapur, Chengalpattu,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jhunjhunu	Satisfactory	98	PM <sub>10</sub>	1
98	Jind	Moderate	120	PM <sub>10</sub>	1
99	Jodhpur	Satisfactory	95	PM <sub>10</sub>	5
100	Kadapa	Good	31	NO <sub>2</sub>	1
101	Kaithal	Moderate	139	PM <sub>10</sub>	1
102	Kalaburgi	Good	44	PM <sub>10</sub>	1
103	Kalyan	Moderate	200	O <sub>3</sub>	1
104	Kannur	Satisfactory	77	PM <sub>10</sub>	1
105	Kanpur	Moderate	128	PM <sub>10</sub> , CO	3
106	Karauli	Satisfactory	67	O <sub>3</sub>	1
107	Karnal	Moderate	134	PM <sub>10</sub>	1
108	Katni	Satisfactory	90	PM <sub>10</sub>	1

### \* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Ariyalur, Aurangabad (Bihar), Baran, Bathinda, Bhagalpur, Bhilwar

## Notes:

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Khanna	Satisfactory	86	PM <sub>10</sub>	1
110	Khurja	Satisfactory	60	PM <sub>2.5</sub>	1
111	Kishanganj	Good	40	PM <sub>10</sub>	1
112	Kochi	Satisfactory	72	со	1
113	Kolhapur	Good	33	PM <sub>2.5</sub>	1
114	Kolkata	Satisfactory	69	03	7
115	Kollam	Satisfactory	70	PM <sub>10</sub>	1
116	Korba	Satisfactory	54	PM <sub>10</sub>	2
117	Kota	Satisfactory	85	PM <sub>10</sub> , PM <sub>2.5</sub>	3
118	Kunjemura	Satisfactory	74	PM <sub>10</sub>	1
119	Kurukshetra	Moderate	127	PM <sub>10</sub>	1
120	Latur	Satisfactory	65	PM <sub>10</sub>	1

Notes:

### \* AQI is not calculated for today's bulletin for Ahmednagar, Araria,

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

Severe

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Lucknow	Moderate	198	PM <sub>2.5</sub> , PM <sub>10</sub>	6
122	Ludhiana	Moderate	122	PM <sub>10</sub>	1
123	Madikeri	Good	23	PM <sub>10</sub>	1
124	Maihar	Good	44	PM <sub>10</sub>	1
125	Mandi Gobindgarh	Moderate	143	PM <sub>2.5</sub>	1
126	Mandideep	Satisfactory	77	O <sub>3</sub>	1
127	Mandikhera	Satisfactory	66	PM <sub>10</sub>	1
128	Manesar	Moderate	140	PM <sub>10</sub>	1
129	Mangalore	Satisfactory	55	PM <sub>10</sub>	1
130	Manguraha	Moderate	102	03	1
131	Meerut	Poor	212	PM <sub>10</sub>	3
132	Milupara	Satisfactory	65	PM <sub>10</sub>	1

# \* AQI is not calculated for today's bulletin for Ahmednagar, Araria, - Ariyalur, Aurangabad (Bihar), Baran, Bathinda, Bhagalpur, Bhilwar

## Notes: Chikkaball

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Moradabad	Moderate	148	PM <sub>10</sub>	6
134	Motihari	Moderate	119	PM <sub>10</sub>	1
135	Mumbai	Satisfactory	78	PM <sub>10</sub> , CO	16
136	Munger	Moderate	155	PM <sub>10</sub>	1
137	Muzaffarnagar	Poor	210	PM <sub>10</sub>	1
138	Muzaffarpur	Moderate	141	PM <sub>10</sub> , CO	3
139	Mysuru	Satisfactory	54	O <sub>3</sub>	1
140	Nagaon	Satisfactory	73	O <sub>3</sub>	1
141	Nagaur	Moderate	105	PM <sub>10</sub>	1
142	Nagpur	Satisfactory	73	PM <sub>10</sub>	3
143	Nandesari	Satisfactory	55	PM <sub>2.5</sub>	1
144	Narnaul	Satisfactory	91	PM <sub>10</sub>	1

### \* AQI is not calculated for today's bulletin for Ahmednagar, Araria,

## Notes:

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Ariyalur, Aurangabad (Bihar), Baran, Bathinda, Bhagalpur, Bhilwara

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Nashik	Satisfactory	51	PM <sub>10</sub>	3
146	Navi Mumbai	Severe	460	PM <sub>10</sub>	2
147	Nayagarh	Satisfactory	84	PM <sub>10</sub>	1
148	Noida	Poor	225	NO <sub>2</sub> , PM <sub>10</sub>	4
149	Ooty	Good	50	SO <sub>2</sub>	1
150	Pali	Moderate	103	PM <sub>10</sub>	1
151	Palkalaiperur	Satisfactory	62	SO <sub>2</sub>	1
152	Palwal	Satisfactory	83	PM <sub>10</sub>	1
153	Panipat	Moderate	176	PM <sub>10</sub>	1
154	Patiala	Moderate	121	PM <sub>10</sub>	1
155	Patna	Moderate	186	PM <sub>2.5</sub>	6
156	Pimpri Chinchwad	Satisfactory	55	PM <sub>10</sub>	2

### \* AQI is not calculated for today's bulletin for Ahmednagar, Araria,

## Notes:

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Ariyalur, Aurangabad (Bihar), Baran, Bathinda, Bhagalpur, Bhilwara

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Pithampur	Satisfactory	93	PM <sub>10</sub>	1
158	Pratapgarh	Moderate	103	PM <sub>10</sub>	1
159	Prayagraj	Satisfactory	95	PM <sub>10</sub>	3
160	Puducherry	Good	46	PM <sub>10</sub>	1
161	Pune	Satisfactory	94	NO <sub>2</sub> , CO	5
162	Purnia	Satisfactory	84	со	1
163	Raichur	Satisfactory	56	PM <sub>10</sub>	1
164	Raipur	Satisfactory	53	NO <sub>2</sub>	4
165	Rairangpur	Moderate	151	03	1
166	Rajamahendravaram	Satisfactory	77	PM <sub>10</sub>	1
167	Rajsamand	Satisfactory	86	PM <sub>10</sub>	1
168	Ramanagara	Satisfactory	52	PM <sub>10</sub>	1

### \* AQI is not calculated for today's bulletin for Ahmednagar, Araria,

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Ramanathapuram	Satisfactory	78	со	1
170	Ratlam	Satisfactory	89	PM <sub>10</sub>	1
171	Rishikesh	Satisfactory	91	PM <sub>10</sub>	1
172	Rohtak	Moderate	131	PM <sub>2.5</sub>	1
173	Sagar	Satisfactory	76	PM <sub>10</sub>	1
174	Saharsa	Moderate	168	O <sub>3</sub>	1
175	Samastipur	Moderate	144	PM <sub>10</sub>	1
176	Sangli	Good	48	PM <sub>10</sub>	1
177	Sasaram	Moderate	106	PM <sub>10</sub>	1
178	Satna	Satisfactory	76	PM <sub>10</sub>	1
179	Sawai Madhopur	Satisfactory	92	PM <sub>10</sub>	1
180	Shillong	Satisfactory	51	PM <sub>10</sub>	1

### \* AQI is not calculated for today's bulletin for Ahmednagar, Araria,

## Notes:

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Ariyalur, Aurangabad (Bihar), Baran, Bathinda, Bhagalpur, Bhilwar

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Shivamogga	Satisfactory	67	03	1
182	Sikar	Moderate	122	PM <sub>10</sub>	1
183	Silchar	Good	33	со	1
184	Siliguri	Good	45	03	1
185	Singrauli	Satisfactory	91	PM <sub>10</sub>	1
186	Sirohi	Satisfactory	84	PM <sub>10</sub>	1
187	Sivasagar	Satisfactory	71	СО	1
188	Siwan	Poor	212	PM <sub>10</sub>	1
189	Solapur	Satisfactory	100	PM <sub>10</sub>	3
190	Sonipat	Poor	219	PM <sub>10</sub>	1
191	Sri Ganganagar	Poor	224	PM <sub>10</sub>	1
192	Surat	Good	36	PM <sub>2.5</sub>	1

# \* AQI is not calculated for today's bulletin for Ahmednagar, Araria, - Ariyalur, Aurangabad (Bihar), Baran, Bathinda, Bhagalpur, Bhilwar

### Notes:

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Tensa	Satisfactory	78	PM <sub>10</sub>	1
194	Thiruvananthapuram	Good	30	PM <sub>10</sub> , CO	2
195	Thoothukudi	Poor	272	03	1
196	Thrissur	Satisfactory	55	PM <sub>10</sub>	1
197	Tirupati	Good	50	PM <sub>10</sub>	1
198	Tirupur	Good	30	PM <sub>10</sub>	1
199	Tonk	Moderate	124	PM <sub>10</sub>	1
200	Tumakuru	Moderate	142	PM <sub>10</sub>	1
201	Tumidih	Satisfactory	53	PM <sub>10</sub>	1
202	Udaipur	Moderate	110	PM <sub>10</sub>	1
203	Ujjain	Satisfactory	88	PM <sub>2.5</sub>	1
204	Vapi	Satisfactory	52	PM <sub>10</sub>	1

### \* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Ariyalur, Aurangabad (Bihar), Baran, Bathinda, Bhagalpur, Bhilwar

## Notes:

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Varanasi	Satisfactory	81	PM <sub>10</sub>	4
206	Vatva	Moderate	112	PM <sub>2.5</sub>	1
207	Vijayapura	Good	49	PM <sub>10</sub>	1
208	Vijayawada	Satisfactory	62	PM <sub>10</sub>	1
209	Visakhapatnam	Moderate	148	PM <sub>10</sub>	1
210	Vrindavan	Moderate	192	PM <sub>10</sub>	1
211	Yadgir	Good	45	PM <sub>10</sub>	1
212	Yamunanagar	Satisfactory	90	PM <sub>10</sub>	1

### \* AQI is not calculated for today's bulletin for Ahmednagar, Araria,

### Possible Health Impacts N

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

## Ariyalur, Aurangabad (Bihar), Baran, Bathinda, Bhagalpur, Bhilwara

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.