

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	129	PM _{2.5}	1
2	Ahmedabad	Moderate	123	PM _{2.5}	1
3	Ajmer	Satisfactory	97	PM ₁₀	1
4	Alwar	Satisfactory	74	OZONE	1
5	Amaravati	Good	48	PM ₁₀	1
6	Ambala	Satisfactory	93	PM ₁₀	1
7	Amritsar	Moderate	111	PM _{2.5}	1
8	Ankleshwar	Moderate	148	PM ₁₀	1
9	Asanol	Moderate	167	PM _{2.5}	1
10	Aurangabad	Satisfactory	83	OZONE	1
11	Baghpat	Moderate	178	PM _{2.5}	1
12	Bahadurgarh	Satisfactory	91	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for GandhiNagar, Haldia, Hubballi, Kalaburgi, Kanpur, Patna, Rupnagar, Thane, Vatva, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Poor	212	PM _{2.5}	1
14	Bathinda	Moderate	119	PM ₁₀	1
15	Bengaluru	Moderate	115	PM _{2.5} , PM ₁₀	6
16	Bhiwadi	Poor	254	NO ₂	1
17	Bhiwani	Satisfactory	92	PM _{2.5}	1
18	Brajrajnagar	Poor	247	PM _{2.5}	1
19	Bulandshahr	Moderate	176	PM _{2.5}	1
20	Chandrapur	Moderate	112	PM ₁₀	1
21	Chennai	Satisfactory	78	PM _{2.5} , CO	3
22	Chikkaballapur	Satisfactory	95	PM ₁₀	1
23	Damoh	Moderate	106	PM ₁₀	1
24	Delhi	Moderate	159	PM ₁₀ , PM _{2.5}	35

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for GandhiNagar, Haldia, Hubballi, Kalaburgi, Kanpur, Patna, Rupnagar, Thane, Vatva, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Dewas	Moderate	121	PM ₁₀	1
26	Dharuhera	Moderate	123	PM ₁₀	1
27	Faridabad	Moderate	173	NO ₂	1
28	Fatehabad	Moderate	139	PM ₁₀	1
29	Gaya	Moderate	197	PM _{2.5}	1
30	Ghaziabad	Moderate	188	PM _{2.5}	3
31	Greater_Noida	Moderate	165	PM ₁₀	1
32	Gurugram	Moderate	124	PM ₁₀ , PM _{2.5}	2
33	Guwahati	Poor	269	PM _{2.5}	1
34	Hapur	Moderate	142	PM ₁₀	1
35	Hisar	Moderate	115	PM _{2.5}	1
36	Howrah	Moderate	145	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for GandhiNagar, Haldia, Hubballi, Kalaburgi, Kanpur, Patna, Rupnagar, Thane, Vatva, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Hyderabad	Moderate	113	PM _{2.5} , PM ₁₀	6
38	Jaipur	Satisfactory	90	OZONE, PM ₁₀	3
39	Jalandhar	Moderate	138	PM _{2.5}	1
40	Jind	Moderate	134	PM _{2.5}	1
41	Jodhpur	Moderate	120	PM ₁₀	1
42	Jorapokhar	Moderate	196	PM _{2.5}	1
43	Kaithal	Moderate	119	PM _{2.5}	1
44	Karnal	Moderate	119	PM ₁₀	1
45	Khanna	Satisfactory	67	PM ₁₀	1
46	Kolkata	Poor	204	PM _{2.5}	2
47	Kota	Moderate	118	PM ₁₀	1
48	Kurushketra	Moderate	107	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for GandhiNagar, Haldia, Hubballi, Kalaburgi, Kanpur, Patna, Rupnagar, Thane, Vatva, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Loni_Dehat	Moderate	190	PM _{2.5}	1
50	Lucknow	Moderate	194	PM _{2.5}	4
51	Ludhiana	Satisfactory	96	PM _{2.5}	1
52	Maihar	Satisfactory	86	PM ₁₀	1
53	Mandi Gobindgarh	Moderate	113	PM ₁₀	1
54	Mandideep	Moderate	140	PM ₁₀	1
55	Mandikhera	Satisfactory	88	PM ₁₀	1
56	Manesar	Moderate	179	PM _{2.5}	1
57	Moradabad	Moderate	147	PM _{2.5}	1
58	Mumbai	Moderate	138	PM ₁₀	1
59	Muzaffarnagar	Poor	207	PM _{2.5}	1
60	Muzaffarpur	Poor	233	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for GandhiNagar, Haldia, Hubballi, Kalaburgi, Kanpur, Patna, Rupnagar, Thane, Vatva, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Nagpur	Moderate	150	OZONE	1
62	Narnaul	Satisfactory	100	PM ₁₀	1
63	Nashik	Satisfactory	93	PM _{2.5}	1
64	Navi Mumbai	Moderate	135	PM ₁₀	1
65	Noida	Moderate	143	PM _{2.5} , PM ₁₀	2
66	Pali	Moderate	106	PM ₁₀	1
67	Palwal	Moderate	118	PM ₁₀	1
68	Panchkula	Satisfactory	80	OZONE	1
69	Panipat	Satisfactory	89	PM ₁₀	1
70	Patiala	Moderate	156	PM ₁₀	1
71	Pithampur	Moderate	134	PM ₁₀	1
72	Pune	Moderate	166	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for GandhiNagar, Haldia, Hubballi, Kalaburgi, Kanpur, Patna, Rupnagar, Thane, Vatva, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Rajamahendravaram	Satisfactory	63	OZONE	1
74	Ratlam	Moderate	110	PM ₁₀	1
75	Rohtak	Moderate	134	PM _{2.5}	1
76	Satna	Satisfactory	96	PM ₁₀	1
77	Siliguri	Poor	256	PM _{2.5}	1
78	Singrauli	Poor	224	PM ₁₀	1
79	Sirsa	Moderate	138	PM _{2.5}	1
80	Solapur	Satisfactory	100	PM ₁₀	1
81	Sonipat	Moderate	109	PM _{2.5}	1
82	Talcher	Poor	250	PM ₁₀	1
83	Thiruvananthapuram	Satisfactory	72	OZONE	1
84	Tirupati	Satisfactory	78	OZONE	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for GandhiNagar, Haldia, Hubballi, Kalaburgi, Kanpur, Patna, Rupnagar, Thane, Vatva, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Udaipur	Satisfactory	77	PM ₁₀	1
86	Ujjain	Moderate	128	PM ₁₀	1
87	Vapi	Moderate	159	PM _{2.5}	1
88	Varanasi	Poor	241	OZONE	1
89	Visakhapatnam	Satisfactory	73	PM ₁₀	1
90	Yamunanagar	Moderate	121	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for GandhiNagar, Haldia, Hubballi, Kalaburgi, Kanpur, Patna, Rupnagar, Thane, Vatva, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.