

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	109	PM <sub>2.5</sub>	2
2	Agra	Satisfactory	62	PM <sub>10</sub>	6
3	Ahmedabad	Moderate	110	PM <sub>2.5</sub> , NO <sub>2</sub>	7
4	Aizawl	Satisfactory	63	PM <sub>10</sub>	1
5	Ajmer	Satisfactory	97	PM <sub>10</sub>	1
6	Alwar	Satisfactory	56	PM <sub>10</sub>	1
7	Amaravati	Good	43	со	1
8	Ambala	Good	50	03	1
9	Amritsar	Moderate	133	PM <sub>2.5</sub>	1
10	Anantapur	Satisfactory	59	PM <sub>10</sub>	1
11	Ankleshwar	Moderate	102	PM <sub>10</sub>	1
12	Araria	Moderate	196	PM <sub>10</sub>	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: \* AQI is not calculated for today's bulletin for Ballabgarh, Buxar, Chengalpattu, Chittoor, Darbhanga, Dharuhera, Ernakulam, Fatehabad, Gummidipoondi, Jhalawar, Kadapa, Kochi, Kozhikode, Purnia, Rishikesh, Salem, Sirohi, Thane, Tumakuru, Tumidih, Udupi, Ujjain, Vijayawada, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Satisfactory	64	NO <sub>2</sub>	1
14	Arrah	Moderate	177	PM <sub>10</sub>	1
15	Asansol	Satisfactory	91	PM <sub>10</sub>	1
16	Aurangabad (Bihar)	Poor	204	PM <sub>10</sub>	1
17	Aurangabad (Maharashtra)	Moderate	120	PM <sub>10</sub>	1
18	Baddi	Moderate	154	O <sub>3</sub>	1
19	Bagalkot	Good	42	PM <sub>10</sub>	1
20	Baghpat	Moderate	170	PM <sub>2.5</sub>	1
21	Bahadurgarh	Satisfactory	97	PM <sub>2.5</sub>	1
22	Banswara	Moderate	175	O <sub>3</sub>	1
23	Bareilly	Satisfactory	70	PM <sub>2.5</sub>	2
24	Baripada	Moderate	101	O <sub>3</sub>	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: \* AQI is not calculated for today's bulletin for Ballabgarh, Buxar, Chengalpattu, Chittoor, Darbhanga, Dharuhera, Ernakulam, Fatehabad, Gummidipoondi, Jhalawar, Kadapa, Kochi, Kozhikode, Purnia, Rishikesh, Salem, Sirohi, Thane, Tumakuru, Tumidih, Udupi, Ujjain, Vijayawada, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Barmer	Moderate	114	PM <sub>10</sub>	1
26	Bathinda	Moderate	104	PM <sub>10</sub>	1
27	Begusarai	Poor	242	PM <sub>10</sub>	1
28	Belgaum	Satisfactory	71	PM <sub>10</sub>	1
29	Bengaluru	Satisfactory	95	O <sub>3</sub> , PM <sub>10</sub>	8
30	Bettiah	Moderate	147	PM <sub>10</sub>	1
31	Bhagalpur	Poor	203	PM <sub>10</sub>	2
32	Bharatpur	Moderate	140	PM <sub>10</sub>	1
33	Bhilai	Satisfactory	72	PM <sub>10</sub>	2
34	Bhiwadi	Moderate	147	PM <sub>10</sub>	1
35	Bhiwani	Satisfactory	89	PM <sub>2.5</sub>	1
36	Bhopal	Moderate	110	PM <sub>10</sub>	3

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: \* AQI is not calculated for today's bulletin for Ballabgarh, Buxar, Chengalpattu, Chittoor, Darbhanga, Dharuhera, Ernakulam, Fatehabad, Gummidipoondi, Jhalawar, Kadapa, Kochi, Kozhikode, Purnia, Rishikesh, Salem, Sirohi, Thane, Tumakuru, Tumidih, Udupi, Ujjain, Vijayawada, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bidar	Moderate	105	СО	1
38	Bihar Sharif	Moderate	172	PM <sub>10</sub>	1
39	Bikaner	Moderate	160	PM <sub>10</sub>	1
40	Bilaspur	Satisfactory	86	PM <sub>10</sub>	1
41	Bileipada	Moderate	125	PM <sub>10</sub>	1
42	Brajrajnagar	Satisfactory	89	со	1
43	Bulandshahr	Moderate	136	PM <sub>2.5</sub>	1
44	Byrnihat	Poor	289	PM <sub>2.5</sub>	1
45	Chamarajanagar	Good	47	PM <sub>10</sub>	1
46	Chandigarh	Moderate	110	PM <sub>2.5</sub>	3
47	Chandrapur	Moderate	175	PM <sub>2.5</sub>	1
48	Charkhi Dadri	Moderate	165	PM <sub>2.5</sub>	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	/ery Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: \* AQI is not calculated for today's bulletin for Ballabgarh, Buxar, Chengalpattu, Chittoor, Darbhanga, Dharuhera, Ernakulam, Fatehabad, Gummidipoondi, Jhalawar, Kadapa, Kochi, Kozhikode, Purnia, Rishikesh, Salem, Sirohi, Thane, Tumakuru, Tumidih, Udupi, Ujjain, Vijayawada, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chennai	Satisfactory	54	SO <sub>2</sub> , CO	7
50	Chhal	Satisfactory	72	PM <sub>10</sub>	1
51	Chhapra	Moderate	170	PM <sub>10</sub>	1
52	Chikkaballapur	Satisfactory	57	PM <sub>10</sub>	1
53	Chikkamagaluru	Good	42	PM <sub>10</sub>	1
54	Chittorgarh	Moderate	176	03	1
55	Churu	Moderate	123	PM <sub>10</sub>	1
56	Coimbatore	Satisfactory	95	СО	1
57	Cuddalore	Satisfactory	54	NO <sub>2</sub>	2
58	Damoh	Good	29	PM <sub>10</sub>	1
59	Dausa	Moderate	148	PM <sub>10</sub>	1
60	Davanagere	Good	43	PM <sub>2.5</sub>	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: \* AQI is not calculated for today's bulletin for Ballabgarh, Buxar, Chengalpattu, Chittoor, Darbhanga, Dharuhera, Ernakulam, Fatehabad, Gummidipoondi, Jhalawar, Kadapa, Kochi, Kozhikode, Purnia, Rishikesh, Salem, Sirohi, Thane, Tumakuru, Tumidih, Udupi, Ujjain, Vijayawada, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dehradun	Satisfactory	78	PM <sub>10</sub>	1
62	Delhi	Moderate	147	PM <sub>10</sub> , PM <sub>2.5</sub>	39
63	Dewas	Satisfactory	88	PM <sub>2.5</sub>	1
64	Dhanbad	Moderate	166	03	1
65	Dharwad	Satisfactory	86	PM <sub>10</sub>	1
66	Dholpur	Moderate	124	PM <sub>2.5</sub>	1
67	Dindigul	Moderate	168	NO <sub>2</sub>	1
68	Durgapur	Moderate	122	PM <sub>10</sub>	1
69	Eloor	Satisfactory	79	PM <sub>10</sub>	1
70	Faridabad	Moderate	140	PM <sub>2.5</sub>	3
71	Firozabad	Satisfactory	66	PM <sub>10</sub>	2
72	Gadag	Good	37	O <sub>3</sub>	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: \* AQI is not calculated for today's bulletin for Ballabgarh, Buxar, Chengalpattu, Chittoor, Darbhanga, Dharuhera, Ernakulam, Fatehabad, Gummidipoondi, Jhalawar, Kadapa, Kochi, Kozhikode, Purnia, Rishikesh, Salem, Sirohi, Thane, Tumakuru, Tumidih, Udupi, Ujjain, Vijayawada, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gandhinagar	Moderate	119	PM <sub>2.5</sub> , PM <sub>10</sub>	3
74	Gangtok	Satisfactory	70	O <sub>3</sub>	1
75	Gaya	Moderate	121	O <sub>3</sub> , PM <sub>10</sub>	3
76	Ghaziabad	Moderate	144	O <sub>3</sub>	4
77	Gorakhpur	Satisfactory	63	PM <sub>10</sub>	1
78	Greater Noida	Moderate	176	O <sub>3</sub>	2
79	Gurugram	Moderate	133	PM <sub>10</sub> , PM <sub>2.5</sub>	4
80	Guwahati	Moderate	187	PM <sub>10</sub> , PM <sub>2.5</sub>	4
81	Gwalior	Moderate	146	O <sub>3</sub> , PM <sub>10</sub>	3
82	Hajipur	Moderate	154	PM <sub>10</sub>	1
83	Haldia	Satisfactory	68	PM <sub>10</sub>	1
84	Hanumangarh	Moderate	132	PM <sub>2.5</sub>	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: \* AQI is not calculated for today's bulletin for Ballabgarh, Buxar, Chengalpattu, Chittoor, Darbhanga, Dharuhera, Ernakulam, Fatehabad, Gummidipoondi, Jhalawar, Kadapa, Kochi, Kozhikode, Purnia, Rishikesh, Salem, Sirohi, Thane, Tumakuru, Tumidih, Udupi, Ujjain, Vijayawada, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hapur	Satisfactory	88	03	1
86	Hassan	Satisfactory	63	PM <sub>10</sub>	1
87	Haveri	Satisfactory	60	PM <sub>10</sub>	1
88	Hisar	Satisfactory	88	PM <sub>2.5</sub>	1
89	Hosur	Moderate	128	PM <sub>2.5</sub>	1
90	Howrah	Satisfactory	95	PM <sub>10</sub>	2
91	Hubballi	Moderate	130	PM <sub>10</sub>	2
92	Hyderabad	Satisfactory	98	PM <sub>10</sub>	13
93	Imphal	Satisfactory	99	PM <sub>10</sub> , SO <sub>2</sub>	2
94	Indore	Moderate	112	PM <sub>10</sub>	2
95	Jabalpur	Moderate	121	PM <sub>10</sub>	1
96	Jaipur	Satisfactory	99	03	5

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: \* AQI is not calculated for today's bulletin for Ballabgarh, Buxar, Chengalpattu, Chittoor, Darbhanga, Dharuhera, Ernakulam, Fatehabad, Gummidipoondi, Jhalawar, Kadapa, Kochi, Kozhikode, Purnia, Rishikesh, Salem, Sirohi, Thane, Tumakuru, Tumidih, Udupi, Ujjain, Vijayawada, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jalandhar	Satisfactory	82	PM <sub>10</sub>	1
98	Jhansi	Satisfactory	83	PM <sub>10</sub>	1
99	Jhunjhunu	Satisfactory	94	PM <sub>10</sub>	1
100	Jind	Satisfactory	55	PM <sub>2.5</sub>	1
101	Jodhpur	Moderate	142	PM <sub>10</sub>	2
102	Jorapokhar	Moderate	125	PM <sub>10</sub>	1
103	Kaithal	Satisfactory	68	PM <sub>10</sub>	1
104	Kalaburgi	Satisfactory	58	PM <sub>2.5</sub>	2
105	Kalyan	Moderate	131	PM <sub>10</sub>	1
106	Kanchipuram	Good	39	PM <sub>10</sub>	1
107	Kannur	Satisfactory	72	PM <sub>10</sub>	1
108	Kanpur	Moderate	114	NO <sub>2</sub>	3

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	atisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

### Notes:

- \* AQI is not calculated for today's bulletin for Ballabgarh, Buxar, Chengalpattu, Chittoor, Darbhanga, Dharuhera, Ernakulam, Fatehabad, Gummidipoondi, Jhalawar, Kadapa, Kochi, Kozhikode, Purnia, Rishikesh, Salem, Sirohi, Thane, Tumakuru, Tumidih, Udupi, Ujjain, Vijayawada, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Karauli	Satisfactory	53	O <sub>3</sub>	1
110	Karnal	Satisfactory	95	PM <sub>10</sub>	1
111	Kashipur	Satisfactory	98	PM <sub>2.5</sub>	1
112	Katihar	Poor	215	PM <sub>10</sub>	1
113	Katni	Moderate	128	PM <sub>10</sub>	1
114	Keonjhar	Satisfactory	99	PM <sub>10</sub>	1
115	Khanna	Satisfactory	89	PM <sub>10</sub>	1
116	Khurja	Satisfactory	88	PM <sub>2.5</sub>	1
117	Kishanganj	Moderate	157	PM <sub>10</sub>	1
118	Kohima	Satisfactory	62	PM <sub>2.5</sub>	1
119	Kolar	Moderate	120	PM <sub>10</sub>	1
120	Kolkata	Moderate	118	O <sub>3</sub>	7

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: \* AQI is not calculated for today's bulletin for Ballabgarh, Buxar, Chengalpattu, Chittoor, Darbhanga, Dharuhera, Ernakulam, Fatehabad, Gummidipoondi, Jhalawar, Kadapa, Kochi, Kozhikode, Purnia, Rishikesh, Salem, Sirohi, Thane, Tumakuru, Tumidih, Udupi, Ujjain, Vijayawada, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Kollam	Satisfactory	85	PM <sub>10</sub>	1
122	Koppal	Satisfactory	52	O <sub>3</sub>	1
123	Korba	Satisfactory	64	PM <sub>10</sub>	1
124	Kota	Moderate	152	O <sub>3</sub> , PM <sub>2.5</sub>	3
125	Kunjemura	Moderate	172	PM <sub>10</sub>	1
126	Kurukshetra	Satisfactory	90	03	1
127	Lucknow	Moderate	110	PM <sub>2.5</sub>	6
128	Ludhiana	Satisfactory	96	PM <sub>10</sub>	1
129	Madikeri	Good	40	O <sub>3</sub>	1
130	Maihar	Satisfactory	57	PM <sub>10</sub>	1
131	Mandi Gobindgarh	Moderate	183	PM <sub>2.5</sub>	1
132	Mandideep	Moderate	141	PM <sub>10</sub>	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: \* AQI is not calculated for today's bulletin for Ballabgarh, Buxar, Chengalpattu, Chittoor, Darbhanga, Dharuhera, Ernakulam, Fatehabad, Gummidipoondi, Jhalawar, Kadapa, Kochi, Kozhikode, Purnia, Rishikesh, Salem, Sirohi, Thane, Tumakuru, Tumidih, Udupi, Ujjain, Vijayawada, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Mandikhera	Good	31	PM <sub>10</sub>	1
134	Manesar	Moderate	163	PM <sub>2.5</sub>	1
135	Mangalore	Satisfactory	99	PM <sub>10</sub>	1
136	Manguraha	Moderate	184	O <sub>3</sub>	1
137	Meerut	Moderate	111	PM <sub>2.5</sub> , PM <sub>10</sub>	3
138	Milupara	Good	45	PM <sub>10</sub>	1
139	Moradabad	Moderate	101	PM <sub>2.5</sub>	6
140	Motihari	Moderate	114	NO <sub>2</sub>	1
141	Mumbai	Moderate	117	PM <sub>2.5</sub> , PM <sub>10</sub>	18
142	Munger	Poor	217	PM <sub>10</sub>	1
143	Muzaffarnagar	Moderate	125	PM <sub>2.5</sub>	1
144	Muzaffarpur	Moderate	152	PM <sub>2.5</sub> , PM <sub>10</sub>	3

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: \* AQI is not calculated for today's bulletin for Ballabgarh, Buxar, Chengalpattu, Chittoor, Darbhanga, Dharuhera, Ernakulam, Fatehabad, Gummidipoondi, Jhalawar, Kadapa, Kochi, Kozhikode, Purnia, Rishikesh, Salem, Sirohi, Thane, Tumakuru, Tumidih, Udupi, Ujjain, Vijayawada, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Mysuru	Satisfactory	72	PM <sub>10</sub>	1
146	Nagaon	Moderate	128	PM <sub>10</sub>	1
147	Nagpur	Poor	206	O <sub>3</sub>	1
148	Naharlagun	Good	41	PM <sub>2.5</sub>	1
149	Nalbari	Moderate	185	PM <sub>10</sub>	1
150	Nandesari	Good	43	СО	1
151	Narnaul	Moderate	114	PM <sub>10</sub>	1
152	Nashik	Satisfactory	78	PM <sub>10</sub>	1
153	Navi Mumbai	Moderate	161	PM <sub>10</sub>	3
154	Nayagarh	Moderate	154	PM <sub>2.5</sub>	1
155	Noida	Moderate	124	PM <sub>10</sub> , PM <sub>2.5</sub>	4
156	Ooty	Satisfactory	84	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Ballabgarh, Buxar, Chengalpattu, Chittoor, Darbhanga, Dharuhera, Ernakulam, Fatehabad, Gummidipoondi, Jhalawar, Kadapa, Kochi, Kozhikode, Purnia, Rishikesh, Salem, Sirohi, Thane, Tumakuru, Tumidih, Udupi, Ujjain, Vijayawada, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Pali	Satisfactory	85	PM <sub>10</sub>	1
158	Palkalaiperur	Satisfactory	52	SO <sub>2</sub>	1
159	Palwal	Satisfactory	59	PM <sub>2.5</sub>	1
160	Panchkula	Satisfactory	89	со	1
161	Panipat	Satisfactory	78	PM <sub>10</sub>	1
162	Patiala	Satisfactory	68	PM <sub>10</sub>	1
163	Patna	Moderate	166	PM <sub>10</sub> , NO <sub>2</sub>	6
164	Pithampur	Moderate	122	PM <sub>10</sub>	1
165	Pratapgarh	Moderate	105	PM <sub>10</sub>	1
166	Prayagraj	Satisfactory	75	PM <sub>10</sub>	3
167	Puducherry	Good	30	PM <sub>10</sub>	1
168	Pune	Satisfactory	90	NO <sub>2</sub> , CO	3

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Ballabgarh, Buxar, Chengalpattu, Chittoor, Darbhanga, Dharuhera, Ernakulam, Fatehabad, Gummidipoondi, Jhalawar, Kadapa, Kochi, Kozhikode, Purnia, Rishikesh, Salem, Sirohi, Thane, Tumakuru, Tumidih, Udupi, Ujjain, Vijayawada, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Raichur	Moderate	161	PM <sub>10</sub>	1
170	Raipur	Satisfactory	98	PM <sub>10</sub>	4
171	Rairangpur	Moderate	104	PM <sub>2.5</sub>	1
172	Rajamahendravaram	Good	40	PM <sub>10</sub>	1
173	Rajgir	Moderate	133	PM <sub>10</sub>	1
174	Rajsamand	Satisfactory	85	PM <sub>10</sub>	1
175	Ramanagara	Satisfactory	68	PM <sub>10</sub>	1
176	Ramanathapuram	Good	39	PM <sub>10</sub>	1
177	Ratlam	Moderate	122	SO <sub>2</sub>	1
178	Rohtak	Satisfactory	66	PM <sub>2.5</sub>	1
179	Rourkela	Moderate	122	PM <sub>10</sub>	3
180	Rupnagar	Moderate	101	PM <sub>10</sub>	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: \* AQI is not calculated for today's bulletin for Ballabgarh, Buxar, Chengalpattu, Chittoor, Darbhanga, Dharuhera, Ernakulam, Fatehabad, Gummidipoondi, Jhalawar, Kadapa, Kochi, Kozhikode, Purnia, Rishikesh, Salem, Sirohi, Thane, Tumakuru, Tumidih, Udupi, Ujjain, Vijayawada, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Sagar	Moderate	101	O <sub>3</sub>	1
182	Saharsa	Moderate	170	PM <sub>10</sub>	1
183	Samastipur	Moderate	155	PM <sub>10</sub>	1
184	Sasaram	Moderate	150	03	1
185	Satna	Poor	218	PM <sub>10</sub>	1
186	Sawai Madhopur	Moderate	129	PM <sub>10</sub>	1
187	Shillong	Satisfactory	66	PM <sub>2.5</sub>	1
188	Shivamogga	Satisfactory	59	03	1
189	Sikar	Moderate	120	PM <sub>10</sub>	1
190	Silchar	Good	35	PM <sub>10</sub>	1
191	Siliguri	Moderate	101	PM <sub>10</sub>	1
192	Singrauli	Poor	214	PM <sub>2.5</sub>	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: \* AQI is not calculated for today's bulletin for Ballabgarh, Buxar, Chengalpattu, Chittoor, Darbhanga, Dharuhera, Ernakulam, Fatehabad, Gummidipoondi, Jhalawar, Kadapa, Kochi, Kozhikode, Purnia, Rishikesh, Salem, Sirohi, Thane, Tumakuru, Tumidih, Udupi, Ujjain, Vijayawada, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Sirsa	Satisfactory	85	O <sub>3</sub>	1
194	Sivasagar	Good	33	PM <sub>2.5</sub>	1
195	Siwan	Moderate	162	PM <sub>10</sub>	1
196	Solapur	Moderate	130	PM <sub>10</sub>	1
197	Sonipat	Moderate	106	PM <sub>10</sub>	1
198	Sri Ganganagar	Poor	271	PM <sub>10</sub>	1
199	Srinagar	Moderate	142	PM <sub>10</sub>	1
200	Suakati	Moderate	106	PM <sub>10</sub>	1
201	Surat	Moderate	110	PM <sub>2.5</sub>	1
202	Talcher	Satisfactory	52	PM <sub>10</sub>	1
203	Tensa	Satisfactory	85	PM <sub>10</sub>	1
204	Thiruvananthapuram	Satisfactory	59	PM <sub>10</sub>	2

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: \* AQI is not calculated for today's bulletin for Ballabgarh, Buxar, Chengalpattu, Chittoor, Darbhanga, Dharuhera, Ernakulam, Fatehabad, Gummidipoondi, Jhalawar, Kadapa, Kochi, Kozhikode, Purnia, Rishikesh, Salem, Sirohi, Thane, Tumakuru, Tumidih, Udupi, Ujjain, Vijayawada, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Thoothukudi	Satisfactory	76	PM <sub>10</sub>	1
206	Thrissur	Satisfactory	100	PM <sub>10</sub>	1
207	Tirupati	Satisfactory	69	PM <sub>2.5</sub>	1
208	Tirupur	Satisfactory	81	PM <sub>10</sub>	1
209	Tonk	Moderate	175	PM <sub>10</sub>	1
210	Udaipur	Moderate	103	PM <sub>10</sub>	1
211	Vapi	Moderate	143	PM <sub>2.5</sub>	1
212	Varanasi	Satisfactory	75	PM <sub>10</sub> , PM <sub>2.5</sub>	3
213	Vatva	Moderate	127	PM <sub>10</sub>	1
214	Vijayapura	Good	42	PM <sub>10</sub>	1
215	Visakhapatnam	Satisfactory	87	PM <sub>10</sub>	1
216	Vrindavan	Moderate	132	PM <sub>10</sub>	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: \* AQI is not calculated for today's bulletin for Ballabgarh, Buxar, Chengalpattu, Chittoor, Darbhanga, Dharuhera, Ernakulam, Fatehabad, Gummidipoondi, Jhalawar, Kadapa, Kochi, Kozhikode, Purnia, Rishikesh, Salem, Sirohi, Thane, Tumakuru, Tumidih, Udupi, Ujjain, Vijayawada, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
217	Yadgir	Satisfactory	73	PM <sub>10</sub>	1
218	Yamunanagar	Satisfactory	83	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

### Notes:

- \* AQI is not calculated for today's bulletin for Ballabgarh, Buxar, Chengalpattu, Chittoor, Darbhanga, Dharuhera, Ernakulam, Fatehabad, Gummidipoondi, Jhalawar, Kadapa, Kochi, Kozhikode, Purnia, Rishikesh, Salem, Sirohi, Thane, Tumakuru, Tumidih, Udupi, Ujjain, Vijayawada, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.