# Air Quality Index on Aug 24, 2020 @ 4 PM

*(Average of past 24 hours)*

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|------|-------------|-------------|---------------------|----------------------------------------|
| 1 | Agra | Good | 24 | $PM_{2.5}$ | 1 |
| 2 | Ahmedabad | Satisfactory | 53 | $PM_{10}$ | 1 |
| 3 | Aizawl | Good | 18 | CO | 1 |
| 4 | Ajmer | Good | 37 | CO | 1 |
| 5 | Alwar | Good | 41 | $PM_{10}$ | 1 |
| 6 | Amaravati | Good | 40 | $O_3$ | 1 |
| 7 | Amritsar | Good | 46 | $PM_{10}$ | 1 |
| 8 | Ankleshwar | Good | 40 | CO | 1 |
| 9 | Asansol | Satisfactory | 69 | $PM_{10}$ | 1 |
| 10 | Aurangabad | Satisfactory | 74 | CO | 1 |
| 11 | Bagalkot | Good | 32 | $PM_{10}$ | 1 |
| 12 | Baghpat | Good | 40 | $O_3$ | 1 |

## Possible Health Impacts

| | |
|---|---|
| Good | Minimal Impact |
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

## Notes

* AQI is not calculated for today's bulletin for Ambala, Bathinda, Brajrajnagar, Chandrapur, Gandhinagar, Kalaburgi, Kozhikode, Ludhiana, Moradabad, Nagpur, Nandesari, Ratlam, Siliguri, Solapur, Yadgir as data was not available.

# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

# Air Quality Index on Aug 24, 2020 @ 4 PM

*(Average of past 24 hours)*

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|------|-------------|-------------|---------------------|----------------------------------------|
| 13 | Bahadurgarh | Good | 33 | $NO_2$ | 1 |
| 14 | Ballabgarh | Satisfactory | 80 | CO | 1 |
| 15 | Bengaluru | Good | 49 | $PM_{10}$, $PM_{2.5}$, CO | 9 |
| 16 | Bhiwadi | Good | 31 | CO | 1 |
| 17 | Bhiwani | Good | 49 | $O_3$ | 1 |
| 18 | Bhopal | Good | 25 | $O_3$ | 1 |
| 19 | Bulandshahr | Good | 36 | $PM_{10}$ | 1 |
| 20 | Chandigarh | Good | 26 | $PM_{10}$ | 1 |
| 21 | Charkhi Dadri | Good | 49 | $PM_{2.5}$ | 1 |
| 22 | Chennai | Satisfactory | 61 | CO, $O_3$, $PM_{2.5}$ | 4 |
| 23 | Chikkaballapur | Good | 46 | $PM_{10}$ | 1 |
| 24 | Chikkamagaluru | Good | 40 | $PM_{10}$ | 1 |

## Possible Health Impacts

| | |
|---|---|
| Good | Minimal Impact |
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

## Notes

* AQI is not calculated for today's bulletin for Ambala, Bathinda, Brajrajnagar, Chandrapur, Gandhinagar, Kalaburgi, Kozhikode, Ludhiana, Moradabad, Nagpur, Nandesari, Ratlam, Siliguri, Solapur, Yadgir as data was not available.

# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

# Air Quality Index on Aug 24, 2020 @ 4 PM

*(Average of past 24 hours)*

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|------|-------------|-------------|---------------------|----------------------------------------|
| 25 | Coimbatore | Good | 49 | $NO_2$ | 1 |
| 26 | Damoh | Good | 19 | $NO_2$ | 1 |
| 27 | Delhi | Good | 45 | $CO$, $PM_{10}$, $NO_2$ | 32 |
| 28 | Dewas | Good | 29 | $PM_{10}$ | 1 |
| 29 | Dharuhera | Good | 36 | $CO$ | 1 |
| 30 | Eloor | Good | 35 | $PM_{10}$ | 1 |
| 31 | Ernakulam | Satisfactory | 98 | $CO$ | 1 |
| 32 | Faridabad | Satisfactory | 54 | $O_3$ | 1 |
| 33 | Fatehabad | Good | 34 | $PM_{10}$ | 1 |
| 34 | Gaya | Good | 43 | $PM_{10}$ | 1 |
| 35 | Ghaziabad | Good | 45 | $NO_2$, $O_3$ | 2 |
| 36 | Greater Noida | Good | 50 | $CO$ | 1 |

## Possible Health Impacts

| | |
|---|---|
| Good | Minimal Impact |
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

## Notes

* AQI is not calculated for today's bulletin for Ambala, Bathinda, Brajrajnagar, Chandrapur, Gandhinagar, Kalaburgi, Kozhikode, Ludhiana, Moradabad, Nagpur, Nandesari, Ratlam, Siliguri, Solapur, Yadgir as data was not available.

# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

# Air Quality Index on Aug 24, 2020 @ 4 PM

*(Average of past 24 hours)*

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|------|-------------|-------------|---------------------|----------------------------------------|
| 37 | Gurugram | Good | 36 | $PM_{10}$, $PM_{2.5}$, $O_3$ | 4 |
| 38 | Guwahati | Good | 28 | $PM_{10}$ | 1 |
| 39 | Gwalior | Good | 23 | $O_3$ | 1 |
| 40 | Hajipur | Good | 36 | $PM_{10}$ | 1 |
| 41 | Hapur | Good | 18 | $PM_{10}$ | 1 |
| 42 | Hisar | Good | 40 | $PM_{2.5}$ | 1 |
| 43 | Howrah | Satisfactory | 57 | $PM_{10}$, CO | 3 |
| 44 | Hubballi | Good | 31 | $PM_{10}$ | 1 |
| 45 | Hyderabad | Good | 31 | $NO_2$, $PM_{10}$, $O_3$ | 5 |
| 46 | Indore | Good | 37 | $O_3$ | 1 |
| 47 | Jabalpur | Good | 32 | $PM_{10}$ | 1 |
| 48 | Jaipur | Good | 44 | $PM_{10}$, CO | 2 |

## Possible Health Impacts

| | |
|---|---|
| Good | Minimal Impact |
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

## Notes

* AQI is not calculated for today's bulletin for Ambala, Bathinda, Brajrajnagar, Chandrapur, Gandhinagar, Kalaburgi, Kozhikode, Ludhiana, Moradabad, Nagpur, Nandesari, Ratlam, Siliguri, Solapur, Yadgir as data was not available.

# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

# Air Quality Index on Aug 24, 2020 @ 4 PM

*(Average of past 24 hours)*

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|------|-------------|-------------|---------------------|----------------------------------------|
| 49 | Jalandhar | Good | 36 | $O_3$ | 1 |
| 50 | Jind | Satisfactory | 56 | CO | 1 |
| 51 | Jodhpur | Satisfactory | 94 | $PM_{10}$ | 1 |
| 52 | Jorapokhar | Good | 44 | CO | 1 |
| 53 | Kaithal | Good | 39 | $PM_{10}$ | 1 |
| 54 | Kalyan | Good | 34 | $PM_{10}$ | 1 |
| 55 | Kannur | Good | 26 | $PM_{10}$ | 1 |
| 56 | Kanpur | Satisfactory | 58 | $O_3$ | 1 |
| 57 | Karnal | Good | 35 | $PM_{10}$ | 1 |
| 58 | Katni | Good | 47 | $PM_{10}$ | 1 |
| 59 | Khanna | Good | 43 | $PM_{10}$ | 1 |
| 60 | Kochi | Satisfactory | 83 | CO | 1 |

## Possible Health Impacts

| Good | Minimal Impact |
|------|----------------|
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

## Notes

* AQI is not calculated for today's bulletin for Ambala, Bathinda, Brajrajnagar, Chandrapur, Gandhinagar, Kalaburgi, Kozhikode, Ludhiana, Moradabad, Nagpur, Nandesari, Ratlam, Siliguri, Solapur, Yadgir as data was not available.

# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

# Air Quality Index on Aug 24, 2020 @ 4 PM

*(Average of past 24 hours)*

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|------|-------------|-------------|---------------------|----------------------------------------|
| 61 | Kolkata | Satisfactory | 52 | $PM_{2.5}$, CO, $O_3$ | 6 |
| 62 | Kollam | Satisfactory | 100 | CO | 1 |
| 63 | Kota | Good | 31 | $PM_{10}$ | 1 |
| 64 | Kurukshetra | Good | 33 | $PM_{10}$ | 1 |
| 65 | Lucknow | Satisfactory | 65 | $PM_{10}$, $O_3$ | 4 |
| 66 | Maihar | Good | 39 | CO | 1 |
| 67 | Mandi Gobindgarh | Good | 22 | $PM_{2.5}$ | 1 |
| 68 | Mandideep | Good | 48 | $O_3$ | 1 |
| 69 | Mandikhera | Good | 42 | CO | 1 |
| 70 | Manesar | Good | 39 | $PM_{2.5}$ | 1 |
| 71 | Meerut | Good | 24 | $PM_{10}$ | 1 |
| 72 | Mumbai | Good | 34 | CO, $PM_{10}$, $PM_{2.5}$ | 7 |

## Possible Health Impacts

| | |
|---|---|
| Good | Minimal Impact |
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

## Notes

* AQI is not calculated for today's bulletin for Ambala, Bathinda, Brajrajnagar, Chandrapur, Gandhinagar, Kalaburgi, Kozhikode, Ludhiana, Moradabad, Nagpur, Nandesari, Ratlam, Siliguri, Solapur, Yadgir as data was not available.

# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

# Air Quality Index on Aug 24, 2020 @ 4 PM

*(Average of past 24 hours)*

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|------|-------------|-------------|---------------------|----------------------------------------|
| 73 | Muzaffarnagar | Good | 44 | CO | 1 |
| 74 | Muzaffarpur | Satisfactory | 60 | $O_3$ | 1 |
| 75 | Mysuru | Good | 19 | CO | 1 |
| 76 | Narnaul | Good | 28 | $NO_2$ | 1 |
| 77 | Nashik | Good | 25 | CO | 1 |
| 78 | Navi Mumbai | Good | 39 | CO | 1 |
| 79 | Noida | Good | 47 | CO, $SO_2$ | 3 |
| 80 | Pali | Good | 49 | $PM_{2.5}$ | 1 |
| 81 | Palwal | Good | 39 | $PM_{10}$ | 1 |
| 82 | Panchkula | Satisfactory | 66 | CO | 1 |
| 83 | Panipat | Satisfactory | 61 | $PM_{10}$ | 1 |
| 84 | Patiala | Good | 49 | CO | 1 |

## Possible Health Impacts

| | |
|---|---|
| Good | Minimal Impact |
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

## Notes

* AQI is not calculated for today's bulletin for Ambala, Bathinda, Brajrajnagar, Chandrapur, Gandhinagar, Kalaburgi, Kozhikode, Ludhiana, Moradabad, Nagpur, Nandesari, Ratlam, Siliguri, Solapur, Yadgir as data was not available.

# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

# Air Quality Index on Aug 24, 2020 @ 4 PM

*(Average of past 24 hours)*

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|------|-------------|-------------|---------------------|----------------------------------------|
| 85 | Patna | Good | 47 | $PM_{2.5}$, $PM_{10}$, $NO_2$ | 6 |
| 86 | Pithampur | Good | 20 | $PM_{10}$ | 1 |
| 87 | Pune | Good | 50 | CO | 1 |
| 88 | Rajamahendravaram | Good | 45 | $O_3$ | 1 |
| 89 | Ramanagara | Good | 31 | $PM_{10}$ | 1 |
| 90 | Rohtak | Good | 27 | $NO_2$ | 1 |
| 91 | Rupnagar | Good | 40 | $PM_{10}$ | 1 |
| 92 | Sagar | Good | 19 | CO | 1 |
| 93 | Satna | Satisfactory | 61 | $PM_{10}$ | 1 |
| 94 | Shillong | Good | 14 | $PM_{2.5}$ | 1 |
| 95 | Singrauli | Good | 41 | CO | 1 |
| 96 | Sirsa | Satisfactory | 62 | $O_3$ | 1 |

## Possible Health Impacts

| Good | Minimal Impact |
|------|----------------|
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

## Notes

* AQI is not calculated for today's bulletin for Ambala, Bathinda, Brajrajnagar, Chandrapur, Gandhinagar, Kalaburgi, Kozhikode, Ludhiana, Moradabad, Nagpur, Nandesari, Ratlam, Siliguri, Solapur, Yadgir as data was not available.

# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

# Air Quality Index on Aug 24, 2020 @ 4 PM

*(Average of past 24 hours)*

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|------|-------------|-------------|---------------------|----------------------------------------|
| 97 | Sonipat | Satisfactory | 66 | $PM_{10}$ | 1 |
| 98 | Talcher | Moderate | 122 | CO | 1 |
| 99 | Thane | Satisfactory | 51 | $PM_{10}$ | 1 |
| 100 | Thiruvananthapuram | Satisfactory | 52 | $PM_{10}$ | 2 |
| 101 | Tirupati | Good | 33 | CO | 1 |
| 102 | Udaipur | Good | 41 | CO | 1 |
| 103 | Ujjain | Good | 31 | $PM_{10}$ | 1 |
| 104 | Vapi | Good | 28 | $PM_{10}$ | 1 |
| 105 | Varanasi | Good | 40 | $PM_{10}$ | 1 |
| 106 | Vatva | Satisfactory | 66 | $PM_{10}$ | 1 |
| 107 | Vijayapura | Satisfactory | 60 | $O_3$ | 1 |
| 108 | Visakhapatnam | Satisfactory | 78 | $PM_{10}$ | 1 |

## Possible Health Impacts

| | |
|---|---|
| Good | Minimal Impact |
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

## Notes

\* AQI is not calculated for today's bulletin for Ambala, Bathinda, Brajrajnagar, Chandrapur, Gandhinagar, Kalaburgi, Kozhikode, Ludhiana, Moradabad, Nagpur, Nandesari, Ratlam, Siliguri, Solapur, Yadgir as data was not available.

\# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

# Air Quality Index on Aug 24, 2020 @ 4 PM

*(Average of past 24 hours)*

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|------|-------------|-------------|---------------------|----------------------------------------|
| 109 | Yamunanagar | Satisfactory | 57 | $O_3$ | 1 |

## Possible Health Impacts

| | |
|---|---|
| Good | Minimal Impact |
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

## Notes

* AQI is not calculated for today's bulletin for Ambala, Bathinda, Brajrajnagar, Chandrapur, Gandhinagar, Kalaburgi, Kozhikode, Ludhiana, Moradabad, Nagpur, Nandesari, Ratlam, Siliguri, Solapur, Yadgir as data was not available.

# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.