

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	153	PM _{2.5}	1
2	Agra	Moderate	180	PM _{2.5}	1
3	Ahmedabad	Poor	217	PM ₁₀	1
4	Aizawl	Satisfactory	70	PM ₁₀	1
5	Ajmer	Satisfactory	95	PM ₁₀	1
6	Alwar	Moderate	102	PM ₁₀	1
7	Amaravati	Satisfactory	62	PM ₁₀	1
8	Ambala	Moderate	148	PM _{2.5}	1
9	Amritsar	Moderate	141	PM _{2.5}	1
10	Ankleshwar	Moderate	187	PM _{2.5}	1
11	Asansol	Moderate	196	PM _{2.5}	1
12	Aurangabad	Satisfactory	92	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Brajrajnagar, Charkhi Dadri, Eloor, Gummidipoondi, Gwalior, Kochi, Kolar, Nagpur, Shillong, Solapur, Srinagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	29	PM ₁₀	1
14	Baghpat	Poor	283	PM _{2.5}	1
15	Bahadurgarh	Poor	255	PM _{2.5}	1
16	Ballabgarh	Poor	252	PM _{2.5}	1
17	Bengaluru	Satisfactory	56	PM ₁₀ , CO	10
18	Bhiwadi	Poor	238	PM ₁₀	1
19	Bhiwani	Moderate	189	PM ₁₀	1
20	Bhopal	Moderate	130	PM ₁₀	1
21	Bidar	Moderate	108	PM ₁₀	1
22	Bulandshahr	Poor	226	PM _{2.5}	1
23	Chamarajanagar	Satisfactory	70	PM ₁₀	1
24	Chandigarh	Moderate	140	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Brajrajnagar, Charkhi Dadri, Eloor, Gummidipoondi, Gwalior, Kochi, Kolar, Nagpur, Shillong, Solapur, Srinagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Moderate	117	PM ₁₀	2
26	Chennai	Satisfactory	72	PM ₁₀ , PM _{2.5}	8
27	Chikkaballapur	Good	49	PM _{2.5}	1
28	Chikkamagaluru	Good	46	03	1
29	Coimbatore	Satisfactory	57	PM _{2.5}	1
30	Damoh	Satisfactory	55	PM _{2.5}	1
31	Davanagere	Good	45	PM ₁₀	1
32	Delhi	Poor	250	PM _{2.5} , PM ₁₀	34
33	Dewas	Moderate	136	PM ₁₀	1
34	Dharuhera	Poor	231	PM ₁₀	1
35	Durgapur	Poor	222	PM ₁₀	1
36	Ernakulam	Satisfactory	65	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bathinda, Brajrajnagar, Charkhi Dadri, Eloor, Gummidipoondi, Gwalior, Kochi, Kolar, Nagpur, Shillong, Solapur, Srinagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Faridabad	Poor	296	PM ₁₀ , PM _{2.5}	4
38	Fatehabad	Moderate	118	PM ₁₀	1
39	Gadag	Good	48	SO ₂	1
40	Gandhinagar	Moderate	111	PM _{2.5}	1
41	Gaya	Moderate	109	03	1
42	Ghaziabad	Very Poor	320	PM ₁₀ , PM _{2.5}	3
43	Greater Noida	Poor	253	PM _{2.5} , PM ₁₀	2
44	Gurugram	Poor	241	PM ₁₀ , PM _{2.5}	4
45	Guwahati	Poor	283	PM ₁₀ , PM _{2.5}	2
46	Hajipur	Poor	224	PM ₁₀	1
47	Haldia	Moderate	128	PM ₁₀	1
48	Hapur	Moderate	152	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bathinda, Brajrajnagar, Charkhi Dadri, Eloor, Gummidipoondi, Gwalior, Kochi, Kolar, Nagpur, Shillong, Solapur, Srinagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hisar	Poor	256	PM _{2.5}	1
50	Howrah	Poor	281	PM _{2.5}	3
51	Hubballi	Satisfactory	52	PM ₁₀	1
52	Hyderabad	Moderate	143	PM _{2.5} , PM ₁₀	6
53	Indore	Poor	235	PM ₁₀	1
54	Jabalpur	Moderate	157	PM ₁₀	1
55	Jaipur	Moderate	152	PM _{2.5}	3
56	Jalandhar	Moderate	139	PM _{2.5}	1
57	Jind	Poor	221	PM _{2.5}	1
58	Jodhpur	Moderate	185	PM ₁₀	1
59	Jorapokhar	Moderate	120	03	1
60	Kaithal	Moderate	138	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bathinda, Brajrajnagar, Charkhi Dadri, Eloor, Gummidipoondi, Gwalior, Kochi, Kolar, Nagpur, Shillong, Solapur, Srinagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kalaburgi	Moderate	128	PM _{2.5}	1
62	Kalyan	Moderate	193	PM _{2.5}	1
63	Kannur	Good	43	PM _{2.5}	1
64	Kanpur	Moderate	182	PM _{2.5}	2
65	Karnal	Moderate	157	PM _{2.5}	1
66	Katni	Moderate	150	PM _{2.5}	1
67	Khanna	Moderate	133	PM _{2.5}	1
68	Kohima	Moderate	150	PM ₁₀	1
69	Kolkata	Poor	252	PM _{2.5}	7
70	Kollam	Satisfactory	90	PM ₁₀	1
71	Koppal	Satisfactory	74	03	1
72	Kota	Moderate	113	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bathinda, Brajrajnagar, Charkhi Dadri, Eloor, Gummidipoondi, Gwalior, Kochi, Kolar, Nagpur, Shillong, Solapur, Srinagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kozhikode	Satisfactory	87	PM ₁₀	1
74	Kurukshetra	Moderate	200	PM _{2.5}	1
75	Lucknow	Poor	251	PM _{2.5}	4
76	Ludhiana	Moderate	113	PM ₁₀	1
77	Maihar	Satisfactory	60	PM ₁₀	1
78	Mandi Gobindgarh	Moderate	166	PM _{2.5}	1
79	Mandideep	Poor	206	PM _{2.5}	1
80	Mandikhera	Moderate	102	PM _{2.5}	1
81	Manesar	Poor	246	PM _{2.5}	1
82	Manglore	Good	44	PM ₁₀	1
83	Medikeri	Good	28	со	1
84	Meerut	Poor	289	PM ₁₀ , PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bathinda, Brajrajnagar, Charkhi Dadri, Eloor, Gummidipoondi, Gwalior, Kochi, Kolar, Nagpur, Shillong, Solapur, Srinagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Moradabad	Very Poor	337	PM _{2.5}	1
86	Mumbai	Moderate	169	O ₃ , PM _{2.5} , PM ₁₀	16
87	Muzaffarnagar	Poor	207	PM ₁₀	1
88	Muzaffarpur	Poor	266	PM _{2.5}	2
89	Mysuru	Satisfactory	52	03	1
90	Nandesari	Moderate	112	со	1
91	Narnaul	Poor	221	PM ₁₀	1
92	Nashik	Moderate	107	PM _{2.5}	1
93	Navi Mumbai	Moderate	189	PM _{2.5} , PM ₁₀	3
94	Noida	Poor	214	PM _{2.5} , PM ₁₀	3
95	Pali	Moderate	157	PM _{2.5}	1
96	Palwal	Moderate	115	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bathinda, Brajrajnagar, Charkhi Dadri, Eloor, Gummidipoondi, Gwalior, Kochi, Kolar, Nagpur, Shillong, Solapur, Srinagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Panchkula	Moderate	172	PM _{2.5}	1
98	Panipat	Satisfactory	89	SO ₂	1
99	Patiala	Moderate	135	PM ₁₀	1
100	Patna	Poor	206	PM _{2.5} , PM ₁₀	5
101	Pithampur	Moderate	109	03	1
102	Puducherry	Good	50	PM ₁₀	1
103	Pune	Moderate	117	PM _{2.5} , PM ₁₀	7
104	Raichur	Satisfactory	58	PM _{2.5}	1
105	Rajamahendravaram	Moderate	115	PM ₁₀	1
106	Ramanagara	Good	40	03	1
107	Ratlam	Moderate	162	PM ₁₀	1
108	Rohtak	Moderate	186	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Brajrajnagar, Charkhi Dadri, Eloor, Gummidipoondi, Gwalior, Kochi, Kolar, Nagpur, Shillong, Solapur, Srinagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Rupnagar	Satisfactory	84	PM ₁₀	1
110	Sagar	Moderate	136	PM _{2.5}	1
111	Satna	Moderate	105	PM ₁₀	1
112	Shivamogga	Satisfactory	100	NO ₂	1
113	Siliguri	Poor	279	PM _{2.5}	1
114	Singrauli	Poor	300	PM ₁₀	1
115	Sirsa	Moderate	134	PM _{2.5}	1
116	Sonipat	Moderate	155	PM ₁₀	1
117	Talcher	Moderate	184	PM ₁₀	1
118	Thane	Poor	237	PM ₁₀	1
119	Thiruvananthapuram	Good	39	O ₃	1
120	Thoothukudi	Satisfactory	56	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	ory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bathinda, Brajrajnagar, Charkhi Dadri, Eloor, Gummidipoondi, Gwalior, Kochi, Kolar, Nagpur, Shillong, Solapur, Srinagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Thrissur	Satisfactory	79	03	1
122	Tirupati	Satisfactory	61	PM _{2.5}	1
123	Udaipur	Moderate	141	PM _{2.5}	1
124	Udupi	Poor	222	03	1
125	Ujjain	Poor	208	PM ₁₀	1
126	Vapi	Moderate	144	PM ₁₀	1
127	Varanasi	Poor	220	O ₃	1
128	Vatva	Very Poor	316	PM _{2.5}	1
129	Vijayapura	Satisfactory	52	PM ₁₀	1
130	Visakhapatnam	Moderate	184	PM ₁₀	1
131	Yadgir	Satisfactory	72	O ₃	1
132	Yamunanagar	Poor	227	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Brajrajnagar, Charkhi Dadri, Eloor, Gummidipoondi, Gwalior, Kochi, Kolar, Nagpur, Shillong, Solapur, Srinagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.