



Air Quality Index on Feb 08, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	133	PM _{2.5}	1
2	Agra	Poor	213	PM _{2.5}	1
3	Ahmedabad	Moderate	114	PM ₁₀	1
4	Aizawl	Satisfactory	67	PM ₁₀	1
5	Ajmer	Moderate	104	PM ₁₀	1
6	Alwar	Satisfactory	89	PM ₁₀	1
7	Amaravati	Moderate	105	PM ₁₀	1
8	Ambala	Moderate	121	PM _{2.5}	1
9	Amritsar	Moderate	186	PM _{2.5}	1
10	Ankleshwar	Moderate	184	PM _{2.5}	1
11	Asansol	Moderate	119	PM _{2.5}	1
12	Bahadurgarh	Poor	259	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bagalkot, Baghpat, Bhiwani, Bidar, Coimbatore, Davanagere, Dewas, Ernakulam, Faridabad, Gadag, Kochi, Kolar, Muzaffarnagar, Nagpur, Panipat, Raichur, Ramanagara, Rupnagar, Shillong, Solapur, Vijayapura as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 08, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Poor	275	PM _{2.5}	1
14	Bathinda	Moderate	121	PM ₁₀	1
15	Bengaluru	Satisfactory	87	NO ₂ , PM ₁₀ , O ₃	9
16	Bhiwadi	Poor	264	PM _{2.5}	1
17	Bhopal	Moderate	112	PM ₁₀	1
18	Brajrajnagar	Satisfactory	81	PM ₁₀	1
19	Bulandshahr	Very Poor	305	PM _{2.5}	1
20	Chamarajanagar	Satisfactory	96	PM _{2.5}	1
21	Chandigarh	Moderate	105	PM ₁₀	1
22	Chandrapur	Moderate	102	PM ₁₀	2
23	Charkhi Dadri	Moderate	155	PM ₁₀	1
24	Chennai	Satisfactory	74	PM ₁₀ , PM _{2.5} , CO	7

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bagalkot, Baghat, Bhiwani, Bidar, Coimbatore, Davanagere, Dewas, Ernakulam, Faridabad, Gadag, Kochi, Kolar, Muzaffarnagar, Nagpur, Panipat, Raichur, Ramanagara, Rupnagar, Shillong, Solapur, Vijayapura as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 08, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chikkaballapur	Satisfactory	81	PM ₁₀	1
26	Chikkamagaluru	Satisfactory	75	PM _{2.5}	1
27	Damoh	Satisfactory	77	PM ₁₀	1
28	Delhi	Very Poor	303	PM ₁₀ , PM _{2.5}	37
29	Dharuhera	Poor	222	PM ₁₀	1
30	Durgapur	Moderate	162	PM ₁₀	1
31	Eloor	Satisfactory	52	PM ₁₀	1
32	Fatehabad	Moderate	173	PM _{2.5}	1
33	Gandhinagar	Satisfactory	82	PM ₁₀	1
34	Gaya	Satisfactory	97	O ₃	1
35	Ghaziabad	Very Poor	329	PM _{2.5}	4
36	Greater Noida	Very Poor	319	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bagalkot, Baghat, Bhiwani, Bidar, Coimbatore, Davanagere, Dewas, Ernakulam, Faridabad, Gadag, Kochi, Kolar, Muzaffarnagar, Nagpur, Panipat, Raichur, Ramanagara, Rupnagar, Shillong, Solapur, Vijayapura as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 08, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gummidipoondi	Moderate	139	PM _{2.5}	1
38	Gurugram	Poor	298	PM _{2.5}	3
39	Guwahati	Poor	219	PM _{2.5}	2
40	Gwalior	Poor	241	PM _{2.5}	2
41	Hajipur	Moderate	126	PM ₁₀	1
42	Haldia	Moderate	108	PM ₁₀	1
43	Hapur	Moderate	115	CO	1
44	Hisar	Poor	266	PM _{2.5}	1
45	Howrah	Moderate	194	PM _{2.5}	2
46	Hubballi	Moderate	116	PM ₁₀	1
47	Hyderabad	Moderate	131	PM _{2.5} , PM ₁₀	5
48	Indore	Satisfactory	95	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bagalkot, Baghat, Bhiwani, Bidar, Coimbatore, Davanagere, Dewas, Ernakulam, Faridabad, Gadag, Kochi, Kolar, Muzaffarnagar, Nagpur, Panipat, Raichur, Ramanagara, Rupnagar, Shillong, Solapur, Vijayapura as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 08, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jabalpur	Moderate	162	PM ₁₀	1
50	Jaipur	Moderate	129	PM _{2.5} , PM ₁₀	3
51	Jalandhar	Moderate	160	PM ₁₀	1
52	Jind	Poor	272	PM _{2.5}	1
53	Jodhpur	Moderate	196	PM ₁₀	1
54	Jorapokhar	Satisfactory	79	PM ₁₀	1
55	Kaithal	Moderate	112	PM _{2.5}	1
56	Kalaburgi	Moderate	127	PM _{2.5}	1
57	Kalyan	Moderate	140	PM _{2.5}	1
58	Kannur	Moderate	101	PM _{2.5}	1
59	Kanpur	Poor	272	PM _{2.5}	2
60	Karnal	Moderate	148	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bagalkot, Baghat, Bhiwani, Bidar, Coimbatore, Davanagere, Dewas, Ernakulam, Faridabad, Gadag, Kochi, Kolar, Muzaffarnagar, Nagpur, Panipat, Raichur, Ramanagara, Rupnagar, Shillong, Solapur, Vijayapura as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 08, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Katni	Moderate	194	PM _{2.5}	1
62	Khanna	Satisfactory	90	PM _{2.5}	1
63	Kohima	Satisfactory	94	PM ₁₀	1
64	Kolkata	Moderate	170	PM _{2.5}	6
65	Kollam	Moderate	129	PM _{2.5}	1
66	Koppal	Satisfactory	79	O ₃	1
67	Kota	Moderate	124	PM ₁₀	1
68	Kozhikode	Satisfactory	77	PM ₁₀	1
69	Kurukshetra	Moderate	187	PM _{2.5}	1
70	Lucknow	Poor	247	PM _{2.5} , PM ₁₀	4
71	Ludhiana	Moderate	110	PM ₁₀	1
72	Maihar	Satisfactory	70	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bagalkot, Baghat, Bhiwani, Bidar, Coimbatore, Davanagere, Dewas, Ernakulam, Faridabad, Gadag, Kochi, Kolar, Muzaffarnagar, Nagpur, Panipat, Raichur, Ramanagara, Rupnagar, Shillong, Solapur, Vijayapura as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 08, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Mandi Gobindgarh	Poor	201	PM _{2.5}	1
74	Mandideep	Moderate	140	PM ₁₀	1
75	Mandikhera	Satisfactory	96	PM _{2.5}	1
76	Manesar	Moderate	156	PM ₁₀	1
77	Manglore	Satisfactory	86	PM ₁₀	1
78	Medikeri	Satisfactory	94	PM ₁₀	1
79	Meerut	Poor	294	PM _{2.5}	1
80	Moradabad	Very Poor	326	PM _{2.5}	1
81	Mumbai	Moderate	150	PM _{2.5} , CO	19
82	Muzaffarpur	Moderate	131	PM ₁₀	1
83	Mysuru	Moderate	107	O ₃	1
84	Nandesari	Moderate	111	CO	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bagalkot, Baghat, Bhiwani, Bidar, Coimbatore, Davanagere, Dewas, Ernakulam, Faridabad, Gadag, Kochi, Kolar, Muzaffarnagar, Nagpur, Panipat, Raichur, Ramanagara, Rupnagar, Shillong, Solapur, Vijayapura as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 08, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Narnaul	Very Poor	301	PM ₁₀	1
86	Nashik	Satisfactory	95	PM _{2.5}	1
87	Navi Mumbai	Moderate	163	PM _{2.5} , PM ₁₀	3
88	Noida	Very Poor	310	PM _{2.5}	4
89	Pali	Moderate	105	PM ₁₀	1
90	Palwal	Moderate	105	PM ₁₀	1
91	Panchkula	Satisfactory	70	PM _{2.5}	1
92	Patiala	Moderate	113	PM ₁₀	1
93	Patna	Poor	203	PM _{2.5} , PM ₁₀	6
94	Pithampur	Moderate	129	PM _{2.5}	1
95	Puducherry	Satisfactory	67	O ₃	1
96	Pune	Moderate	114	PM _{2.5} , PM ₁₀	6

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bagalkot, Baghat, Bhiwani, Bidar, Coimbatore, Davanagere, Dewas, Ernakulam, Faridabad, Gadag, Kochi, Kolar, Muzaffarnagar, Nagpur, Panipat, Raichur, Ramanagara, Rupnagar, Shillong, Solapur, Vijayapura as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 08, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Rajamahendravaram	Moderate	110	PM ₁₀	1
98	Ratlam	Moderate	118	PM ₁₀	1
99	Rohtak	Poor	299	PM _{2.5}	1
100	Sagar	Satisfactory	61	PM _{2.5}	1
101	Satna	Moderate	124	PM ₁₀	1
102	Shivamogga	Satisfactory	95	NO ₂	1
103	Siliguri	Poor	237	PM _{2.5}	1
104	Singrauli	Moderate	192	PM _{2.5}	1
105	Sirsa	Moderate	130	PM _{2.5}	1
106	Sonipat	Moderate	136	PM ₁₀	1
107	Talcher	Moderate	109	PM ₁₀	1
108	Thane	Poor	232	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bagalkot, Baghat, Bhiwani, Bidar, Coimbatore, Davanagere, Dewas, Ernakulam, Faridabad, Gadag, Kochi, Kolar, Muzaffarnagar, Nagpur, Panipat, Raichur, Ramanagara, Rupnagar, Shillong, Solapur, Vijayapura as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 08, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Thiruvananthapuram	Satisfactory	89	PM ₁₀	2
110	Thoothukudi	Satisfactory	56	O ₃	1
111	Thrissur	Moderate	171	O ₃	1
112	Tirupati	Satisfactory	79	PM ₁₀	1
113	Udaipur	Moderate	130	PM _{2.5}	1
114	Ujjain	Moderate	132	PM ₁₀	1
115	Vapi	Moderate	132	PM ₁₀	1
116	Varanasi	Poor	213	O ₃	1
117	Vatva	Moderate	139	PM ₁₀	1
118	Visakhapatnam	Moderate	105	PM ₁₀	1
119	Yadgir	Satisfactory	96	PM ₁₀	1
120	Yamunanagar	Moderate	182	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bagalkot, Baghat, Bhiwani, Bidar, Coimbatore, Davanagere, Dewas, Ernakulam, Faridabad, Gadag, Kochi, Kolar, Muzaffarnagar, Nagpur, Panipat, Raichur, Ramanagara, Rupnagar, Shillong, Solapur, Vijayapura as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.