

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	168	PM _{2.5}	1
2	Ahmedabad	Satisfactory	78	O ₃	1
3	Ajmer	Satisfactory	64	PM ₁₀	1
4	Alwar	Satisfactory	79	PM ₁₀	1
5	Amaravati	Good	33	O ₃	1
6	Ambala	Moderate	155	PM ₁₀	1
7	Amritsar	Satisfactory	70	PM ₁₀	1
8	Ankleshwar	Satisfactory	97	PM ₁₀	1
9	Asansol	Good	43	PM ₁₀	1
10	Baghpat	Moderate	150	O ₃	1
11	Bahadurgarh	Moderate	144	PM _{2.5}	1
12	Ballabgarh	Moderate	163	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Aurangabad, Bagalkot, Charkhi Dadri, Ernakulam, Jodhpur, Jorapokhar, Kalyan, Maihar, Mysuru, Navi Mumbai, Rupnagar, Solapur, Thane, Vapi, Vijayapura, Yadgir, Yamunanagar as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bathinda	Good	36	PM ₁₀	1
14	Bengaluru	Good	33	PM ₁₀ , PM _{2.5} , CO	8
15	Bhiwadi	Moderate	172	PM _{2.5}	1
16	Bhiwani	Moderate	111	03	1
17	Bhopal	Satisfactory	76	O ₃	1
18	Brajrajnagar	Satisfactory	89	PM _{2.5}	1
19	Bulandshahr	Moderate	146	PM ₁₀	1
20	Chandigarh	Satisfactory	81	PM ₁₀	1
21	Chandrapur	Satisfactory	70	PM ₁₀	1
22	Chennai	Satisfactory	64	PM _{2.5} , O ₃	4
23	Chikkaballapur	Good	41	PM ₁₀	1
24	Chikkamagaluru	Good	27	NO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Aurangabad, Bagalkot, Charkhi Dadri, Ernakulam, Jodhpur, Jorapokhar, Kalyan, Maihar, Mysuru, Navi Mumbai, Rupnagar, Solapur, Thane, Vapi, Vijayapura, Yadgir, Yamunanagar as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Coimbatore	Good	42	со	1
26	Damoh	Satisfactory	58	PM ₁₀	1
27	Delhi	Moderate	144	O ₃ , PM ₁₀	35
28	Dewas	Satisfactory	58	PM ₁₀	1
29	Dharuhera	Moderate	126	PM _{2.5}	1
30	Eloor	Good	20	со	1
31	Faridabad	Moderate	166	PM ₁₀ , CO, PM _{2.5}	4
32	Fatehabad	Satisfactory	92	PM ₁₀	1
33	Gandhinagar	Good	37	PM _{2.5}	1
34	Gaya	Moderate	168	O ₃	1
35	Ghaziabad	Moderate	136	PM ₁₀	4
36	Greater Noida	Poor	202	PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact		
Satisfactory Minor breathing discomfort to sensitive people			
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Poor Breathing discomfort to most people on prolonged exposure		
Very Poor Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Aizawl, Aurangabad, Bagalkot, Charkhi Dadri, Ernakulam, Jodhpur, Jorapokhar, Kalyan, Maihar, Mysuru, Navi Mumbai, Rupnagar, Solapur, Thane, Vapi, Vijayapura, Yadgir, Yamunanagar as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gurugram	Moderate	158	O ₃ , PM ₁₀ , PM _{2.5}	4
38	Guwahati	Satisfactory	55	PM _{2.5}	1
39	Gwalior	Moderate	104	PM ₁₀	1
40	Hajipur	Satisfactory	64	PM _{2.5}	1
41	Hapur	Moderate	134	PM ₁₀	1
42	Hisar	Moderate	118	PM _{2.5}	1
43	Howrah	Good	36	PM ₁₀	2
44	Hubballi	Good	24	PM ₁₀	1
45	Hyderabad	Good	46	NO ₂ , O ₃ , PM ₁₀	5
46	Indore	Satisfactory	53	O ₃	1
47	Jabalpur	Good	47	PM ₁₀	1
48	Jaipur	Satisfactory	90	PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Aurangabad, Bagalkot, Charkhi Dadri, Ernakulam, Jodhpur, Jorapokhar, Kalyan, Maihar, Mysuru, Navi Mumbai, Rupnagar, Solapur, Thane, Vapi, Vijayapura, Yadgir, Yamunanagar as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jalandhar	Satisfactory	83	PM ₁₀	1
50	Jind	Moderate	103	PM ₁₀	1
51	Kaithal	Moderate	107	PM ₁₀	1
52	Kalaburgi	Good	13	PM ₁₀	1
53	Kannur	Good	17	PM ₁₀	1
54	Kanpur	Satisfactory	98	PM _{2.5}	1
55	Karnal	Satisfactory	83	PM _{2.5}	1
56	Katni	Moderate	122	PM ₁₀	1
57	Khanna	Satisfactory	93	PM ₁₀	1
58	Kochi	Moderate	106	03	1
59	Kohima	Good	40	PM ₁₀	1
60	Kolkata	Good	26	PM ₁₀ , O ₃ , CO	6

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Aurangabad, Bagalkot, Charkhi Dadri, Ernakulam, Jodhpur, Jorapokhar, Kalyan, Maihar, Mysuru, Navi Mumbai, Rupnagar, Solapur, Thane, Vapi, Vijayapura, Yadgir, Yamunanagar as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kollam	Satisfactory	90	со	1
62	Kota	Satisfactory	74	PM _{2.5}	1
63	Kozhikode	Good	26	со	1
64	Kurukshetra	Moderate	101	PM ₁₀	1
65	Lucknow	Moderate	111	PM _{2.5}	4
66	Ludhiana	Satisfactory	81	PM ₁₀	1
67	Mandi Gobindgarh	Moderate	190	PM _{2.5}	1
68	Mandideep	Good	50	PM ₁₀	1
69	Mandikhera	Satisfactory	87	PM ₁₀	1
70	Manesar	Moderate	139	PM _{2.5}	1
71	Meerut	Moderate	160	PM _{2.5} , PM ₁₀	3
72	Moradabad	Moderate	104	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Aurangabad, Bagalkot, Charkhi Dadri, Ernakulam, Jodhpur, Jorapokhar, Kalyan, Maihar, Mysuru, Navi Mumbai, Rupnagar, Solapur, Thane, Vapi, Vijayapura, Yadgir, Yamunanagar as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Mumbai	Good	48	CO, PM ₁₀ , NO ₂	9
74	Muzaffarnagar	Moderate	122	PM ₁₀	1
75	Muzaffarpur	Satisfactory	56	PM ₁₀ , O ₃	2
76	Nagpur	Satisfactory	71	O ₃	1
77	Nandesari	Moderate	118	со	1
78	Narnaul	Moderate	116	PM ₁₀	1
79	Nashik	Good	34	O ₃	1
80	Noida	Moderate	144	PM ₁₀	4
81	Pali	Satisfactory	72	PM ₁₀	1
82	Palwal	Moderate	114	PM ₁₀	1
83	Panchkula	Satisfactory	65	PM _{2.5}	1
84	Panipat	Moderate	132	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Aurangabad, Bagalkot, Charkhi Dadri, Ernakulam, Jodhpur, Jorapokhar, Kalyan, Maihar, Mysuru, Navi Mumbai, Rupnagar, Solapur, Thane, Vapi, Vijayapura, Yadgir, Yamunanagar as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Patiala	Satisfactory	87	PM ₁₀	1
86	Patna	Satisfactory	63	PM _{2.5} , PM ₁₀ , O ₃	6
87	Pithampur	Satisfactory	58	PM ₁₀	1
88	Pune	Good	43	со	1
89	Rajamahendravaram	Satisfactory	51	O ₃	1
90	Ramanagara	Good	31	SO ₂	1
91	Ratlam	Satisfactory	68	SO ₂	1
92	Rohtak	Satisfactory	60	со	1
93	Sagar	Satisfactory	69	PM _{2.5}	1
94	Satna	Satisfactory	66	PM ₁₀	1
95	Shillong	Good	10	PM _{2.5}	1
96	Siliguri	Good	49	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Aurangabad, Bagalkot, Charkhi Dadri, Ernakulam, Jodhpur, Jorapokhar, Kalyan, Maihar, Mysuru, Navi Mumbai, Rupnagar, Solapur, Thane, Vapi, Vijayapura, Yadgir, Yamunanagar as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Singrauli	Satisfactory	76	PM ₁₀	1
98	Sirsa	Satisfactory	81	PM ₁₀	1
99	Sonipat	Moderate	162	PM ₁₀	1
100	Talcher	Satisfactory	88	PM ₁₀	1
101	Thiruvananthapuram	Good	44	CO, PM ₁₀	2
102	Tirupati	Good	35	O ₃	1
103	Udaipur	Satisfactory	56	СО	1
104	Ujjain	Good	50	PM ₁₀	1
105	Varanasi	Satisfactory	63	PM ₁₀	1
106	Vatva	Satisfactory	68	NO ₂	1
107	Visakhapatnam	Satisfactory	80	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Aurangabad, Bagalkot, Charkhi Dadri, Ernakulam, Jodhpur, Jorapokhar, Kalyan, Maihar, Mysuru, Navi Mumbai, Rupnagar, Solapur, Thane, Vapi, Vijayapura, Yadgir, Yamunanagar as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.