

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	250	PM <sub>2.5</sub>	2
2	Agra	Satisfactory	56	PM <sub>10</sub>	6
3	Ahmedabad	Poor	205	PM <sub>2.5</sub>	7
4	Aizawl	Moderate	116	PM <sub>10</sub>	1
5	Ajmer	Moderate	105	PM <sub>2.5</sub>	1
6	Alwar	Satisfactory	79	PM <sub>10</sub>	1
7	Amaravati	Moderate	117	PM <sub>10</sub>	1
8	Ambala	Satisfactory	62	PM <sub>2.5</sub>	1
9	Amritsar	Satisfactory	64	PM <sub>2.5</sub>	1
10	Anantapur	Satisfactory	66	PM <sub>10</sub>	1
11	Ankleshwar	Poor	237	PM <sub>2.5</sub>	1
12	Araria	Poor	278	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

\* AQI is not calculated for today's bulletin for Banswara, Baripada, Notes: Bikaner, Buxar, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dholpur, Ernakulam, Hanumangarh, Imphal, Jind, Kalyar Kochi, Kollam, Kunjemura, Milupara, Motihari, Naharlagun, Nandesari, Pali, Salem, Sawai Madhopur, Silchar, Sirohi, Solapur, Tensa, Thane, Tonk, Tumakuru, Tumidih, Udupi, Vatva, vellore as data was not available. # Some stations have data available at 3PM

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Satisfactory	90	СО	1
14	Arrah	Moderate	165	PM <sub>2.5</sub>	1
15	Asansol	Moderate	137	PM <sub>2.5</sub>	1
16	Aurangabad (Bihar)	Moderate	154	PM <sub>10</sub>	1
17	Aurangabad (Maharashtra)	Moderate	168	PM <sub>2.5</sub>	1
18	Baddi	Moderate	104	PM <sub>10</sub>	1
19	Bagalkot	Good	46	PM <sub>10</sub>	1
20	Baghpat	Moderate	129	PM <sub>10</sub>	1
21	Bahadurgarh	Satisfactory	90	PM <sub>10</sub>	1
22	Ballabgarh	Moderate	115	PM <sub>10</sub>	1
23	Bareilly	Satisfactory	63	PM <sub>10</sub>	2
24	Bathinda	Good	37	СО	1

#### Possible Health Impacts

#### Good Minimal Impact Minor breathing discomfort to sensitive people Satisfactory Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

## Notes:

\* AQI is not calculated for today's bulletin for Banswara, Baripada, Bikaner, Buxar, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dholpur, Ernakulam, Hanumangarh, Imphal, Jind, Kalyar Kochi, Kollam, Kunjemura, Milupara, Motihari, Naharlagun, Nandesari, Pali, Salem, Sawai Madhopur, Silchar, Sirohi, Solapur, Tensa, Thane, Tonk, Tumakuru, Tumidih, Udupi, Vatva, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Begusarai	Poor	259	PM <sub>2.5</sub>	1
26	Belgaum	Moderate	152	PM <sub>10</sub>	1
27	Bengaluru	Moderate	101	PM <sub>10</sub>	11
28	Bettiah	Moderate	163	PM <sub>10</sub>	1
29	Bhagalpur	Poor	207	PM <sub>2.5</sub>	2
30	Bharatpur	Moderate	171	PM <sub>2.5</sub>	1
31	Bhilai	Moderate	124	O <sub>3</sub>	2
32	Bhiwadi	Moderate	192	PM <sub>10</sub>	1
33	Bhiwani	Moderate	113	PM <sub>2.5</sub>	1
34	Bhopal	Moderate	138	PM <sub>2.5</sub> , PM <sub>10</sub>	3
35	Bidar	Satisfactory	79	PM <sub>10</sub>	1
36	Bihar Sharif	Satisfactory	95	PM <sub>10</sub>	1

#### Possible Health Impacts

#### Good Minimal Impact Minor breathing discomfort to sensitive people Satisfactory Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Banswara, Baripada, Notes:

Bikaner, Buxar, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dholpur, Ernakulam, Hanumangarh, Imphal, Jind, Kalyar Kochi, Kollam, Kunjemura, Milupara, Motihari, Naharlagun, Nandesari, Pali, Salem, Sawai Madhopur, Silchar, Sirohi, Solapur, Tensa, Thane, Tonk, Tumakuru, Tumidih, Udupi, Vatva, vellore as data was not available. # Some stations have data available at 3PM

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bilaspur	Moderate	136	PM <sub>2.5</sub>	1
38	Bileipada	Moderate	184	PM <sub>10</sub>	1
39	Brajrajnagar	Moderate	131	PM <sub>10</sub>	1
40	Bulandshahr	Moderate	117	PM <sub>10</sub>	1
41	Byrnihat	Very Poor	324	PM <sub>2.5</sub>	1
42	Chamarajanagar	Good	44	PM <sub>10</sub>	1
43	Chandigarh	Moderate	116	PM <sub>2.5</sub>	3
44	Chandrapur	Poor	232	PM <sub>2.5</sub>	1
45	Charkhi Dadri	Moderate	143	PM <sub>2.5</sub>	1
46	Chengalpattu	Satisfactory	95	PM <sub>2.5</sub>	1
47	Chennai	Moderate	118	PM <sub>2.5</sub> , PM <sub>10</sub>	8
48	Chhapra	Poor	206	PM <sub>10</sub>	1

#### Possible Health Impacts

#### Good Minimal Impact Minor breathing discomfort to sensitive people Satisfactory Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

#### Notes:

\* AQI is not calculated for today's bulletin for Banswara, Baripada, Bikaner, Buxar, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dholpur, Ernakulam, Hanumangarh, Imphal, Jind, Kalyar Kochi, Kollam, Kunjemura, Milupara, Motihari, Naharlagun, Nandesari, Pali, Salem, Sawai Madhopur, Silchar, Sirohi, Solapur, Tensa, Thane, Tonk, Tumakuru, Tumidih, Udupi, Vatva, vellore as data was not available. # Some stations have data available at 3PM

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chikkaballapur	Satisfactory	96	PM <sub>10</sub>	1
50	Chikkamagaluru	Good	49	PM <sub>10</sub>	1
51	Chittoor	Satisfactory	75	03	1
52	Damoh	Good	46	PM <sub>2.5</sub>	1
53	Dehradun	Satisfactory	85	PM <sub>10</sub>	1
54	Delhi	Moderate	152	PM <sub>2.5</sub>	38
55	Dewas	Moderate	125	со	1
56	Dhanbad	Moderate	157	PM <sub>2.5</sub>	1
57	Dharuhera	Poor	205	PM <sub>2.5</sub>	1
58	Dindigul	Very Poor	334	NO <sub>2</sub>	1
59	Durgapur	Poor	253	PM <sub>10</sub>	1
60	Eloor	Satisfactory	66	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: Bikaner, Buxar, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dholpur, Ernakulam, Hanumangarh, Imphal, Jind, Kalyar Kochi, Kollam, Kunjemura, Milupara, Motihari, Naharlagun, Nandesari, Pali, Salem, Sawai Madhopur, Silchar, Sirohi, Solapur, Tensa, Thane, Tonk, Tumakuru, Tumidih, Udupi, Vatva, vellore as data was not available. # Some stations have data available at 3PM

\* AQI is not calculated for today's bulletin for Banswara, Baripada,

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Faridabad	Poor	214	PM <sub>2.5</sub>	4
62	Fatehabad	Moderate	153	PM <sub>10</sub>	1
63	Firozabad	Satisfactory	86	PM <sub>10</sub>	2
64	Gadag	Satisfactory	90	O <sub>3</sub>	1
65	Gandhinagar	Poor	210	PM <sub>2.5</sub> , PM <sub>10</sub>	3
66	Gangtok	Good	49	PM <sub>10</sub>	1
67	Gaya	Moderate	139	PM <sub>10</sub> , PM <sub>2.5</sub>	3
68	Ghaziabad	Moderate	130	PM <sub>10</sub>	4
69	Gorakhpur	Moderate	109	PM <sub>10</sub>	1
70	Greater Noida	Moderate	152	PM <sub>10</sub>	2
71	Gummidipoondi	Moderate	140	PM <sub>2.5</sub>	1
72	Gurugram	Moderate	152	PM <sub>2.5</sub>	4

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

\* AQI is not calculated for today's bulletin for Banswara, Baripada, Notes: Bikaner, Buxar, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dholpur, Ernakulam, Hanumangarh, Imphal, Jind, Kalyar Kochi, Kollam, Kunjemura, Milupara, Motihari, Naharlagun, Nandesari, Pali, Salem, Sawai Madhopur, Silchar, Sirohi, Solapur, Tensa, Thane, Tonk, Tumakuru, Tumidih, Udupi, Vatva, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Guwahati	Poor	234	PM <sub>2.5</sub>	4
74	Gwalior	Moderate	192	PM <sub>2.5</sub>	2
75	Hajipur	Poor	233	PM <sub>10</sub>	1
76	Haldia	Satisfactory	94	PM <sub>10</sub>	1
77	Hapur	Satisfactory	60	O <sub>3</sub>	1
78	Hassan	Satisfactory	88	PM <sub>10</sub>	1
79	Haveri	Moderate	122	PM <sub>10</sub>	1
80	Hisar	Moderate	143	PM <sub>10</sub>	1
81	Hosur	Moderate	168	PM <sub>2.5</sub>	1
82	Howrah	Moderate	172	PM <sub>2.5</sub>	3
83	Hubballi	Moderate	129	PM <sub>10</sub>	2
84	Hyderabad	Moderate	105	PM <sub>2.5</sub> , PM <sub>10</sub>	13

#### Possible Health Impacts

#### Good Minimal Impact Minor breathing discomfort to sensitive people Satisfactory Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Banswara, Baripada, Notes:

Bikaner, Buxar, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dholpur, Ernakulam, Hanumangarh, Imphal, Jind, Kalyar Kochi, Kollam, Kunjemura, Milupara, Motihari, Naharlagun, Nandesari, Pali, Salem, Sawai Madhopur, Silchar, Sirohi, Solapur, Tensa, Thane, Tonk, Tumakuru, Tumidih, Udupi, Vatva, vellore as data was not available. # Some stations have data available at 3PM

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Indore	Moderate	101	NO <sub>2</sub>	1
86	Jabalpur	Moderate	194	PM <sub>10</sub>	1
87	Jaipur	Moderate	114	PM <sub>2.5</sub> , PM <sub>10</sub>	3
88	Jalandhar	Moderate	105	PM <sub>10</sub>	1
89	Jhansi	Moderate	120	PM <sub>10</sub>	1
90	Jodhpur	Moderate	157	O <sub>3</sub> , PM <sub>10</sub>	2
91	Jorapokhar	Moderate	149	PM <sub>10</sub>	1
92	Kadapa	Moderate	145	PM <sub>2.5</sub>	1
93	Kaithal	Satisfactory	91	PM <sub>10</sub>	1
94	Kalaburgi	Moderate	142	PM <sub>2.5</sub>	1
95	Kanchipuram	Moderate	106	PM <sub>10</sub>	1
96	Kannur	Satisfactory	58	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

\* AQI is not calculated for today's bulletin for Banswara, Baripada, Notes: Bikaner, Buxar, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dholpur, Ernakulam, Hanumangarh, Imphal, Jind, Kalyar Kochi, Kollam, Kunjemura, Milupara, Motihari, Naharlagun, Nandesari, Pali, Salem, Sawai Madhopur, Silchar, Sirohi, Solapur, Tensa, Thane, Tonk, Tumakuru, Tumidih, Udupi, Vatva, vellore as data was not available. # Some stations have data available at 3PM

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kanpur	Satisfactory	89	PM <sub>10</sub>	3
98	Karnal	Satisfactory	57	PM <sub>10</sub>	1
99	Kashipur	Satisfactory	96	PM <sub>10</sub>	1
100	Katihar	Poor	290	PM <sub>10</sub>	1
101	Katni	Moderate	181	PM <sub>10</sub>	1
102	Keonjhar	Moderate	140	PM <sub>2.5</sub>	1
103	Khanna	Satisfactory	54	PM <sub>10</sub>	1
104	Khurja	Satisfactory	92	PM <sub>2.5</sub>	1
105	Kishanganj	Poor	222	PM <sub>10</sub>	1
106	Kohima	Moderate	128	PM <sub>2.5</sub>	1
107	Kolar	Moderate	169	SO <sub>2</sub>	1
108	Kolkata	Moderate	129	PM <sub>2.5</sub>	7

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Banswara, Baripada,

Notes: Bikaner, Buxar, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dholpur, Ernakulam, Hanumangarh, Imphal, Jind, Kalyar Kochi, Kollam, Kunjemura, Milupara, Motihari, Naharlagun, Nandesari, Pali, Salem, Sawai Madhopur, Silchar, Sirohi, Solapur, Tensa, Thane, Tonk, Tumakuru, Tumidih, Udupi, Vatva, vellore as data was not available. # Some stations have data available at 3PM

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Koppal	Satisfactory	88	PM <sub>10</sub>	1
110	Korba	Satisfactory	82	PM <sub>10</sub>	2
111	Kota	Poor	270	PM <sub>2.5</sub>	3
112	Kozhikode	Satisfactory	87	NH <sub>3</sub>	1
113	Kurukshetra	Satisfactory	82	PM <sub>2.5</sub>	1
114	Lucknow	Moderate	124	PM <sub>2.5</sub>	6
115	Ludhiana	Moderate	107	PM <sub>10</sub>	1
116	Madikeri	Satisfactory	60	O <sub>3</sub>	1
117	Maihar	Good	41	PM <sub>10</sub>	1
118	Mandi Gobindgarh	Moderate	150	PM <sub>2.5</sub>	1
119	Mandideep	Moderate	192	PM <sub>10</sub>	1
120	Mandikhera	Satisfactory	82	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Banswara, Baripada,

Notes: Bikaner, Buxar, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dholpur, Ernakulam, Hanumangarh, Imphal, Jind, Kalyar Kochi, Kollam, Kunjemura, Milupara, Motihari, Naharlagun, Nandesari, Pali, Salem, Sawai Madhopur, Silchar, Sirohi, Solapur, Tensa, Thane, Tonk, Tumakuru, Tumidih, Udupi, Vatva, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Manesar	Moderate	123	PM <sub>10</sub>	1
122	Mangalore	Moderate	124	PM <sub>10</sub>	1
123	Manguraha	Poor	234	PM <sub>2.5</sub>	1
124	Meerut	Moderate	136	PM <sub>10</sub>	3
125	Moradabad	Moderate	131	PM <sub>2.5</sub>	6
126	Mumbai	Poor	262	PM <sub>2.5</sub> , NO <sub>2</sub>	19
127	Munger	Moderate	181	PM <sub>10</sub>	1
128	Muzaffarnagar	Moderate	124	PM <sub>10</sub>	1
129	Muzaffarpur	Moderate	192	PM <sub>2.5</sub>	3
130	Mysuru	Good	49	03	1
131	Nagaon	Poor	248	PM <sub>2.5</sub>	1
132	Nagpur	Poor	273	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Banswara, Baripada, Notes: Bikaner, Buxar, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dholpur, Ernakulam, Hanumangarh, Imphal, Jind, Kalyar Kochi, Kollam, Kunjemura, Milupara, Motihari, Naharlagun, Nandesari, Pali, Salem, Sawai Madhopur, Silchar, Sirohi, Solapur, Tensa, Thane, Tonk, Tumakuru, Tumidih, Udupi, Vatva, vellore as data was not available. # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Nalbari	Moderate	190	PM <sub>10</sub>	1
134	Narnaul	Moderate	113	PM <sub>10</sub>	1
135	Nashik	Moderate	113	PM <sub>2.5</sub>	1
136	Navi Mumbai	Very Poor	318	PM <sub>2.5</sub>	3
137	Nayagarh	Poor	290	PM <sub>10</sub>	1
138	Noida	Moderate	134	PM <sub>10</sub>	4
139	Ooty	Good	47	SO <sub>2</sub>	1
140	Palwal	Satisfactory	61	PM <sub>10</sub>	1
141	Panchkula	Satisfactory	75	PM <sub>2.5</sub>	1
142	Panipat	Satisfactory	88	PM <sub>10</sub>	1
143	Patiala	Satisfactory	74	PM <sub>10</sub>	1
144	Patna	Poor	210	PM <sub>2.5</sub>	6

## Possible Health Impacts

Good
Satisfactory
Moderate
Poor
Very Poor
Severe
Moderate Poor Very Poor

- \* AQI is not calculated for today's bulletin for Banswara, Baripada, Notes: Bikaner, Buxar, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dholpur, Ernakulam, Hanumangarh, Imphal, Jind, Kalyar Kochi, Kollam, Kunjemura, Milupara, Motihari, Naharlagun, Nandesari, Pali, Salem, Sawai Madhopur, Silchar, Sirohi, Solapur, Tensa, Thane, Tonk, Tumakuru, Tumidih, Udupi, Vatva, vellore as data was not available. # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Pithampur	Moderate	142	PM <sub>10</sub>	1
146	Prayagraj	Satisfactory	100	O <sub>3</sub> , PM <sub>10</sub>	3
147	Puducherry	Satisfactory	79	PM <sub>10</sub>	1
148	Pune	Moderate	188	PM <sub>2.5</sub> , PM <sub>10</sub>	4
149	Purnia	Poor	217	PM <sub>2.5</sub>	1
150	Raichur	Moderate	140	PM <sub>10</sub>	1
151	Raipur	Moderate	119	NO <sub>2</sub> , PM <sub>10</sub>	4
152	Rairangpur	Moderate	192	PM <sub>2.5</sub>	1
153	Rajamahendravaram	Poor	202	PM <sub>2.5</sub>	1
154	Rajgir	Moderate	112	PM <sub>10</sub>	1
155	Ramanagara	Satisfactory	99	PM <sub>10</sub>	1
156	Ramanathapuram	Satisfactory	60	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

\* AQI is not calculated for today's bulletin for Banswara, Baripada, Notes: Bikaner, Buxar, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dholpur, Ernakulam, Hanumangarh, Imphal, Jind, Kalyar Kochi, Kollam, Kunjemura, Milupara, Motihari, Naharlagun, Nandesari, Pali, Salem, Sawai Madhopur, Silchar, Sirohi, Solapur, Tensa, Thane, Tonk, Tumakuru, Tumidih, Udupi, Vatva, vellore as data was not available. # Some stations have data available at 3PM

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Ratlam	Moderate	125	PM <sub>10</sub>	1
158	Rishikesh	Satisfactory	54	PM <sub>10</sub>	1
159	Rohtak	Satisfactory	57	PM <sub>2.5</sub>	1
160	Rourkela	Poor	205	PM <sub>10</sub>	3
161	Rupnagar	Satisfactory	92	PM <sub>10</sub>	1
162	Sagar	Satisfactory	86	O <sub>3</sub> , CO	2
163	Saharsa	Poor	278	PM <sub>2.5</sub>	1
164	Samastipur	Poor	256	PM <sub>10</sub>	1
165	Sasaram	Moderate	104	PM <sub>10</sub>	1
166	Satna	Satisfactory	85	PM <sub>10</sub>	1
167	Shillong	Poor	210	PM <sub>2.5</sub>	1
168	Shivamogga	Satisfactory	82	03	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

# \* AQI is not calculated for today's bulletin for Banswara, Baripada, Notes: Bikaner, Buxar, Chhal, Chittorgarh, Churu, Coimbatore, Darbhang

Bikaner, Buxar, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dholpur, Ernakulam, Hanumangarh, Imphal, Jind, Kalyar Kochi, Kollam, Kunjemura, Milupara, Motihari, Naharlagun, Nandesari, Pali, Salem, Sawai Madhopur, Silchar, Sirohi, Solapur, Tensa, Thane, Tonk, Tumakuru, Tumidih, Udupi, Vatva, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Siliguri	Moderate	115	PM <sub>10</sub>	1
170	Singrauli	Moderate	167	PM <sub>2.5</sub>	1
171	Sirsa	Satisfactory	78	PM <sub>10</sub>	1
172	Sivasagar	Satisfactory	63	PM <sub>2.5</sub>	1
173	Siwan	Moderate	189	PM <sub>2.5</sub>	1
174	Sonipat	Moderate	115	PM <sub>10</sub>	1
175	Srinagar	Good	40	PM <sub>10</sub>	1
176	Suakati	Moderate	187	PM <sub>2.5</sub>	1
177	Surat	Poor	259	PM <sub>2.5</sub>	1
178	Talcher	Poor	202	PM <sub>2.5</sub>	1
179	Thiruvananthapuram	Satisfactory	63	PM <sub>10</sub> , PM <sub>2.5</sub>	2
180	Thoothukudi	Satisfactory	54	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Banswara, Baripada,

Notes: Bikaner, Buxar, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dholpur, Ernakulam, Hanumangarh, Imphal, Jind, Kalyar Kochi, Kollam, Kunjemura, Milupara, Motihari, Naharlagun, Nandesari, Pali, Salem, Sawai Madhopur, Silchar, Sirohi, Solapur, Tensa, Thane, Tonk, Tumakuru, Tumidih, Udupi, Vatva, vellore as data was not available. # Some stations have data available at 3PM

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Thrissur	Moderate	151	PM <sub>2.5</sub>	1
182	Tirupati	Moderate	124	PM <sub>2.5</sub> , NO <sub>2</sub>	2
183	Tirupur	Satisfactory	89	PM <sub>10</sub>	1
184	Udaipur	Moderate	144	PM <sub>10</sub>	1
185	Ujjain	Moderate	174	PM <sub>2.5</sub>	1
186	Vapi	Very Poor	338	PM <sub>2.5</sub>	1
187	Varanasi	Satisfactory	54	PM <sub>10</sub> , SO <sub>2</sub>	4
188	Vijayapura	Good	46	PM <sub>10</sub>	1
189	Vijayawada	Poor	212	PM <sub>2.5</sub>	1
190	Visakhapatnam	Poor	248	PM <sub>10</sub>	1
191	Vrindavan	Moderate	141	PM <sub>10</sub>	1
192	Yadgir	Moderate	105	PM <sub>10</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

# \* AQI is not calculated for today's bulletin for Banswara, Baripada, Notes: Bikaner, Buxar, Chhal, Chittorgarh, Churu, Coimbatore, Darbhang

Bikaner, Buxar, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dholpur, Ernakulam, Hanumangarh, Imphal, Jind, Kalyar Kochi, Kollam, Kunjemura, Milupara, Motihari, Naharlagun, Nandesari, Pali, Salem, Sawai Madhopur, Silchar, Sirohi, Solapur, Tensa, Thane, Tonk, Tumakuru, Tumidih, Udupi, Vatva, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Yamunanagar	Moderate	103	PM <sub>10</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

# \* AQI is not calculated for today's bulletin for Banswara, Baripada, Notes: Bikaner, Buxar, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa,

Davanagere, Dharwad, Dholpur, Ernakulam, Hanumangarh, Imphal, Jind, Kalyar Kochi, Kollam, Kunjemura, Milupara, Motihari, Naharlagun, Nandesari, Pali, Salem, Sawai Madhopur, Silchar, Sirohi, Solapur, Tensa, Thane, Tonk, Tumakuru, Tumidih, Udupi, Vatva, vellore as data was not available.

# Some stations have data available at 3PM

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.