

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	119	PM _{2.5}	1
2	Agra	Very Poor	355	PM _{2.5}	1
3	Ahmedabad	Satisfactory	90	NO ₂	1
4	Aizawl	Good	39	PM _{2.5}	1
5	Ajmer	Moderate	110	PM ₁₀	1
6	Alwar	Moderate	121	PM ₁₀	1
7	Amaravati	Satisfactory	84	PM _{2.5}	1
8	Ambala	Moderate	116	PM ₁₀	1
9	Amritsar	Satisfactory	76	PM _{2.5}	1
10	Ankleshwar	Satisfactory	94	PM ₁₀	1
11	Asansol	Very Poor	313	PM _{2.5}	1
12	Aurangabad	Satisfactory	87	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhiwadi, Chamarajanagar, Coimbatore, Dharuhera, Nagpur, Ramanagara, Rupnagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Satisfactory	79	NO ₂	1
14	Baghpat	Poor	292	PM _{2.5}	1
15	Bahadurgarh	Poor	206	PM _{2.5}	1
16	Ballabgarh	Moderate	194	PM _{2.5}	1
17	Bathinda	Satisfactory	96	PM ₁₀	1
18	Bengaluru	Satisfactory	81	PM _{2.5} , PM ₁₀	9
19	Bhiwani	Moderate	111	PM ₁₀	1
20	Bhopal	Moderate	143	PM _{2.5}	1
21	Brajrajnagar	Moderate	125	PM _{2.5}	1
22	Bulandshahr	Very Poor	336	PM _{2.5}	1
23	Chandigarh	Satisfactory	83	PM ₁₀	1
24	Chandrapur	Moderate	133	PM ₁₀	2

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhiwadi, Chamarajanagar, Coimbatore, Dharuhera, Nagpur, Ramanagara, Rupnagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Poor	228	PM _{2.5}	1
26	Chennai	Satisfactory	94	PM _{2.5} , PM ₁₀	7
27	Chikkaballapur	Good	48	PM ₁₀	1
28	Chikkamagaluru	Satisfactory	53	03	1
29	Damoh	Moderate	121	PM ₁₀	1
30	Delhi	Poor	295	PM _{2.5}	35
31	Dewas	Satisfactory	97	PM ₁₀	1
32	Eloor	Good	36	со	1
33	Ernakulam	Satisfactory	56	со	1
34	Faridabad	Poor	290	PM _{2.5} , PM ₁₀	4
35	Fatehabad	Moderate	175	PM _{2.5}	1
36	Gandhinagar	Satisfactory	84	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhiwadi, Chamarajanagar, Coimbatore, Dharuhera, Nagpur, Ramanagara, Rupnagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gaya	Moderate	132	PM _{2.5}	2
38	Ghaziabad	Very Poor	347	PM _{2.5}	3
39	Greater Noida	Very Poor	330	PM _{2.5}	2
40	Gurugram	Poor	256	PM _{2.5}	4
41	Guwahati	Moderate	198	PM _{2.5}	1
42	Gwalior	Poor	218	PM _{2.5}	1
43	Hajipur	Moderate	138	PM ₁₀	1
44	Hapur	Moderate	114	PM ₁₀	1
45	Hisar	Poor	213	PM _{2.5}	1
46	Howrah	Poor	231	PM _{2.5}	3
47	Hubballi	Satisfactory	83	PM ₁₀	1
48	Hyderabad	Satisfactory	96	PM ₁₀ , PM _{2.5}	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhiwadi, Chamarajanagar, Coimbatore, Dharuhera, Nagpur, Ramanagara, Rupnagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Indore	Moderate	113	PM _{2.5}	1
50	Jabalpur	Moderate	139	PM ₁₀	1
51	Jaipur	Moderate	152	PM _{2.5} , PM ₁₀	3
52	Jalandhar	Moderate	112	PM ₁₀	1
53	Jind	Moderate	131	PM _{2.5}	1
54	Jodhpur	Moderate	143	PM _{2.5}	1
55	Jorapokhar	Satisfactory	99	PM ₁₀	1
56	Kaithal	Satisfactory	97	PM ₁₀	1
57	Kalaburgi	Satisfactory	64	PM ₁₀	1
58	Kalyan	Poor	258	PM _{2.5}	1
59	Kannur	Satisfactory	60	PM ₁₀	1
60	Kanpur	Very Poor	390	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhiwadi, Chamarajanagar, Coimbatore, Dharuhera, Nagpur, Ramanagara, Rupnagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Karnal	Satisfactory	75	PM _{2.5}	1
62	Katni	Poor	246	PM ₁₀	1
63	Khanna	Moderate	103	PM ₁₀	1
64	Kochi	Good	42	PM ₁₀	1
65	Kohima	Satisfactory	92	PM ₁₀	1
66	Kolkata	Poor	251	PM _{2.5}	7
67	Kollam	Satisfactory	95	PM _{2.5}	1
68	Kota	Moderate	136	PM _{2.5}	1
69	Kozhikode	Satisfactory	65	со	1
70	Kurukshetra	Moderate	163	PM _{2.5}	1
71	Lucknow	Very Poor	312	PM _{2.5} , PM ₁₀	3
72	Ludhiana	Satisfactory	97	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhiwadi, Chamarajanagar, Coimbatore, Dharuhera, Nagpur, Ramanagara, Rupnagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Maihar	Satisfactory	63	со	1
74	Mandi Gobindgarh	Moderate	157	PM _{2.5}	1
75	Mandideep	Moderate	191	PM ₁₀	1
76	Mandikhera	Moderate	141	PM _{2.5}	1
77	Manesar	Poor	288	PM _{2.5}	1
78	Medikeri	Good	47	03	1
79	Meerut	Very Poor	302	PM _{2.5}	3
80	Moradabad	Poor	296	PM _{2.5}	1
81	Mumbai	Moderate	151	PM _{2.5}	15
82	Muzaffarnagar	Poor	272	PM _{2.5}	1
83	Muzaffarpur	Poor	261	PM _{2.5} , PM ₁₀	2
84	Mysuru	Satisfactory	61	03	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Bhiwadi, Chamarajanagar, Coimbatore, Dharuhera, Nagpur, Ramanagara, Rupnagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Nandesari	Satisfactory	100	со	1
86	Narnaul	Poor	260	PM _{2.5}	1
87	Nashik	Moderate	136	PM _{2.5}	1
88	Navi Mumbai	Moderate	179	PM _{2.5}	3
89	Noida	Very Poor	324	PM _{2.5}	4
90	Pali	Moderate	104	PM ₁₀	1
91	Palwal	Moderate	158	PM ₁₀	1
92	Panchkula	Satisfactory	90	PM _{2.5}	1
93	Panipat	Poor	215	PM ₁₀	1
94	Patiala	Moderate	105	PM ₁₀	1
95	Patna	Poor	267	PM _{2.5} , PM ₁₀	6
96	Pithampur	Moderate	119	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Bhiwadi, Chamarajanagar, Coimbatore, Dharuhera, Nagpur, Ramanagara, Rupnagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Pune	Moderate	101	PM _{2.5}	3
98	Rajamahendravaram	Moderate	173	PM _{2.5}	1
99	Ratlam	Satisfactory	80	PM _{2.5}	1
100	Rohtak	Moderate	184	PM _{2.5}	1
101	Sagar	Moderate	102	PM _{2.5}	1
102	Satna	Satisfactory	86	PM ₁₀	1
103	Shillong	Good	29	PM _{2.5}	1
104	Shivamogga	Satisfactory	61	03	1
105	Siliguri	Moderate	180	PM _{2.5}	1
106	Singrauli	Poor	240	PM ₁₀	1
107	Sirsa	Satisfactory	96	NO ₂	1
108	Solapur	Satisfactory	89	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Bhiwadi, Chamarajanagar, Coimbatore, Dharuhera, Nagpur, Ramanagara, Rupnagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Sonipat	Poor	203	PM ₁₀	1
110	Talcher	Moderate	119	PM ₁₀	1
111	Thane	Moderate	163	PM ₁₀	1
112	Thiruvananthapuram	Satisfactory	62	PM ₁₀ , CO	2
113	Thoothukudi	Satisfactory	58	03	1
114	Thrissur	Satisfactory	59	PM _{2.5}	1
115	Tirupati	Satisfactory	66	PM _{2.5}	1
116	Udaipur	Moderate	120	PM ₁₀	1
117	Ujjain	Moderate	145	PM _{2.5}	1
118	Vapi	Moderate	167	PM _{2.5}	1
119	Varanasi	Very Poor	313	PM _{2.5}	1
120	Vatva	Moderate	137	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Bhiwadi, Chamarajanagar, Coimbatore, Dharuhera, Nagpur, Ramanagara, Rupnagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Vijayapura	Satisfactory	61	СО	1
122	Visakhapatnam	Poor	279	PM _{2.5}	1
123	Yadgir	Satisfactory	79	O ₃	1
124	Yamunanagar	Poor	217	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhiwadi, Chamarajanagar, Coimbatore, Dharuhera, Nagpur, Ramanagara, Rupnagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.