Air Quality Index on Aug 30, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Satisfactory	72	CO	1
2	Ahmedabad	Satisfactory	58	PM_{10}	1
3	Ajmer	Good	43	CO	1
4	Alwar	Satisfactory	60	PM_{10}	1
5	Amaravati	Good	35	O_3	1
6	Ambala	Good	48	PM_{10}	1
7	Amritsar	Satisfactory	72	O_3	1
8	Asansol	Good	38	PM_{10}	1
9	Aurangabad	Good	35	CO	1
10	Bagalkot	Good	31	PM_{10}	1
11	Baghpat	Satisfactory	61	PM_{10}	1
12	Bahadurgarh	Satisfactory	73	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

Air Quality Index on Aug 30, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bathinda	Good	46	PM_{10}	1
14	Bengaluru	Satisfactory	57	$PM_{2.5}$, PM_{10}, CO	8
15	Bhiwadi	Satisfactory	83	PM_{10}	1
16	Bhiwani	Good	49	PM_{10}	1
17	Bhopal	Good	26	O_3	1
18	Brajrajnagar	Good	36	$PM_{2.5}$	1
19	Bulandshahr	Satisfactory	65	PM_{10}	1
20	Chandigarh	Good	31	PM_{10}	1
21	Chandrapur	Good	24	O_3, PM_{10}	2
22	Chennai	Satisfactory	68	CO, O_3, $PM_{2.5}$	4
23	Chikkaballapur	Satisfactory	60	PM_{10}	1
24	Chikkamagaluru	Good	35	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Ballabgarh, Charkhi Dadri, Coimbatore, Kollam, Meerut, Mysuru, Nagpur, Nandesari, Narnaul, Nashik, Ratlam, Rupnagar, Shillong, Solapur, Vapi, Yadgir as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Aug 30, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Damoh	Good	18	NO_2	1
26	Delhi	Satisfactory	70	PM_{10}	32
27	Dewas	Good	26	PM_{10}	1
28	Dharuhera	Satisfactory	56	CO	1
29	Eloor	Satisfactory	69	PM_{10}	1
30	Ernakulam	Satisfactory	90	CO	1
31	Faridabad	Satisfactory	82	PM_{10}	2
32	Fatehabad	Satisfactory	57	$PM_{2.5}$	1
33	Gandhinagar	Good	38	PM_{10}	1
34	Gaya	Satisfactory	53	PM_{10}	1
35	Ghaziabad	Satisfactory	71	PM_{10}	3
36	Greater Noida	Satisfactory	80	PM_{10}	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Ballabgarh, Charkhi Dadri, Coimbatore, Kollam, Meerut, Mysuru, Nagpur, Nandesari, Narnaul, Nashik, Ratlam, Rupnagar, Shillong, Solapur, Vapi, Yadgir as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Aug 30, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gurugram	Satisfactory	54	PM_{10}, $PM_{2.5}$	4
38	Guwahati	Good	45	PM_{10}	1
39	Gwalior	Good	28	$PM_{2.5}$	1
40	Hajipur	Satisfactory	66	PM_{10}	1
41	Hapur	Good	39	PM_{10}	1
42	Hisar	Satisfactory	70	$PM_{2.5}$	1
43	Howrah	Satisfactory	66	PM_{10}, $PM_{2.5}$	2
44	Hubballi	Good	32	PM_{10}	1
45	Hyderabad	Good	35	CO, NO_2, PM_{10}	6
46	Indore	Good	37	O_3	1
47	Jabalpur	Good	27	O_3	1
48	Jaipur	Good	36	PM_{10}, CO	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Ballabgarh, Charkhi Dadri, Coimbatore, Kollam, Meerut, Mysuru, Nagpur, Nandesari, Narnaul, Nashik, Ratlam, Rupnagar, Shillong, Solapur, Vapi, Yadgir as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Aug 30, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jalandhar	Satisfactory	74	PM_{10}	1
50	Jind	Satisfactory	74	CO	1
51	Jodhpur	Satisfactory	71	PM_{10}	1
52	Jorapokhar	Good	31	PM_{10}	1
53	Kaithal	Satisfactory	58	PM_{10}	1
54	Kalaburgi	Good	6	PM_{10}	1
55	Kalyan	Good	26	$PM_{2.5}$	1
56	Kannur	Good	21	PM_{10}	1
57	Kanpur	Satisfactory	63	O_3	1
58	Karnal	Good	40	$PM_{2.5}$	1
59	Katni	Good	30	O_3	1
60	Khanna	Satisfactory	71	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Ballabgarh, Charkhi Dadri, Coimbatore, Kollam, Meerut, Mysuru, Nagpur, Nandesari, Narnaul, Nashik, Ratlam, Rupnagar, Shillong, Solapur, Vapi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Aug 30, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kochi	Satisfactory	86	CO	1
62	Kolkata	Satisfactory	54	PM_{10}, O_3	4
63	Kota	Good	40	O_3	1
64	Kozhikode	Good	7	NO_2	1
65	Kurukshetra	Good	41	PM_{10}	1
66	Lucknow	Satisfactory	65	CO, PM_{10}, $PM_{2.5}$	4
67	Ludhiana	Moderate	107	PM_{10}	1
68	Maihar	Good	19	CO	1
69	Mandi Gobindgarh	Good	30	$PM_{2.5}$	1
70	Mandideep	Good	47	O_3	1
71	Mandikhera	Good	47	PM_{10}	1
72	Manesar	Satisfactory	66	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Ballabgarh, Charkhi Dadri, Coimbatore, Kollam, Meerut, Mysuru, Nagpur, Nandesari, Narnaul, Nashik, Ratlam, Rupnagar, Shillong, Solapur, Vapi, Yadgir as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Aug 30, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Moradabad	Good	38	PM_{10}	1
74	Mumbai	Good	28	CO, PM_{10}, $PM_{2.5}$	9
75	Muzaffarnagar	Satisfactory	57	PM_{10}	1
76	Muzaffarpur	Satisfactory	92	PM_{10}, O_3	2
77	Navi Mumbai	Good	43	CO	1
78	Noida	Satisfactory	62	PM_{10}	2
79	Pali	Satisfactory	59	PM_{10}	1
80	Palwal	Good	50	PM_{10}	1
81	Panchkula	Good	33	$PM_{2.5}$	1
82	Panipat	Satisfactory	93	PM_{10}	1
83	Patiala	Good	42	CO	1
84	Patna	Satisfactory	57	PM_{10}, $PM_{2.5}$, O_3	5

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Ballabgarh, Charkhi Dadri, Coimbatore, Kollam, Meerut, Mysuru, Nagpur, Nandesari, Narnaul, Nashik, Ratlam, Rupnagar, Shillong, Solapur, Vapi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Aug 30, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Pithampur	Good	19	O_3	1
86	Pune	Satisfactory	57	CO	1
87	Rajamahendravaram	Satisfactory	55	O_3	1
88	Ramanagara	Good	28	SO_2	1
89	Rohtak	Good	48	$PM_{2.5}$	1
90	Sagar	Good	20	CO	1
91	Satna	Satisfactory	56	PM_{10}	1
92	Siliguri	Good	41	PM_{10}	1
93	Singrauli	Good	27	O_3	1
94	Sirsa	Good	47	O_3	1
95	Sonipat	Satisfactory	90	PM_{10}	1
96	Talcher	Moderate	108	CO	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Ballabgarh, Charkhi Dadri, Coimbatore, Kollam, Meerut, Mysuru, Nagpur, Nandesari, Narnaul, Nashik, Ratlam, Rupnagar, Shillong, Solapur, Vapi, Yadgir as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Aug 30, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Thane	Good	40	PM_{10}	1
98	Thiruvananthapuram	Satisfactory	52	PM_{10}	2
99	Tirupati	Good	44	$PM_{2.5}$	1
100	Udaipur	Good	34	PM_{10}	1
101	Ujjain	Good	33	O_3	1
102	Varanasi	Satisfactory	76	PM_{10}	1
103	Vatva	Satisfactory	82	$PM_{2.5}$	1
104	Vijayapura	Good	50	O_3	1
105	Visakhapatnam	Satisfactory	97	PM_{10}	1
106	Yamunanagar	Satisfactory	84	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Ballabgarh, Charkhi Dadri, Coimbatore, Kollam, Meerut, Mysuru, Nagpur, Nandesari, Narnaul, Nashik, Ratlam, Rupnagar, Shillong, Solapur, Vapi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.