Air Quality Index on Apr 21, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	175	$PM_{2.5}$	1
2	Agra	Satisfactory	62	PM_{10}	6
3	Ahmedabad	Moderate	119	PM_{10}, $PM_{2.5}$	8
4	Aizawl	Satisfactory	79	PM_{10}	1
5	Ajmer	Moderate	128	PM_{10}	1
6	Alwar	Satisfactory	89	PM_{10}	1
7	Amaravati	Satisfactory	92	PM_{10}	1
8	Ambala	Good	35	O_3	1
9	Amritsar	Satisfactory	63	$PM_{2.5}$	1
10	Anantapur	Satisfactory	59	PM_{10}	1
11	Ankleshwar	Moderate	119	CO	1
12	Araria	Moderate	157	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Belgaum, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Chittoor, Chittorgarh, Darbhanga, Davanagere, Dindigul, Eloor, Ernakulam, Gadag, Hisar, Imphal, Jabalpur, Kadapa, Kannur, Kashipur, Kolar, Kollam, Kozhikode, Madikeri, Naharlagun, Palkalaiperur, Raichur, Salem, Shillong, Sirohi, Sonipat, Surat, Thane, Ujjain, Vijayawada, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 21, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Satisfactory	52	PM_{10}	1
14	Arrah	Moderate	180	PM_{10}	1
15	Asansol	Moderate	138	PM_{10}	1
16	Aurangabad (Bihar)	Moderate	127	PM_{10}	1
17	Aurangabad (Maharashtra)	Satisfactory	99	PM_{10}	1
18	Baddi	Moderate	156	O_3	1
19	Bagalkot	Good	46	PM_{10}	1
20	Bahadurgarh	Moderate	108	PM_{10}	1
21	Ballabgarh	Satisfactory	92	PM_{10}	1
22	Banswara	Moderate	127	PM_{10}	1
23	Bareilly	Good	49	PM_{10}	2
24	Baripada	Moderate	119	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Belgaum, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Chittoor, Chittorgarh, Darbhanga, Davanagere, Dindigul, Eloor, Ernakulam, Gadag, Hisar, Imphal, Jabalpur, Kadapa, Kannur, Kashipur, Kolar, Kollam, Kozhikode, Madikeri, Naharlagun, Palkalaiperur, Raichur, Salem, Shillong, Sirohi, Sonipat, Surat, Thane, Ujjain, Vijayawada, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 21, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Barmer	Moderate	107	PM_{10}	1
26	Bathinda	Moderate	161	PM_{10}	1
27	Begusarai	Poor	288	PM_{10}	1
28	Bengaluru	Satisfactory	92	PM_{10}	13
29	Bettiah	Poor	288	PM_{10}	1
30	Bhagalpur	Poor	246	PM_{10}	2
31	Bharatpur	Moderate	138	PM_{10}	1
32	Bhilai	Good	37	PM_{10}	3
33	Bhiwadi	Moderate	166	PM_{10}	1
34	Bhiwani	Moderate	127	PM_{10}	1
35	Bhopal	Satisfactory	90	PM_{10}	3
36	Bidar	Satisfactory	51	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Belgaum, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Chittoor, Chittorgarh, Darbhanga, Davanagere, Dindigul, Eloor, Ernakulam, Gadag, Hisar, Imphal, Jabalpur, Kadapa, Kannur, Kashipur, Kolar, Kollam, Kozhikode, Madikeri, Naharlagun, Palkalaiperur, Raichur, Salem, Shillong, Sirohi, Sonipat, Surat, Thane, Ujjain, Vijayawada, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 21, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bihar Sharif	Moderate	136	PM_{10}	1
38	Bikaner	Moderate	185	PM_{10}	1
39	Bileipada	Moderate	168	PM_{10}	1
40	Bulandshahr	Moderate	101	PM_{10}	1
41	Byrnihat	Satisfactory	81	$PM_{2.5}$	1
42	Chamarajanagar	Good	44	PM_{10}	1
43	Chandigarh	Satisfactory	84	O_3, PM_{10}	3
44	Chandrapur	Satisfactory	100	PM_{10}	1
45	Charkhi Dadri	Moderate	197	$PM_{2.5}$	1
46	Chennai	Satisfactory	73	CO	6
47	Chhal	Satisfactory	74	PM_{10}	1
48	Chhapra	Poor	290	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Belgaum, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Chittoor, Chittorgarh, Darbhanga, Davanagere, Dindigul, Eloor, Ernakulam, Gadag, Hisar, Imphal, Jabalpur, Kadapa, Kannur, Kashipur, Kolar, Kollam, Kozhikode, Madikeri, Naharlagun, Palkalaiperur, Raichur, Salem, Shillong, Sirohi, Sonipat, Surat, Thane, Ujjain, Vijayawada, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 21, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chikkaballapur	Satisfactory	97	PM_{10}	1
50	Churu	Moderate	151	PM_{10}	1
51	Coimbatore	Satisfactory	92	$PM_{2.5}$	1
52	Cuddalore	Satisfactory	76	NO_2	2
53	Damoh	Good	16	CO	1
54	Dausa	Poor	206	PM_{10}	1
55	Dehradun	Moderate	118	CO	1
56	Delhi	Moderate	129	O_3, NO_2	39
57	Dewas	Moderate	121	PM_{10}	1
58	Dhanbad	Moderate	170	$PM_{2.5}$	1
59	Dharuhera	Very Poor	301	$PM_{2.5}$	1
60	Dharwad	Satisfactory	98	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Belgaum, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Chittoor, Chittorgarh, Darbhanga, Davanagere, Dindigul, Eloor, Ernakulam, Gadag, Hisar, Imphal, Jabalpur, Kadapa, Kannur, Kashipur, Kolar, Kollam, Kozhikode, Madikeri, Naharlagun, Palkalaiperur, Raichur, Salem, Shillong, Sirohi, Sonipat, Surat, Thane, Ujjain, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 21, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dholpur	Satisfactory	94	O_3	1
62	Durgapur	Moderate	147	PM_{10}	1
63	Faridabad	Moderate	127	$PM_{2.5}$	3
64	Fatehabad	Moderate	153	PM_{10}	1
65	Firozabad	Satisfactory	65	PM_{10}	2
66	Gandhinagar	Moderate	145	$PM_{2.5}$, PM_{10}	3
67	Gangtok	Satisfactory	52	O_3	1
68	Gaya	Moderate	115	PM_{10}, $PM_{2.5}$	3
69	Ghaziabad	Moderate	133	O_3	4
70	Gorakhpur	Satisfactory	76	PM_{10}	1
71	Greater Noida	Moderate	160	O_3	2
72	Gummidipoondi	Moderate	116	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

Air Quality Index on Apr 21, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gurugram	Moderate	182	$PM_{2.5}$	3
74	Guwahati	Satisfactory	82	PM_{10}, O_3	4
75	Gwalior	Moderate	154	PM_{10}	3
76	Hajipur	Poor	283	PM_{10}	1
77	Haldia	Satisfactory	93	PM_{10}	1
78	Hanumangarh	Moderate	117	PM_{10}	1
79	Hapur	Satisfactory	85	O_3	1
80	Hassan	Satisfactory	88	PM_{10}	1
81	Haveri	Satisfactory	62	PM_{10}	1
82	Hosur	Moderate	112	$PM_{2.5}$	1
83	Howrah	Moderate	111	PM_{10}	3
84	Hubballi	Moderate	105	PM_{10}, CO	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Belgaum, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Chittoor, Chittorgarh, Darbhanga, Davanagere, Dindigul, Eloor, Ernakulam, Gadag, Hisar, Imphal, Jabalpur, Kadapa, Kannur, Kashipur, Kolar, Kollam, Kozhikode, Madikeri, Naharlagun, Palkalaiperur, Raichur, Salem, Shillong, Sirohi, Sonipat, Surat, Thane, Ujjain, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 21, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hyderabad	Satisfactory	93	PM_{10}	13
86	Indore	Satisfactory	71	NO_2	2
87	Jaipur	Moderate	175	PM_{10}	5
88	Jalandhar	Satisfactory	62	PM_{10}	1
89	Jhalawar	Satisfactory	89	PM_{10}	1
90	Jhansi	Satisfactory	100	PM_{10}	1
91	Jhunjhunu	Poor	275	O_3	1
92	Jind	Satisfactory	71	CO	1
93	Jodhpur	Moderate	170	PM_{10}	4
94	Jorapokhar	Moderate	130	PM_{10}	1
95	Kaithal	Satisfactory	81	PM_{10}	1
96	Kalaburgi	Satisfactory	62	PM_{10}	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Belgaum, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Chittoor, Chittorgarh, Darbhanga, Davanagere, Dindigul, Eloor, Ernakulam, Gadag, Hisar, Imphal, Jabalpur, Kadapa, Kannur, Kashipur, Kolar, Kollam, Kozhikode, Madikeri, Naharlagun, Palkalaiperur, Raichur, Salem, Shillong, Sirohi, Sonipat, Surat, Thane, Ujjain, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 21, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kalyan	Moderate	126	PM_{10}	1
98	Kanchipuram	Satisfactory	59	PM_{10}	1
99	Kanpur	Moderate	111	PM_{10}	4
100	Karauli	Satisfactory	59	$PM_{2.5}$	1
101	Karnal	Good	48	PM_{10}	1
102	Katihar	Moderate	116	PM_{10}	1
103	Katni	Moderate	113	PM_{10}	1
104	Keonjhar	Moderate	105	PM_{10}	1
105	Khanna	Satisfactory	68	$PM_{2.5}$	1
106	Khurja	Satisfactory	65	$PM_{2.5}$	1
107	Kishanganj	Moderate	115	PM_{10}	1
108	Kochi	Satisfactory	59	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Belgaum, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Chittoor, Chittorgarh, Darbhanga, Davanagere, Dindigul, Eloor, Ernakulam, Gadag, Hisar, Imphal, Jabalpur, Kadapa, Kannur, Kashipur, Kolar, Kollam, Kozhikode, Madikeri, Naharlagun, Palkalaiperur, Raichur, Salem, Shillong, Sirohi, Sonipat, Surat, Thane, Ujjain, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 21, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kohima	Satisfactory	92	PM_{10}	1
110	Kolkata	Satisfactory	89	PM_{10}	7
111	Koppal	Satisfactory	60	O_3	1
112	Korba	Satisfactory	94	PM_{10}	2
113	Kota	Moderate	102	$PM_{2.5}$	3
114	Kunjemura	Moderate	106	PM_{10}	1
115	Kurukshetra	Satisfactory	74	O_3	1
116	Lucknow	Moderate	184	$PM_{2.5}$	6
117	Ludhiana	Satisfactory	65	PM_{10}	1
118	Maihar	Satisfactory	65	PM_{10}	1
119	Mandi Gobindgarh	Moderate	144	$PM_{2.5}$	1
120	Mandideep	Moderate	112	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Belgaum, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Chittoor, Chittorgarh, Darbhanga, Davanagere, Dindigul, Eloor, Ernakulam, Gadag, Hisar, Imphal, Jabalpur, Kadapa, Kannur, Kashipur, Kolar, Kollam, Kozhikode, Madikeri, Naharlagun, Palkalaiperur, Raichur, Salem, Shillong, Sirohi, Sonipat, Surat, Thane, Ujjain, Vijayawada, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 21, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Mandikhera	Moderate	105	PM_{10}	1
122	Manesar	Moderate	123	$PM_{2.5}$	1
123	Mangalore	Satisfactory	65	PM_{10}	1
124	Manguraha	Moderate	174	PM_{10}	1
125	Meerut	Moderate	144	PM_{10}	3
126	Milupara	Good	37	PM_{10}	1
127	Moradabad	Satisfactory	76	PM_{10}	6
128	Motihari	Moderate	143	PM_{10}	1
129	Mumbai	Satisfactory	79	PM_{10}	17
130	Munger	Poor	293	PM_{10}	1
131	Muzaffarnagar	Moderate	132	PM_{10}	1
132	Muzaffarpur	Poor	247	PM_{10}, $PM_{2.5}$	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Belgaum, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Chittoor, Chittorgarh, Darbhanga, Davanagere, Dindigul, Eloor, Ernakulam, Gadag, Hisar, Imphal, Jabalpur, Kadapa, Kannur, Kashipur, Kolar, Kollam, Kozhikode, Madikeri, Naharlagun, Palkalaiperur, Raichur, Salem, Shillong, Sirohi, Sonipat, Surat, Thane, Ujjain, Vijayawada, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 21, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Mysuru	Satisfactory	57	PM_{10}	1
134	Nagaon	Satisfactory	84	PM_{10}	1
135	Nagpur	Satisfactory	83	O_3	1
136	Nalbari	Satisfactory	61	O_3	1
137	Nandesari	Good	50	CO	1
138	Narnaul	Moderate	115	$PM_{2.5}$	1
139	Nashik	Satisfactory	57	PM_{10}	1
140	Navi Mumbai	Moderate	132	PM_{10}	2
141	Nayagarh	Poor	221	$PM_{2.5}$	1
142	Noida	Moderate	162	O_3, NO_2	4
143	Ooty	Satisfactory	98	$PM_{2.5}$	1
144	Pali	Moderate	105	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Belgaum, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Chittoor, Chittorgarh, Darbhanga, Davanagere, Dindigul, Eloor, Ernakulam, Gadag, Hisar, Imphal, Jabalpur, Kadapa, Kannur, Kashipur, Kolar, Kollam, Kozhikode, Madikeri, Naharlagun, Palkalaiperur, Raichur, Salem, Shillong, Sirohi, Sonipat, Surat, Thane, Ujjain, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 21, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Palwal	Satisfactory	89	PM_{10}	1
146	Panchkula	Satisfactory	63	CO	1
147	Panipat	Satisfactory	81	PM_{10}	1
148	Patiala	Satisfactory	69	O_3	1
149	Patna	Poor	230	PM_{10}, $PM_{2.5}$	6
150	Pithampur	Moderate	120	PM_{10}	1
151	Pratapgarh	Moderate	113	PM_{10}	1
152	Prayagraj	Satisfactory	87	O_3, PM_{10}	3
153	Puducherry	Satisfactory	53	PM_{10}	1
154	Pune	Satisfactory	72	CO	3
155	Purnia	Moderate	112	PM_{10}	1
156	Raipur	Satisfactory	63	PM_{10}, NO_2	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Belgaum, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Chittoor, Chittorgarh, Darbhanga, Davanagere, Dindigul, Eloor, Ernakulam, Gadag, Hisar, Imphal, Jabalpur, Kadapa, Kannur, Kashipur, Kolar, Kollam, Kozhikode, Madikeri, Naharlagun, Palkalaiperur, Raichur, Salem, Shillong, Sirohi, Sonipat, Surat, Thane, Ujjain, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 21, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Rairangpur	Moderate	154	$PM_{2.5}$	1
158	Rajamahendravaram	Satisfactory	88	PM_{10}	1
159	Rajgir	Moderate	115	PM_{10}	1
160	Rajsamand	Satisfactory	76	PM_{10}	1
161	Ramanagara	Satisfactory	75	PM_{10}	1
162	Ramanathapuram	Good	27	PM_{10}	1
163	Ratlam	Moderate	114	PM_{10}	1
164	Rishikesh	Good	45	O_3	1
165	Rohtak	Satisfactory	73	$PM_{2.5}$	1
166	Rourkela	Moderate	121	PM_{10}	3
167	Rupnagar	Satisfactory	83	PM_{10}	1
168	Sagar	Moderate	106	O_3	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Belgaum, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Chittoor, Chittorgarh, Darbhanga, Davanagere, Dindigul, Eloor, Ernakulam, Gadag, Hisar, Imphal, Jabalpur, Kadapa, Kannur, Kashipur, Kolar, Kollam, Kozhikode, Madikeri, Naharlagun, Palkalaiperur, Raichur, Salem, Shillong, Sirohi, Sonipat, Surat, Thane, Ujjain, Vijayawada, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 21, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Saharsa	Moderate	198	$PM_{2.5}$	1
170	Samastipur	Poor	240	PM_{10}	1
171	Sasaram	Very Poor	305	O_3	1
172	Satna	Satisfactory	70	PM_{10}	1
173	Sawai Madhopur	Moderate	134	PM_{10}	1
174	Shivamogga	Good	39	PM_{10}	1
175	Sikar	Moderate	194	PM_{10}	1
176	Silchar	Good	31	CO	1
177	Siliguri	Satisfactory	66	PM_{10}	1
178	Singrauli	Moderate	112	PM_{10}	1
179	Sirsa	Satisfactory	84	O_3	1
180	Sivasagar	Good	23	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Belgaum, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Chittoor, Chittorgarh, Darbhanga, Davanagere, Dindigul, Eloor, Ernakulam, Gadag, Hisar, Imphal, Jabalpur, Kadapa, Kannur, Kashipur, Kolar, Kollam, Kozhikode, Madikeri, Naharlagun, Palkalaiperur, Raichur, Salem, Shillong, Sirohi, Sonipat, Surat, Thane, Ujjain, Vijayawada, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 21, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Siwan	Poor	223	PM_{10}	1
182	Solapur	Moderate	125	PM_{10}	1
183	Sri Ganganagar	Poor	210	PM_{10}	1
184	Srinagar	Good	34	PM_{10}	1
185	Suakati	Moderate	109	PM_{10}	1
186	Talcher	Moderate	129	PM_{10}	1
187	Tensa	Satisfactory	96	PM_{10}	1
188	Thiruvananthapuram	Satisfactory	52	PM_{10}, CO	2
189	Thoothukudi	Moderate	157	O_3	1
190	Thrissur	Satisfactory	92	PM_{10}	1
191	Tirupati	Satisfactory	87	PM_{10}	2
192	Tirupur	Good	41	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Belgaum, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Chittoor, Chittorgarh, Darbhanga, Davanagere, Dindigul, Eloor, Ernakulam, Gadag, Hisar, Imphal, Jabalpur, Kadapa, Kannur, Kashipur, Kolar, Kollam, Kozhikode, Madikeri, Naharlagun, Palkalaiperur, Raichur, Salem, Shillong, Sirohi, Sonipat, Surat, Thane, Ujjain, Vijayawada, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 21, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Tonk	Moderate	190	PM_{10}	1
194	Tumakuru	Satisfactory	66	CO	1
195	Tumidih	Satisfactory	82	PM_{10}	1
196	Udaipur	Moderate	110	PM_{10}	1
197	Udupi	Satisfactory	73	O_3	1
198	Vapi	Satisfactory	67	$PM_{2.5}$	1
199	Varanasi	Satisfactory	71	PM_{10}, $PM_{2.5}$	4
200	Vatva	Moderate	141	PM_{10}	1
201	Vijayapura	Good	46	PM_{10}	1
202	Visakhapatnam	Moderate	129	PM_{10}	1
203	Vrindavan	Moderate	128	PM_{10}	1
204	Yadgir	Satisfactory	72	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Belgaum, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Chittoor, Chittorgarh, Darbhanga, Davanagere, Dindigul, Eloor, Ernakulam, Gadag, Hisar, Imphal, Jabalpur, Kadapa, Kannur, Kashipur, Kolar, Kollam, Kozhikode, Madikeri, Naharlagun, Palkalaiperur, Raichur, Salem, Shillong, Sirohi, Sonipat, Surat, Thane, Ujjain, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 21, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Yamunanagar	Moderate	108	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Belgaum, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Chittoor, Chittorgarh, Darbhanga, Davanagere, Dindigul, Eloor, Ernakulam, Gadag, Hisar, Imphal, Jabalpur, Kadapa, Kannur, Kashipur, Kolar, Kollam, Kozhikode, Madikeri, Naharlagun, Palkalaiperur, Raichur, Salem, Shillong, Sirohi, Sonipat, Surat, Thane, Ujjain, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.