

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	54	PM <sub>10</sub>	1
2	Ahmedabad	Satisfactory	99	PM <sub>2.5</sub>	1
3	Aizawl	Good	49	PM <sub>10</sub>	1
4	Ajmer	Moderate	113	PM <sub>10</sub>	1
5	Alwar	Satisfactory	96	PM <sub>2.5</sub>	1
6	Amaravati	Satisfactory	67	PM <sub>10</sub>	1
7	Ambala	Satisfactory	94	PM <sub>10</sub>	1
8	Amritsar	Moderate	115	PM <sub>10</sub>	1
9	Ankleshwar	Satisfactory	91	PM <sub>10</sub>	1
10	Asansol	Moderate	136	PM <sub>10</sub>	1
11	Aurangabad	Satisfactory	88	PM <sub>10</sub>	1
12	Bagalkot	Satisfactory	55	PM <sub>2.5</sub>	1

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agra, Bidar, Chikkamagaluru, Coimbatore, Kalaburgi, Karnal, Kochi, Kozhikode, Maihar, Nagpur, Naharlagun, Satna, Shillong, Tirupati, Udupi, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Very Poor	305	PM <sub>10</sub>	1
14	Bahadurgarh	Poor	205	PM <sub>2.5</sub>	1
15	Ballabgarh	Moderate	114	PM <sub>2.5</sub>	1
16	Bathinda	Moderate	128	PM <sub>10</sub>	1
17	Bengaluru	Satisfactory	89	O <sub>3</sub> , PM <sub>2.5</sub> , PM <sub>10</sub>	9
18	Bhiwadi	Very Poor	322	PM <sub>2.5</sub>	1
19	Bhiwani	Moderate	142	PM <sub>10</sub>	1
20	Bhopal	Moderate	122	PM <sub>10</sub>	1
21	Brajrajnagar	Moderate	110	PM <sub>10</sub>	1
22	Bulandshahr	Moderate	195	PM <sub>10</sub>	1
23	Chamarajanagar	Satisfactory	62	PM <sub>10</sub>	1
24	Chandigarh	Satisfactory	84	PM <sub>10</sub>	1

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agra, Bidar, Chikkamagaluru, Coimbatore, Kalaburgi, Karnal, Kochi, Kozhikode, Maihar, Nagpur, Naharlagun, Satna, Shillong, Tirupati, Udupi, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Satisfactory	78	PM <sub>10</sub>	2
26	Charkhi Dadri	Moderate	130	PM <sub>10</sub>	1
27	Chennai	Satisfactory	54	CO, O <sub>3</sub> , PM <sub>10</sub>	6
28	Chikkaballapur	Satisfactory	79	PM <sub>10</sub>	1
29	Damoh	Satisfactory	66	PM <sub>10</sub>	1
30	Davanagere	Satisfactory	66	PM <sub>10</sub>	1
31	Delhi	Moderate	191	PM <sub>2.5</sub> , PM <sub>10</sub>	30
32	Dewas	Moderate	115	PM <sub>10</sub>	1
33	Dharuhera	Poor	293	PM <sub>10</sub>	1
34	Durgapur	Poor	217	PM <sub>2.5</sub>	1
35	Eloor	Good	47	со	1
36	Ernakulam	Satisfactory	73	СО	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agra, Bidar, Chikkamagaluru, Coimbatore, Kalaburgi, Karnal, Kochi, Kozhikode, Maihar, Nagpur, Naharlagun, Satna, Shillong, Tirupati, Udupi, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Faridabad	Poor	208	PM <sub>2.5</sub> , PM <sub>10</sub> , O <sub>3</sub>	4
38	Fatehabad	Moderate	166	PM <sub>10</sub>	1
39	Gadag	Satisfactory	75	SO <sub>2</sub>	1
40	Gandhinagar	Satisfactory	62	PM <sub>10</sub>	1
41	Gaya	Moderate	133	PM <sub>10</sub> , PM <sub>2.5</sub>	2
42	Ghaziabad	Poor	242	PM <sub>10</sub>	4
43	Greater Noida	Poor	201	PM <sub>10</sub>	1
44	Gummidipoondi	Moderate	169	PM <sub>2.5</sub>	1
45	Gurugram	Moderate	176	PM <sub>10</sub> , PM <sub>2.5</sub>	3
46	Guwahati	Moderate	106	PM <sub>10</sub>	2
47	Gwalior	Moderate	130	PM <sub>10</sub>	1
48	Hajipur	Poor	211	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agra, Bidar, Chikkamagaluru, Coimbatore, Kalaburgi, Karnal, Kochi, Kozhikode, Maihar, Nagpur, Naharlagun, Satna, Shillong, Tirupati, Udupi, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Haldia	Satisfactory	51	PM <sub>10</sub>	1
50	Hapur	Moderate	148	PM <sub>10</sub>	1
51	Hassan	Satisfactory	69	PM <sub>10</sub>	1
52	Hisar	Moderate	143	PM <sub>10</sub>	1
53	Howrah	Satisfactory	72	PM <sub>10</sub>	3
54	Hubballi	Satisfactory	88	PM <sub>10</sub>	1
55	Hyderabad	Moderate	112	PM <sub>10</sub> , PM <sub>2.5</sub>	4
56	Indore	Moderate	117	PM <sub>10</sub>	1
57	Jabalpur	Moderate	138	PM <sub>10</sub>	1
58	Jaipur	Moderate	113	PM <sub>2.5</sub> , PM <sub>10</sub>	3
59	Jalandhar	Satisfactory	98	PM <sub>10</sub>	1
60	Jind	Moderate	174	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agra, Bidar, Chikkamagaluru, Coimbatore, Kalaburgi, Karnal, Kochi, Kozhikode, Maihar, Nagpur, Naharlagun, Satna, Shillong, Tirupati, Udupi, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jodhpur	Poor	220	PM <sub>10</sub>	1
62	Jorapokhar	Moderate	107	PM <sub>10</sub>	1
63	Kaithal	Moderate	148	PM <sub>10</sub>	1
64	Kalyan	Moderate	104	PM <sub>10</sub>	1
65	Kannur	Moderate	111	PM <sub>10</sub>	1
66	Kanpur	Moderate	184	PM <sub>2.5</sub>	1
67	Katni	Poor	238	PM <sub>10</sub>	1
68	Khanna	Satisfactory	92	PM <sub>10</sub>	1
69	Kohima	Moderate	128	PM <sub>10</sub>	1
70	Kolar	Satisfactory	69	со	1
71	Kolkata	Satisfactory	73	CO, O <sub>3</sub> , PM <sub>10</sub>	7
72	Kollam	Satisfactory	75	PM <sub>10</sub>	1

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agra, Bidar, Chikkamagaluru, Coimbatore, Kalaburgi, Karnal, Kochi, Kozhikode, Maihar, Nagpur, Naharlagun, Satna, Shillong, Tirupati, Udupi, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Koppal	Satisfactory	61	со	1
74	Kota	Satisfactory	95	PM <sub>2.5</sub>	1
75	Kurukshetra	Moderate	152	PM <sub>10</sub>	1
76	Lucknow	Moderate	161	PM <sub>2.5</sub> , PM <sub>10</sub> , O <sub>3</sub>	4
77	Ludhiana	Satisfactory	75	PM <sub>10</sub>	1
78	Mandi Gobindgarh	Satisfactory	83	PM <sub>2.5</sub>	1
79	Mandideep	Satisfactory	82	PM <sub>10</sub>	1
80	Mandikhera	Satisfactory	86	PM <sub>10</sub>	1
81	Manesar	Moderate	161	PM <sub>10</sub>	1
82	Manglore	Satisfactory	62	PM <sub>10</sub>	1
83	Medikeri	Good	45	PM <sub>10</sub>	1
84	Meerut	Moderate	189	PM <sub>10</sub> , O <sub>3</sub>	2

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agra, Bidar, Chikkamagaluru, Coimbatore, Kalaburgi, Karnal, Kochi, Kozhikode, Maihar, Nagpur, Naharlagun, Satna, Shillong, Tirupati, Udupi, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Moradabad	Moderate	156	PM <sub>10</sub>	1
86	Mumbai	Satisfactory	67	PM <sub>10</sub> , PM <sub>2.5</sub>	21
87	Muzaffarnagar	Moderate	151	PM <sub>2.5</sub>	1
88	Muzaffarpur	Moderate	163	PM <sub>2.5</sub> , PM <sub>10</sub>	2
89	Mysuru	Satisfactory	60	PM <sub>10</sub>	1
90	Nandesari	Satisfactory	61	PM <sub>2.5</sub>	1
91	Narnaul	Poor	217	PM <sub>10</sub>	1
92	Nashik	Satisfactory	69	PM <sub>2.5</sub>	1
93	Navi Mumbai	Moderate	109	PM <sub>10</sub>	3
94	Noida	Moderate	181	PM <sub>10</sub>	3
95	Pali	Moderate	135	PM <sub>10</sub>	1
96	Palwal	Moderate	128	PM <sub>10</sub>	1

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agra, Bidar, Chikkamagaluru, Coimbatore, Kalaburgi, Karnal, Kochi, Kozhikode, Maihar, Nagpur, Naharlagun, Satna, Shillong, Tirupati, Udupi, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Panchkula	Satisfactory	68	PM <sub>2.5</sub>	1
98	Panipat	Poor	213	PM <sub>10</sub>	1
99	Patiala	Moderate	132	PM <sub>10</sub>	1
100	Patna	Poor	216	PM <sub>2.5</sub>	4
101	Pithampur	Satisfactory	85	PM <sub>10</sub>	1
102	Puducherry	Good	45	03	1
103	Pune	Moderate	101	PM <sub>2.5</sub> , PM <sub>10</sub>	4
104	Raichur	Satisfactory	89	PM <sub>10</sub>	1
105	Rajamahendravaram	Good	48	PM <sub>10</sub>	1
106	Ramanagara	Satisfactory	73	03	1
107	Ratlam	Moderate	109	PM <sub>10</sub>	1
108	Rohtak	Moderate	148	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agra, Bidar, Chikkamagaluru, Coimbatore, Kalaburgi, Karnal, Kochi, Kozhikode, Maihar, Nagpur, Naharlagun, Satna, Shillong, Tirupati, Udupi, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Rupnagar	Moderate	152	PM <sub>10</sub>	1
110	Sagar	Moderate	113	PM <sub>2.5</sub>	1
111	Shivamogga	Satisfactory	57	03	1
112	Siliguri	Moderate	111	PM <sub>2.5</sub>	1
113	Singrauli	Very Poor	308	PM <sub>10</sub>	1
114	Sirsa	Satisfactory	97	PM <sub>10</sub>	1
115	Solapur	Satisfactory	58	PM <sub>2.5</sub>	1
116	Sonipat	Poor	266	PM <sub>10</sub>	1
117	Srinagar	Satisfactory	100	PM <sub>10</sub>	1
118	Talcher	Moderate	109	NO <sub>2</sub>	1
119	Thane	Satisfactory	80	PM <sub>10</sub>	1
120	Thiruvananthapuram	Good	49	O <sub>3</sub> , CO	2

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agra, Bidar, Chikkamagaluru, Coimbatore, Kalaburgi, Karnal, Kochi, Kozhikode, Maihar, Nagpur, Naharlagun, Satna, Shillong, Tirupati, Udupi, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Thoothukudi	Satisfactory	54	PM <sub>10</sub>	1
122	Thrissur	Satisfactory	64	O <sub>3</sub>	1
123	Udaipur	Satisfactory	82	PM <sub>10</sub>	1
124	Ujjain	Moderate	126	PM <sub>10</sub>	1
125	Vapi	Satisfactory	54	PM <sub>10</sub>	1
126	Varanasi	Moderate	173	PM <sub>10</sub>	1
127	Vatva	Poor	226	PM <sub>2.5</sub>	1
128	Visakhapatnam	Satisfactory	91	PM <sub>10</sub>	1
129	Yamunanagar	Moderate	142	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agra, Bidar, Chikkamagaluru, Coimbatore, Kalaburgi, Karnal, Kochi, Kozhikode, Maihar, Nagpur, Naharlagun, Satna, Shillong, Tirupati, Udupi, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.