

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	242	PM _{2.5}	1
2	Agra	Poor	270	PM _{2.5}	1
3	Aizawl	Satisfactory	57	PM _{2.5}	1
4	Ajmer	Satisfactory	92	PM ₁₀	1
5	Alwar	Moderate	105	PM _{2.5}	1
6	Amaravati	Satisfactory	70	PM _{2.5}	1
7	Ambala	Moderate	177	PM _{2.5}	1
8	Amritsar	Moderate	106	PM ₁₀	1
9	Asansol	Poor	273	PM _{2.5}	1
10	Aurangabad	Moderate	122	PM _{2.5}	1
11	Bagalkot	Satisfactory	66	PM ₁₀	1
12	Baghpat	Poor	279	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ahmedabad, Ankleshwar, Chamarajanagar, Coimbatore, Davanagere, Durgapur, Gummidipoondi, Hapur, Kochi, Koppal, Panipat, Ramanagara, Rupnagar, Shillong, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Poor	299	PM _{2.5}	1
14	Ballabgarh	Moderate	110	PM _{2.5}	1
15	Bathinda	Poor	226	PM _{2.5}	1
16	Bengaluru	Moderate	104	PM ₁₀ , PM _{2.5} , O ₃	8
17	Bhiwadi	Poor	224	PM _{2.5}	1
18	Bhiwani	Moderate	151	PM ₁₀	1
19	Bhopal	Moderate	153	03	1
20	Bidar	Moderate	107	PM ₁₀	1
21	Brajrajnagar	Moderate	134	PM _{2.5}	1
22	Bulandshahr	Poor	280	PM _{2.5}	1
23	Chandigarh	Moderate	125	PM _{2.5}	1
24	Chandrapur	Moderate	107	PM _{2.5} , PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ahmedabad, Ankleshwar, Chamarajanagar, Coimbatore, Davanagere, Durgapur, Gummidipoondi, Hapur, Kochi, Koppal, Panipat, Ramanagara, Rupnagar, Shillong, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Very Poor	319	PM _{2.5}	1
26	Chennai	Satisfactory	53	CO, PM ₁₀ , PM _{2.5}	8
27	Chikkaballapur	Satisfactory	88	PM _{2.5}	1
28	Chikkamagaluru	Satisfactory	78	O ₃	1
29	Damoh	Moderate	125	PM ₁₀	1
30	Delhi	Very Poor	326	PM _{2.5}	37
31	Dewas	Moderate	117	PM ₁₀	1
32	Dharuhera	Poor	261	PM _{2.5}	1
33	Eloor	Moderate	131	PM ₁₀	1
34	Ernakulam	Satisfactory	65	PM ₁₀	1
35	Faridabad	Poor	266	PM _{2.5} , PM ₁₀	2
36	Fatehabad	Poor	291	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ahmedabad, Ankleshwar, Chamarajanagar, Coimbatore, Davanagere, Durgapur, Gummidipoondi, Hapur, Kochi, Koppal, Panipat, Ramanagara, Rupnagar, Shillong, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gadag	Satisfactory	69	PM _{2.5}	1
38	Gandhinagar	Moderate	103	PM ₁₀	1
39	Gaya	Moderate	190	PM _{2.5}	2
40	Ghaziabad	Very Poor	314	PM _{2.5}	4
41	Greater Noida	Very Poor	319	PM _{2.5}	1
42	Gurugram	Poor	285	PM _{2.5}	4
43	Guwahati	Poor	258	PM _{2.5}	2
44	Gwalior	Poor	245	PM _{2.5}	1
45	Hajipur	Moderate	166	PM ₁₀	1
46	Haldia	Moderate	179	PM _{2.5}	1
47	Hisar	Very Poor	339	PM _{2.5}	1
48	Howrah	Poor	295	PM _{2.5}	3

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ahmedabad, Ankleshwar, Chamarajanagar, Coimbatore, Davanagere, Durgapur, Gummidipoondi, Hapur, Kochi, Koppal, Panipat, Ramanagara, Rupnagar, Shillong, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hubballi	Moderate	172	PM _{2.5}	1
50	Hyderabad	Moderate	140	PM _{2.5} , PM ₁₀	3
51	Indore	Moderate	192	PM ₁₀	1
52	Jabalpur	Moderate	151	PM ₁₀	1
53	Jaipur	Moderate	116	PM _{2.5} , PM ₁₀	3
54	Jalandhar	Moderate	138	PM _{2.5}	1
55	Jind	Very Poor	308	PM _{2.5}	1
56	Jodhpur	Moderate	167	PM _{2.5}	1
57	Jorapokhar	Moderate	129	PM ₁₀	1
58	Kaithal	Poor	218	PM _{2.5}	1
59	Kalaburgi	Moderate	102	PM _{2.5}	1
60	Kalyan	Very Poor	332	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ahmedabad, Ankleshwar, Chamarajanagar, Coimbatore, Davanagere, Durgapur, Gummidipoondi, Hapur, Kochi, Koppal, Panipat, Ramanagara, Rupnagar, Shillong, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kannur	Satisfactory	96	PM ₁₀	1
62	Kanpur	Very Poor	313	PM _{2.5}	2
63	Karnal	Poor	247	PM _{2.5}	1
64	Katni	Moderate	178	PM ₁₀	1
65	Khanna	Moderate	122	PM _{2.5}	1
66	Kohima	Moderate	134	PM _{2.5}	1
67	Kolar	Satisfactory	52	O ₃	1
68	Kolkata	Poor	274	PM _{2.5}	7
69	Kollam	Satisfactory	73	PM _{2.5}	1
70	Kota	Moderate	135	PM ₁₀	1
71	Kozhikode	Satisfactory	93	PM ₁₀	1
72	Kurukshetra	Poor	287	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ahmedabad, Ankleshwar, Chamarajanagar, Coimbatore, Davanagere, Durgapur, Gummidipoondi, Hapur, Kochi, Koppal, Panipat, Ramanagara, Rupnagar, Shillong, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Lucknow	Very Poor	324	PM ₁₀ , PM _{2.5}	4
74	Ludhiana	Moderate	164	PM ₁₀	1
75	Maihar	Satisfactory	96	PM _{2.5}	1
76	Mandi Gobindgarh	Moderate	149	PM ₁₀	1
77	Mandideep	Moderate	191	PM ₁₀	1
78	Mandikhera	Moderate	193	PM _{2.5}	1
79	Manesar	Moderate	168	PM _{2.5}	1
80	Manglore	Satisfactory	87	PM _{2.5}	1
81	Medikeri	Satisfactory	70	со	1
82	Meerut	Poor	282	PM _{2.5}	2
83	Moradabad	Moderate	170	PM _{2.5}	1
84	Mumbai	Poor	255	PM _{2.5} , PM ₁₀	19

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ahmedabad, Ankleshwar, Chamarajanagar, Coimbatore, Davanagere, Durgapur, Gummidipoondi, Hapur, Kochi, Koppal, Panipat, Ramanagara, Rupnagar, Shillong, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Muzaffarnagar	Poor	286	PM _{2.5}	1
86	Muzaffarpur	Very Poor	309	PM _{2.5}	2
87	Mysuru	Moderate	101	PM ₁₀	1
88	Nagpur	Satisfactory	75	PM ₁₀	1
89	Nandesari	Moderate	113	PM _{2.5}	1
90	Narnaul	Poor	249	PM _{2.5}	1
91	Nashik	Moderate	142	PM _{2.5}	1
92	Navi Mumbai	Very Poor	347	PM _{2.5}	3
93	Noida	Very Poor	325	PM _{2.5}	4
94	Pali	Moderate	137	PM ₁₀	1
95	Palwal	Moderate	103	со	1
96	Panchkula	Moderate	157	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ahmedabad, Ankleshwar, Chamarajanagar, Coimbatore, Davanagere, Durgapur, Gummidipoondi, Hapur, Kochi, Koppal, Panipat, Ramanagara, Rupnagar, Shillong, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Patiala	Moderate	149	PM _{2.5}	1
98	Patna	Poor	256	PM _{2.5}	5
99	Pithampur	Moderate	140	PM _{2.5}	1
100	Puducherry	Good	34	со	1
101	Pune	Moderate	182	PM _{2.5} , NO ₂ , PM ₁₀	5
102	Raichur	Moderate	148	PM ₁₀	1
103	Rajamahendravaram	Moderate	194	PM _{2.5}	1
104	Ratlam	Moderate	134	PM ₁₀	1
105	Rohtak	Poor	298	PM _{2.5}	1
106	Sagar	Satisfactory	60	PM _{2.5}	1
107	Satna	Satisfactory	90	PM ₁₀	1
108	Shivamogga	Moderate	143	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ahmedabad, Ankleshwar, Chamarajanagar, Coimbatore, Davanagere, Durgapur, Gummidipoondi, Hapur, Kochi, Koppal, Panipat, Ramanagara, Rupnagar, Shillong, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Siliguri	Moderate	197	PM _{2.5}	1
110	Singrauli	Poor	277	PM _{2.5}	1
111	Sirsa	Moderate	139	PM _{2.5}	1
112	Solapur	Moderate	176	PM ₁₀	1
113	Sonipat	Moderate	189	PM ₁₀	1
114	Talcher	Moderate	187	PM _{2.5}	1
115	Thane	Very Poor	308	PM ₁₀	1
116	Thiruvananthapuram	Satisfactory	56	PM ₁₀	2
117	Thoothukudi	Good	44	O ₃	1
118	Tirupati	Satisfactory	76	PM _{2.5}	1
119	Udaipur	Moderate	131	PM _{2.5}	1
120	Ujjain	Poor	201	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ahmedabad, Ankleshwar, Chamarajanagar, Coimbatore, Davanagere, Durgapur, Gummidipoondi, Hapur, Kochi, Koppal, Panipat, Ramanagara, Rupnagar, Shillong, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Vapi	Poor	228	PM _{2.5}	1
122	Varanasi	Poor	276	PM _{2.5}	1
123	Vatva	Poor	222	PM _{2.5}	1
124	Vijayapura	Satisfactory	58	СО	1
125	Visakhapatnam	Moderate	183	PM _{2.5}	1
126	Yadgir	Satisfactory	98	PM ₁₀	1
127	Yamunanagar	Poor	283	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ahmedabad, Ankleshwar, Chamarajanagar, Coimbatore, Davanagere, Durgapur, Gummidipoondi, Hapur, Kochi, Koppal, Panipat, Ramanagara, Rupnagar, Shillong, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.