



## Air Quality Index on Jul 10, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	32	PM <sub>2.5</sub> , SO <sub>2</sub>	2
2	Agra	Good	38	PM <sub>10</sub> , SO <sub>2</sub> , PM <sub>2.5</sub>	5
3	Ahmedabad	Satisfactory	92	PM <sub>10</sub>	1
4	Aizawl	Good	20	SO <sub>2</sub>	1
5	Ajmer	Moderate	124	PM <sub>10</sub>	1
6	Alwar	Satisfactory	58	PM <sub>10</sub>	1
7	Amaravati	Good	29	O <sub>3</sub>	1
8	Ambala	Good	21	PM <sub>10</sub>	1
9	Amritsar	Satisfactory	67	PM <sub>2.5</sub>	1
10	Ankleshwar	Good	50	CO	1
11	Arrah	Satisfactory	78	PM <sub>10</sub>	1
12	Aurangabad (Bihar)	Satisfactory	86	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Arraria, Asansol,

Aurangabad (Maharashtra), Baddi, Begusarai, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Chikkaballapur, Coimbatore, Durgapur, Firozabad, Gadag, Gangtok, Gorakhpur, Hisar, Jhansi, Jorapokhar, Kalaburgi, Kannur, Khurja, Kochi, Kolar, Madikeri, Maihar, Manguraha, Naharlagun, Navi Mumbai, Palwal, Pithampur, Raichur, Rupnagar, Saharsa, Sirsa, Thrissur, Udupi, Vapi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Jul 10, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	46	PM <sub>10</sub>	1
14	Baghpat	Good	47	O <sub>3</sub>	1
15	Bahadurgarh	Satisfactory	75	PM <sub>10</sub>	1
16	Ballabgarh	Satisfactory	54	PM <sub>10</sub>	1
17	Bareilly	Good	33	PM <sub>10</sub>	1
18	Bathinda	Satisfactory	55	PM <sub>10</sub>	1
19	Bengaluru	Good	48	PM <sub>10</sub> , CO, NO <sub>2</sub>	8
20	Bettiah	Satisfactory	70	PM <sub>2.5</sub>	1
21	Bhagalpur	Satisfactory	73	PM <sub>10</sub>	1
22	Bhiwadi	Satisfactory	85	PM <sub>10</sub>	1
23	Bhiwani	Satisfactory	66	PM <sub>10</sub>	1
24	Bhopal	Satisfactory	63	O <sub>3</sub>	1

\* AQI is not calculated for today's bulletin for Araria, Asansol,

Aurangabad (Maharashtra), Baddi, Begusarai, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Chikkaballapur, Coimbatore, Durgapur, Firozabad, Gadag, Gangtok, Gorakhpur, Hisar, Jhansi, Jorapokhar, Kalaburgi, Kannur, Khurja, Kochi, Kolar, Madikeri, Maihar, Manguraha, Naharlagun, Navi Mumbai, Palwal, Pithampur, Raichur, Rupnagar, Saharsa, Sirsa, Thrissur, Udupi, Vapi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Jul 10, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bilaspur	Satisfactory	63	PM <sub>10</sub>	1
26	Bulandshahr	Satisfactory	58	PM <sub>10</sub>	1
27	Buxar	Satisfactory	86	CO	1
28	Chamarajanagar	Good	33	PM <sub>10</sub>	1
29	Chandigarh	Good	48	O <sub>3</sub> , NO <sub>2</sub>	3
30	Chandrapur	Satisfactory	86	PM <sub>2.5</sub>	1
31	Charkhi Dadri	Satisfactory	91	PM <sub>2.5</sub>	1
32	Chennai	Satisfactory	60	CO, PM <sub>2.5</sub> , PM <sub>10</sub>	8
33	Chhapra	Satisfactory	95	PM <sub>10</sub>	1
34	Chikkamagaluru	Good	33	PM <sub>10</sub>	1
35	Damoh	Good	21	CO	1
36	Darbhanga	Moderate	106	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Araria, Asansol,

Aurangabad (Maharashtra), Baddi, Begusarai, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Chikkaballapur, Coimbatore, Durgapur, Firozabad, Gadag, Gangtok, Gorakhpur, Hisar, Jhansi, Jorapokhar, Kalaburgi, Kannur, Khurja, Kochi, Kolar, Madikeri, Maihar, Manguraha, Naharlagun, Navi Mumbai, Palwal, Pithampur, Raichur, Rupnagar, Saharsa, Sirsa, Thrissur, Udupi, Vapi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Jul 10, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Davanagere	Good	25	PM <sub>10</sub>	1
38	Dehradun	Good	29	O <sub>3</sub>	1
39	Delhi	Satisfactory	71	PM <sub>10</sub> , CO, NO <sub>2</sub>	35
40	Dewas	Good	40	PM <sub>10</sub>	1
41	Dharuhera	Moderate	120	PM <sub>2.5</sub>	1
42	Eloor	Good	47	PM <sub>10</sub>	1
43	Ernakulam	Good	33	NO <sub>2</sub>	1
44	Faridabad	Satisfactory	88	SO <sub>2</sub> , PM <sub>10</sub>	2
45	Fatehabad	Satisfactory	53	PM <sub>10</sub>	1
46	Gandhinagar	Good	39	PM <sub>10</sub>	1
47	Gaya	Satisfactory	54	PM <sub>10</sub> , CO	3
48	Ghaziabad	Satisfactory	81	CO, PM <sub>10</sub>	4

\* AQI is not calculated for today's bulletin for Araria, Asansol,

Aurangabad (Maharashtra), Baddi, Begusarai, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Chikkaballapur, Coimbatore, Durgapur, Firozabad, Gadag, Gangtok, Gorakhpur, Hisar, Jhansi, Jorapokhar, Kalaburgi, Kannur, Khurja, Kochi, Kolar, Madikeri, Maihar, Manguraha, Naharlagun, Navi Mumbai, Palwal, Pithampur, Raichur, Rupnagar, Saharsa, Sirsa, Thrissur, Udupi, Vapi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Jul 10, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Greater Noida	Satisfactory	58	PM <sub>10</sub> , O <sub>3</sub>	2
50	Gummidipoondi	Good	8	SO <sub>2</sub>	1
51	Gurugram	Moderate	105	PM <sub>10</sub>	3
52	Guwahati	Satisfactory	52	O <sub>3</sub> , PM <sub>10</sub>	2
53	Gwalior	Good	49	O <sub>3</sub>	1
54	Hajipur	Satisfactory	90	PM <sub>10</sub>	1
55	Haldia	Good	34	CO	1
56	Hapur	Good	50	PM <sub>10</sub>	1
57	Hassan	Good	34	NO <sub>2</sub>	1
58	Haveri	Satisfactory	71	CO	1
59	Howrah	Good	31	CO, PM <sub>10</sub>	3
60	Hubballi	Good	48	CO	1

\* AQI is not calculated for today's bulletin for Araria, Asansol,

Aurangabad (Maharashtra), Baddi, Begusarai, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Chikkaballapur, Coimbatore, Durgapur, Firozabad, Gadag, Gangtok, Gorakhpur, Hisar, Jhansi, Jorapokhar, Kalaburgi, Kannur, Khurja, Kochi, Kolar, Madikeri, Maihar, Manguraha, Naharlagun, Navi Mumbai, Palwal, Pithampur, Raichur, Rupnagar, Saharsa, Sirsa, Thrissur, Udupi, Vapi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Jul 10, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hyderabad	Good	41	PM <sub>10</sub> , PM <sub>2.5</sub> , CO	11
62	Imphal	Satisfactory	76	O <sub>3</sub>	1
63	Indore	Satisfactory	56	PM <sub>10</sub>	1
64	Jabalpur	Satisfactory	51	PM <sub>10</sub>	1
65	Jaipur	Good	50	PM <sub>10</sub> , PM <sub>2.5</sub>	2
66	Jalandhar	Good	35	PM <sub>10</sub>	1
67	Jind	Good	46	CO	1
68	Jodhpur	Satisfactory	67	PM <sub>10</sub>	1
69	Kaithal	Satisfactory	60	O <sub>3</sub>	1
70	Kalyan	Satisfactory	59	PM <sub>10</sub>	1
71	Kanpur	Good	46	PM <sub>10</sub> , O <sub>3</sub>	4
72	Karnal	Good	28	PM <sub>2.5</sub>	1

\* AQI is not calculated for today's bulletin for Araria, Asansol,

Aurangabad (Maharashtra), Baddi, Begusarai, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Chikkaballapur, Coimbatore, Durgapur, Firozabad, Gadag, Gangtok, Gorakhpur, Hisar, Jhansi, Jorapokhar, Kalaburgi, Kannur, Khurja, Kochi, Kolar, Madikeri, Maihar, Manguraha, Naharlagun, Navi Mumbai, Palwal, Pithampur, Raichur, Rupnagar, Saharsa, Sirsa, Thrissur, Udupi, Vapi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Jul 10, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Katihar	Satisfactory	84	PM <sub>10</sub>	1
74	Katni	Good	47	PM <sub>10</sub>	1
75	Khanna	Satisfactory	54	CO	1
76	Kishanganj	Satisfactory	78	O <sub>3</sub>	1
77	Kohima	Satisfactory	54	SO <sub>2</sub>	1
78	Kolkata	Good	39	PM <sub>10</sub> , O <sub>3</sub> , NO <sub>2</sub>	7
79	Kollam	Satisfactory	73	PM <sub>10</sub>	1
80	Koppal	Good	24	NO <sub>2</sub>	1
81	Kota	Good	50	PM <sub>2.5</sub>	1
82	Kozhikode	Satisfactory	80	PM <sub>10</sub>	1
83	Kurukshetra	Good	49	PM <sub>2.5</sub>	1
84	Lucknow	Satisfactory	58	O <sub>3</sub> , PM <sub>10</sub> , CO	5

\* AQI is not calculated for today's bulletin for Araria, Asansol,

Aurangabad (Maharashtra), Baddi, Begusarai, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Chikkaballapur, Coimbatore, Durgapur, Firozabad, Gadag, Gangtok, Gorakhpur, Hisar, Jhansi, Jorapokhar, Kalaburgi, Kannur, Khurja, Kochi, Kolar, Madikeri, Maihar, Manguraha, Naharlagun, Navi Mumbai, Palwal, Pithampur, Raichur, Rupnagar, Saharsa, Sirsa, Thrissur, Udupi, Vapi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Jul 10, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Ludhiana	Good	49	PM <sub>10</sub>	1
86	Mandi Gobindgarh	Good	41	PM <sub>2.5</sub>	1
87	Mandideep	Satisfactory	70	O <sub>3</sub>	1
88	Mandikhera	Satisfactory	53	CO	1
89	Manesar	Satisfactory	79	PM <sub>10</sub>	1
90	Manglore	Satisfactory	79	NO <sub>2</sub>	1
91	Meerut	Satisfactory	56	CO, PM <sub>10</sub>	2
92	Moradabad	Good	49	CO, PM <sub>2.5</sub> , PM <sub>10</sub>	6
93	Motihari	Satisfactory	89	O <sub>3</sub>	1
94	Mumbai	Satisfactory	65	SO <sub>2</sub> , CO, PM <sub>10</sub>	9
95	Munger	Satisfactory	95	PM <sub>10</sub>	1
96	Muzaffarnagar	Satisfactory	53	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Araria, Asansol,

Aurangabad (Maharashtra), Baddi, Begusarai, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Chikkaballapur, Coimbatore, Durgapur, Firozabad, Gadag, Gangtok, Gorakhpur, Hisar, Jhansi, Jorapokhar, Kalaburgi, Kannur, Khurja, Kochi, Kolar, Madikeri, Maihar, Manguraha, Naharlagun, Navi Mumbai, Palwal, Pithampur, Raichur, Rupnagar, Saharsa, Sirsa, Thrissur, Udupi, Vapi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:





## Air Quality Index on Jul 10, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Muzaffarpur	Satisfactory	72	PM <sub>10</sub> , PM <sub>2.5</sub>	3
98	Mysuru	Good	41	PM <sub>10</sub>	1
99	Nagpur	Good	35	PM <sub>10</sub>	1
100	Nandesari	Moderate	153	PM <sub>2.5</sub>	1
101	Narnaul	Satisfactory	75	PM <sub>2.5</sub>	1
102	Nashik	Good	39	CO	1
103	Noida	Satisfactory	72	CO, PM <sub>10</sub>	3
104	Pali	Good	38	PM <sub>10</sub>	1
105	Panchkula	Good	29	NO <sub>2</sub>	1
106	Panipat	Good	49	PM <sub>10</sub>	1
107	Patiala	Good	26	PM <sub>10</sub>	1
108	Patna	Satisfactory	85	PM <sub>10</sub> , NO <sub>2</sub>	5

\* AQI is not calculated for today's bulletin for Araria, Asansol,

Aurangabad (Maharashtra), Baddi, Begusarai, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Chikkaballapur, Coimbatore, Durgapur, Firozabad, Gadag, Gangtok, Gorakhpur, Hisar, Jhansi, Jorapokhar, Kalaburgi, Kannur, Khurja, Kochi, Kolar, Madikeri, Maihar, Manguraha, Naharlagun, Navi Mumbai, Palwal, Pithampur, Raichur, Rupnagar, Saharsa, Sirsa, Thrissur, Udupi, Vapi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Jul 10, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Prayagraj	Satisfactory	82	PM <sub>10</sub> , PM <sub>2.5</sub> , SO <sub>2</sub>	3
110	Puducherry	Good	44	PM <sub>10</sub>	1
111	Pune	Satisfactory	62	CO	2
112	Purnia	Satisfactory	81	PM <sub>10</sub>	1
113	Rajamahendravaram	Good	19	PM <sub>10</sub>	1
114	Rajgir	Good	27	PM <sub>10</sub>	1
115	Ramanagara	Good	31	SO <sub>2</sub>	1
116	Ratlam	Good	32	PM <sub>10</sub>	1
117	Rohtak	Good	43	PM <sub>2.5</sub>	1
118	Sagar	Satisfactory	51	CO	1
119	Samastipur	Moderate	126	PM <sub>10</sub>	1
120	Sasaram	Satisfactory	84	O <sub>3</sub>	1

\* AQI is not calculated for today's bulletin for Araria, Asansol,

Aurangabad (Maharashtra), Baddi, Begusarai, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Chikkaballapur, Coimbatore, Durgapur, Firozabad, Gadag, Gangtok, Gorakhpur, Hisar, Jhansi, Jorapokhar, Kalaburgi, Kannur, Khurja, Kochi, Kolar, Madikeri, Maihar, Manguraha, Naharlagun, Navi Mumbai, Palwal, Pithampur, Raichur, Rupnagar, Saharsa, Sirsa, Thrissur, Udupi, Vapi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Jul 10, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Satna	Good	34	O <sub>3</sub>	1
122	Shillong	Good	33	PM <sub>10</sub>	1
123	Shivamogga	Good	47	PM <sub>10</sub>	1
124	Siliguri	Satisfactory	52	PM <sub>10</sub>	1
125	Singrauli	Satisfactory	91	NO <sub>2</sub>	1
126	Siwan	Moderate	127	PM <sub>10</sub>	1
127	Solapur	Good	48	NO <sub>2</sub>	1
128	Sonipat	Satisfactory	78	PM <sub>10</sub>	1
129	Srinagar	Satisfactory	85	PM <sub>10</sub>	1
130	Talcher	Good	44	CO	1
131	Thane	Satisfactory	58	O <sub>3</sub>	1
132	Thiruvananthapuram	Satisfactory	60	PM <sub>2.5</sub> , PM <sub>10</sub>	2

\* AQI is not calculated for today's bulletin for Araria, Asansol,

Aurangabad (Maharashtra), Baddi, Begusarai, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Chikkaballapur, Coimbatore, Durgapur, Firozabad, Gadag, Gangtok, Gorakhpur, Hisar, Jhansi, Jorapokhar, Kalaburgi, Kannur, Khurja, Kochi, Kolar, Madikeri, Maihar, Manguraha, Naharlagun, Navi Mumbai, Palwal, Pithampur, Raichur, Rupnagar, Saharsa, Sirsa, Thrissur, Udupi, Vapi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Jul 10, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Thoothukudi	Satisfactory	51	PM <sub>10</sub>	1
134	Tirupati	Good	49	PM <sub>10</sub>	1
135	Udaipur	Good	35	PM <sub>2.5</sub>	1
136	Ujjain	Satisfactory	73	PM <sub>10</sub>	1
137	Varanasi	Satisfactory	52	PM <sub>10</sub> , O <sub>3</sub>	3
138	Vatva	Satisfactory	61	PM <sub>10</sub>	1
139	Vijayapura	Good	49	PM <sub>10</sub>	1
140	Visakhapatnam	Satisfactory	55	PM <sub>10</sub>	1
141	Vrindavan	Good	41	SO <sub>2</sub>	1
142	Yadgir	Good	28	CO	1
143	Yamunanagar	Satisfactory	88	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Araria, Asansol,

Aurangabad (Maharashtra), Baddi, Begusarai, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Chikkaballapur, Coimbatore, Durgapur, Firozabad, Gadag, Gangtok, Gorakhpur, Hisar, Jhansi, Jorapokhar, Kalaburgi, Kannur, Khurja, Kochi, Kolar, Madikeri, Maihar, Manguraha, Naharlagun, Navi Mumbai, Palwal, Pithampur, Raichur, Rupnagar, Saharsa, Sirsa, Thrissur, Udupi, Vapi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases