Air Quality Index on Jan 15, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	139	$PM_{2.5}$	1
2	Agra	Moderate	177	$PM_{2.5}$, PM_{10}	5
3	Ahmedabad	Satisfactory	95	$PM_{2.5}$, PM_{10}	9
4	Aizawl	Good	25	PM_{10}	1
5	Ajmer	Moderate	139	$PM_{2.5}$	1
6	Alwar	Satisfactory	82	PM_{10}	1
7	Amaravati	Satisfactory	54	O_3	1
8	Ambala	Moderate	116	$PM_{2.5}$	1
9	Ankleshwar	Moderate	132	$PM_{2.5}$	1
10	Araria	Poor	268	$PM_{2.5}$	1
11	Arrah	Moderate	191	$PM_{2.5}$	1
12	Asansol	Moderate	116	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amritsar, Bhilai, Bidar, Bilaspur, Charkhi Dadri, Chhapra, Gadag, Gummidipoondi, Kalaburgi, Madikeri, Manguraha, Naharlagun, Raichur, Siliguri, Solapur, Udaipur, Udupi, Visakhapatnam as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 15, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad	Satisfactory	93	PM_{10}	1
14	Bagalkot	Good	50	$PM_{2.5}$	1
15	Baghpat	Moderate	146	$PM_{2.5}$	1
16	Bahadurgarh	Moderate	166	$PM_{2.5}$	1
17	Ballabgarh	Poor	254	$PM_{2.5}$	1
18	Bathinda	Moderate	120	PM_{10}	1
19	Bengaluru	Satisfactory	88	PM_{10}, CO, $PM_{2.5}$	9
20	Bettiah	Moderate	161	PM_{10}	1
21	Bhagalpur	Poor	300	$PM_{2.5}$	2
22	Bhiwadi	Poor	285	$PM_{2.5}$	1
23	Bhiwani	Moderate	178	$PM_{2.5}$	1
24	Bhopal	Moderate	171	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amritsar, Bhilai, Bidar, Bilaspur, Charkhi Dadri, Chhapra, Gadag, Gummidipoondi, Kalaburgi, Madikeri, Manguraha, Naharlagun, Raichur, Siliguri, Solapur, Udaipur, Udupi, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 15, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bihar Sharif	Poor	235	$PM_{2.5}$	1
26	Brajrajnagar	Good	49	CO	1
27	Bulandshahr	Poor	268	$PM_{2.5}$	1
28	Buxar	Very Poor	335	$PM_{2.5}$	1
29	Chamarajanagar	Good	26	NO_2	1
30	Chandigarh	Moderate	161	$PM_{2.5}$, PM_{10}	2
31	Chandrapur	Satisfactory	66	$PM_{2.5}$, PM_{10}	2
32	Chennai	Good	37	CO, O_3, PM_{10}	8
33	Chikkaballapur	Satisfactory	72	PM_{10}	1
34	Chikkamagaluru	Good	35	PM_{10}	1
35	Coimbatore	Good	39	$PM_{2.5}$	1
36	Damoh	Moderate	168	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amritsar, Bhilai, Bidar, Bilaspur, Charkhi Dadri, Chhapra, Gadag, Gummidipoondi, Kalaburgi, Madikeri, Manguraha, Naharlagun, Raichur, Siliguri, Solapur, Udaipur, Udupi, Visakhapatnam as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 15, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Darbhanga	Moderate	199	PM_{10}	1
38	Davanagere	Good	45	PM_{10}	1
39	Delhi	Poor	258	$PM_{2.5}$	35
40	Dewas	Moderate	137	$PM_{2.5}$	1
41	Dharuhera	Moderate	196	$PM_{2.5}$	1
42	Durgapur	Moderate	104	$PM_{2.5}$	1
43	Eloor	Satisfactory	70	PM_{10}	1
44	Ernakulam	Satisfactory	58	$PM_{2.5}$	1
45	Faridabad	Very Poor	306	$PM_{2.5}$	4
46	Fatehabad	Moderate	109	$PM_{2.5}$	1
47	Firozabad	Poor	206	$PM_{2.5}$	1
48	Gandhinagar	Satisfactory	77	PM_{10}	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amritsar, Bhilai, Bidar, Bilaspur, Charkhi Dadri, Chhapra, Gadag, Gummidipoondi, Kalaburgi, Madikeri, Manguraha, Naharlagun, Raichur, Siliguri, Solapur, Udaipur, Udupi, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 15, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gaya	Moderate	177	$PM_{2.5}$, CO	3
50	Ghaziabad	Poor	254	$PM_{2.5}$	3
51	Gorakhpur	Satisfactory	85	$PM_{2.5}$	1
52	Greater Noida	Poor	239	$PM_{2.5}$	2
53	Gurugram	Moderate	199	$PM_{2.5}$, PM_{10}	4
54	Guwahati	Moderate	190	$PM_{2.5}$	2
55	Gwalior	Poor	217	$PM_{2.5}$	1
56	Hajipur	Moderate	190	$PM_{2.5}$	1
57	Haldia	Satisfactory	94	PM_{10}	1
58	Hapur	Moderate	163	$PM_{2.5}$	1
59	Hassan	Satisfactory	53	PM_{10}	1
60	Hisar	Poor	239	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amritsar, Bhilai, Bidar, Bilaspur, Charkhi Dadri, Chhapra, Gadag, Gummidipoondi, Kalaburgi, Madikeri, Manguraha, Naharlagun, Raichur, Siliguri, Solapur, Udaipur, Udupi, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 15, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Howrah	Moderate	146	$PM_{2.5}$, CO	3
62	Hubballi	Satisfactory	98	PM_{10}	1
63	Hyderabad	Satisfactory	78	PM_{10}, $PM_{2.5}$	6
64	Indore	Moderate	134	$PM_{2.5}$	1
65	Jabalpur	Poor	282	$PM_{2.5}$	1
66	Jaipur	Moderate	132	$PM_{2.5}$, PM_{10}	2
67	Jalandhar	Moderate	113	PM_{10}	1
68	Jind	Moderate	185	$PM_{2.5}$	1
69	Jodhpur	Moderate	132	PM_{10}	1
70	Jorapokhar	Moderate	123	PM_{10}	1
71	Kaithal	Moderate	113	$PM_{2.5}$	1
72	Kalyan	Poor	249	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amritsar, Bhilai, Bidar, Bilaspur, Charkhi Dadri, Chhapra, Gadag, Gummidipoondi, Kalaburgi, Madikeri, Manguraha, Naharlagun, Raichur, Siliguri, Solapur, Udaipur, Udupi, Visakhapatnam as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 15, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kannur	Good	49	$PM_{2.5}$	1
74	Kanpur	Moderate	126	$PM_{2.5}$, PM_{10}	3
75	Karnal	Moderate	147	$PM_{2.5}$	1
76	Katihar	Poor	294	$PM_{2.5}$	1
77	Katni	Poor	294	$PM_{2.5}$	1
78	Khanna	Satisfactory	93	PM_{10}	1
79	Kishanganj	Very Poor	359	$PM_{2.5}$	1
80	Kochi	Satisfactory	89	$PM_{2.5}$	1
81	Kohima	Satisfactory	96	$PM_{2.5}$	1
82	Kolar	Satisfactory	64	$PM_{2.5}$	1
83	Kolkata	Moderate	123	$PM_{2.5}$, PM_{10}	5
84	Kollam	Satisfactory	89	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amritsar, Bhilai, Bidar, Bilaspur, Charkhi Dadri, Chhapra, Gadag, Gummidipoondi, Kalaburgi, Madikeri, Manguraha, Naharlagun, Raichur, Siliguri, Solapur, Udaipur, Udupi, Visakhapatnam as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 15, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Koppal	Satisfactory	67	O_3	1
86	Kota	Moderate	181	$PM_{2.5}$	1
87	Kozhikode	Satisfactory	56	PM_{10}	1
88	Kurukshetra	Moderate	172	$PM_{2.5}$	1
89	Lucknow	Moderate	163	PM_{10}, $PM_{2.5}$	5
90	Ludhiana	Moderate	103	PM_{10}	1
91	Maihar	Satisfactory	56	$PM_{2.5}$	1
92	Mandi Gobindgarh	Satisfactory	71	$PM_{2.5}$	1
93	Mandideep	Satisfactory	92	PM_{10}	1
94	Mandikhera	Satisfactory	59	PM_{10}	1
95	Manesar	Poor	273	PM_{10}	1
96	Manglore	Good	30	CO	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amritsar, Bhilai, Bidar, Bilaspur, Charkhi Dadri, Chhapra, Gadag, Gummidipoondi, Kalaburgi, Madikeri, Manguraha, Naharlagun, Raichur, Siliguri, Solapur, Udaipur, Udupi, Visakhapatnam as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 15, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Meerut	Poor	204	$PM_{2.5}$, PM_{10}	3
98	Moradabad	Moderate	130	$PM_{2.5}$	3
99	Motihari	Poor	214	$PM_{2.5}$	1
100	Mumbai	Moderate	182	$PM_{2.5}$	16
101	Munger	Very Poor	376	$PM_{2.5}$	1
102	Muzaffarnagar	Poor	220	$PM_{2.5}$	1
103	Muzaffarpur	Poor	280	$PM_{2.5}$	2
104	Mysuru	Good	47	O_3	1
105	Nagpur	Satisfactory	82	CO	1
106	Nandesari	Satisfactory	100	CO	1
107	Narnaul	Moderate	151	$PM_{2.5}$	1
108	Nashik	Satisfactory	91	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amritsar, Bhilai, Bidar, Bilaspur, Charkhi Dadri, Chhapra, Gadag, Gummidipoondi, Kalaburgi, Madikeri, Manguraha, Naharlagun, Raichur, Siliguri, Solapur, Udaipur, Udupi, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 15, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Navi Mumbai	Moderate	198	$PM_{2.5}$, PM_{10}	2
110	Noida	Poor	250	$PM_{2.5}$	3
111	Pali	Moderate	119	$PM_{2.5}$	1
112	Palwal	Good	46	PM_{10}	1
113	Panchkula	Poor	236	$PM_{2.5}$	1
114	Panipat	Moderate	164	PM_{10}	1
115	Patiala	Moderate	155	$PM_{2.5}$	1
116	Patna	Poor	250	$PM_{2.5}$, PM_{10}	6
117	Pithampur	Moderate	129	PM_{10}	1
118	Prayagraj	Moderate	150	$PM_{2.5}$	3
119	Puducherry	Good	23	CO	1
120	Pune	Moderate	125	$PM_{2.5}$	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amritsar, Bhilai, Bidar, Bilaspur, Charkhi Dadri, Chhapra, Gadag, Gummidipoondi, Kalaburgi, Madikeri, Manguraha, Naharlagun, Raichur, Siliguri, Solapur, Udaipur, Udupi, Visakhapatnam as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 15, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Purnia	Poor	297	$PM_{2.5}$	1
122	Rajamahendravaram	Satisfactory	67	O_3	1
123	Rajgir	Very Poor	313	$PM_{2.5}$	1
124	Ramanagara	Satisfactory	56	PM_{10}	1
125	Ratlam	Satisfactory	87	$PM_{2.5}$	1
126	Rohtak	Moderate	194	$PM_{2.5}$	1
127	Rupnagar	Satisfactory	58	$PM_{2.5}$	1
128	Sagar	Satisfactory	66	$PM_{2.5}$	1
129	Saharsa	Poor	249	PM_{10}	1
130	Sasaram	Very Poor	315	$PM_{2.5}$	1
131	Satna	Satisfactory	54	PM_{10}	1
132	Shillong	Good	31	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amritsar, Bhilai, Bidar, Bilaspur, Charkhi Dadri, Chhapra, Gadag, Gummidipoondi, Kalaburgi, Madikeri, Manguraha, Naharlagun, Raichur, Siliguri, Solapur, Udaipur, Udupi, Visakhapatnam as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 15, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Shivamogga	Satisfactory	54	PM_{10}	1
134	Singrauli	Poor	260	$PM_{2.5}$	1
135	Sirsa	Moderate	104	PM_{10}	1
136	Siwan	Very Poor	344	$PM_{2.5}$	1
137	Sonipat	Satisfactory	59	PM_{10}	1
138	Srinagar	Poor	235	PM_{10}	1
139	Talcher	Moderate	114	NO_2	1
140	Thane	Moderate	162	PM_{10}	1
141	Thiruvananthapuram	Satisfactory	72	PM_{10}, $PM_{2.5}$	2
142	Thoothukudi	Good	25	PM_{10}	1
143	Thrissur	Satisfactory	70	PM_{10}	1
144	Tirupati	Good	48	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amritsar, Bhilai, Bidar, Bilaspur, Charkhi Dadri, Chhapra, Gadag, Gummidipoondi, Kalaburgi, Madikeri, Manguraha, Naharlagun, Raichur, Siliguri, Solapur, Udaipur, Udupi, Visakhapatnam as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 15, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Ujjain	Moderate	107	PM_{10}	1
146	Vapi	Moderate	200	$PM_{2.5}$	1
147	Varanasi	Moderate	131	$PM_{2.5}$, PM_{10}	4
148	Vatva	Moderate	132	$PM_{2.5}$	1
149	Vijayapura	Satisfactory	51	PM_{10}	1
150	Vrindavan	Moderate	146	$PM_{2.5}$	1
151	Yadgir	Satisfactory	65	PM_{10}	1
152	Yamunanagar	Moderate	125	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amritsar, Bhilai, Bidar, Bilaspur, Charkhi Dadri, Chhapra, Gadag, Gummidipoondi, Kalaburgi, Madikeri, Manguraha, Naharlagun, Raichur, Siliguri, Solapur, Udaipur, Udupi, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.