Air Quality Index on Mar 14, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	266	$PM_{2.5}$	1
2	Agra	Moderate	142	$PM_{2.5}$, PM_{10}	5
3	Ahmedabad	Moderate	184	$PM_{2.5}$, PM_{10}	8
4	Aizawl	Satisfactory	96	PM_{10}	1
5	Ajmer	Moderate	118	$PM_{2.5}$	1
6	Alwar	Satisfactory	98	PM_{10}	1
7	Amaravati	Satisfactory	86	PM_{10}	1
8	Ambala	Moderate	176	$PM_{2.5}$	1
9	Amritsar	Poor	236	O_3	1
10	Ankleshwar	Moderate	196	$PM_{2.5}$	1
11	Araria	Poor	215	$PM_{2.5}$	1
12	Arrah	Moderate	114	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bhilai, Bhiwani, Bidar, Brajrajnagar, Davanagere, Jhansi, Jorapokhar, Katihar, Kochi, Kolar, Kollam, Koppal, Maihar, Manglore, Motihari, Naharlagun, Nandesari, Narnaul, Shillong, Thoothukudi, Udupi, Vapi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 14, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Moderate	172	O_3	1
14	Baddi	Moderate	140	PM_{10}	1
15	Bagalkot	Good	49	$PM_{2.5}$	1
16	Baghpat	Poor	226	$PM_{2.5}$	1
17	Bahadurgarh	Poor	243	$PM_{2.5}$	1
18	Ballabgarh	Moderate	140	PM_{10}	1
19	Bathinda	Satisfactory	94	PM_{10}	1
20	Bengaluru	Moderate	113	CO, PM_{10}, $PM_{2.5}$	7
21	Bhagalpur	Moderate	188	PM_{10}, $PM_{2.5}$	2
22	Bhiwadi	Poor	278	$PM_{2.5}$	1
23	Bhopal	Moderate	145	PM_{10}	1
24	Bihar Sharif	Poor	247	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: * AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bhilai, Bhiwani, Bidar, Brajrajnagar, Davanagere, Jhansi, Jorapokhar, Katihar, Kochi, Kolar, Kollam, Koppal, Maihar, Manglore, Motihari, Naharlagun, Nandesari, Narnaul, Shillong, Thoothukudi, Udupi, Vapi, Yamunanagar as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 14, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bilaspur	Satisfactory	55	PM_{10}	1
26	Bulandshahr	Poor	246	O_3	1
27	Buxar	Poor	240	$PM_{2.5}$	1
28	Chamarajanagar	Good	48	PM_{10}	1
29	Chandigarh	Moderate	157	O_3, $PM_{2.5}$, PM_{10}	3
30	Chandrapur	Moderate	142	$PM_{2.5}$, PM_{10}	2
31	Charkhi Dadri	Moderate	104	$PM_{2.5}$	1
32	Chennai	Satisfactory	97	PM_{10}, O_3	8
33	Chhapra	Poor	268	$PM_{2.5}$	1
34	Chikkaballapur	Moderate	161	$PM_{2.5}$	1
35	Chikkamagaluru	Satisfactory	57	$PM_{2.5}$	1
36	Coimbatore	Satisfactory	71	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bhilai, Bhiwani, Bidar, Brajrajnagar, Davanagere, Jhansi, Jorapokhar, Katihar, Kochi, Kolar, Kollam, Koppal, Maihar, Manglore, Motihari, Naharlagun, Nandesari, Narnaul, Shillong, Thoothukudi, Udupi, Vapi, Yamunanagar as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 14, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Damoh	Good	46	$PM_{2.5}$	1
38	Darbhanga	Moderate	193	$PM_{2.5}$	1
39	Delhi	Poor	231	PM_{10}, $PM_{2.5}$	36
40	Dewas	Moderate	126	PM_{10}	1
41	Dharuhera	Poor	220	PM_{10}	1
42	Durgapur	Poor	244	$PM_{2.5}$	1
43	Eloor	Satisfactory	73	PM_{10}	1
44	Ernakulam	Moderate	112	$PM_{2.5}$	1
45	Faridabad	Poor	225	O_3, PM_{10}, $PM_{2.5}$	3
46	Fatehabad	Moderate	160	$PM_{2.5}$	1
47	Firozabad	Moderate	174	O_3, $PM_{2.5}$	2
48	Gadag	Moderate	126	O_3	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bhilai, Bhiwani, Bidar, Brajrajnagar, Davanagere, Jhansi, Jorapokhar, Katihar, Kochi, Kolar, Kollam, Koppal, Maihar, Manglore, Motihari, Naharlagun, Nandesari, Narnaul, Shillong, Thoothukudi, Udupi, Vapi, Yamunanagar as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 14, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gandhinagar	Moderate	156	$PM_{2.5}$	3
50	Gaya	Moderate	132	NO_2, $PM_{2.5}$, PM_{10}	3
51	Ghaziabad	Poor	272	$PM_{2.5}$, PM_{10}	4
52	Gorakhpur	Satisfactory	84	PM_{10}	1
53	Greater Noida	Poor	231	$PM_{2.5}$, O_3	2
54	Gummidipoondi	Satisfactory	63	PM_{10}	1
55	Gurugram	Poor	252	PM_{10}, $PM_{2.5}$	3
56	Guwahati	Very Poor	308	$PM_{2.5}$	2
57	Gwalior	Moderate	128	PM_{10}	1
58	Hajipur	Moderate	176	$PM_{2.5}$	1
59	Haldia	Moderate	146	PM_{10}	1
60	Hapur	Poor	206	O_3	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bhilai, Bhiwani, Bidar, Brajrajnagar, Davanagere, Jhansi, Jorapokhar, Katihar, Kochi, Kolar, Kollam, Koppal, Maihar, Manglore, Motihari, Naharlagun, Nandesari, Narnaul, Shillong, Thoothukudi, Udupi, Vapi, Yamunanagar as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 14, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hassan	Moderate	110	$PM_{2.5}$	1
62	Hisar	Poor	203	$PM_{2.5}$	1
63	Howrah	Poor	230	$PM_{2.5}$	3
64	Hubballi	Moderate	129	PM_{10}	1
65	Hyderabad	Moderate	133	$PM_{2.5}$, PM_{10}	6
66	Indore	Moderate	173	PM_{10}	1
67	Jabalpur	Moderate	153	PM_{10}	1
68	Jaipur	Moderate	168	$PM_{2.5}$	2
69	Jalandhar	Satisfactory	100	PM_{10}	1
70	Jind	Moderate	140	$PM_{2.5}$	1
71	Jodhpur	Poor	210	$PM_{2.5}$	1
72	Kaithal	Moderate	182	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bhilai, Bhiwani, Bidar, Brajrajnagar, Davanagere, Jhansi, Jorapokhar, Katihar, Kochi, Kolar, Kollam, Koppal, Maihar, Manglore, Motihari, Naharlagun, Nandesari, Narnaul, Shillong, Thoothukudi, Udupi, Vapi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 14, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kalaburgi	Moderate	132	PM_{10}	1
74	Kalyan	Moderate	167	$PM_{2.5}$	1
75	Kannur	Moderate	130	$PM_{2.5}$	1
76	Kanpur	Moderate	158	$PM_{2.5}$, PM_{10}	3
77	Karnal	Moderate	122	$PM_{2.5}$	1
78	Katni	Poor	242	PM_{10}	1
79	Khanna	Moderate	123	PM_{10}	1
80	Kishanganj	Poor	272	$PM_{2.5}$	1
81	Kohima	Moderate	114	PM_{10}	1
82	Kolkata	Moderate	182	$PM_{2.5}$, PM_{10}	7
83	Kota	Moderate	116	PM_{10}	1
84	Kozhikode	Satisfactory	54	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bhilai, Bhiwani, Bidar, Brajrajnagar, Davanagere, Jhansi, Jorapokhar, Katihar, Kochi, Kolar, Kollam, Koppal, Maihar, Manglore, Motihari, Naharlagun, Nandesari, Narnaul, Shillong, Thoothukudi, Udupi, Vapi, Yamunanagar as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 14, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kurukshetra	Moderate	156	$PM_{2.5}$	1
86	Lucknow	Moderate	171	$PM_{2.5}$, PM_{10}	6
87	Ludhiana	Moderate	138	PM_{10}	1
88	Madikeri	Satisfactory	96	PM_{10}	1
89	Mandi Gobindgarh	Moderate	185	PM_{10}	1
90	Mandideep	Moderate	196	PM_{10}	1
91	Mandikhera	Satisfactory	99	PM_{10}	1
92	Manesar	Poor	250	$PM_{2.5}$	1
93	Manguraha	Satisfactory	86	PM_{10}	1
94	Meerut	Poor	232	$PM_{2.5}$, O_3, PM_{10}	3
95	Moradabad	Moderate	150	$PM_{2.5}$, O_3	3
96	Mumbai	Moderate	167	$PM_{2.5}$, PM_{10}	15

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bhilai, Bhiwani, Bidar, Brajrajnagar, Davanagere, Jhansi, Jorapokhar, Katihar, Kochi, Kolar, Kollam, Koppal, Maihar, Manglore, Motihari, Naharlagun, Nandesari, Narnaul, Shillong, Thoothukudi, Udupi, Vapi, Yamunanagar as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 14, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Munger	Moderate	189	PM_{10}	1
98	Muzaffarnagar	Poor	258	$PM_{2.5}$	1
99	Muzaffarpur	Poor	254	PM_{10}, $PM_{2.5}$	2
100	Mysuru	Satisfactory	71	PM_{10}	1
101	Nagpur	Satisfactory	75	CO	1
102	Nashik	Satisfactory	75	PM_{10}	1
103	Navi Mumbai	Moderate	116	$PM_{2.5}$	1
104	Noida	Poor	209	PM_{10}, $PM_{2.5}$	3
105	Pali	Moderate	144	$PM_{2.5}$	1
106	Palwal	Moderate	129	PM_{10}	1
107	Panchkula	Moderate	144	$PM_{2.5}$	1
108	Panipat	Moderate	158	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bhilai, Bhiwani, Bidar, Brajrajnagar, Davanagere, Jhansi, Jorapokhar, Katihar, Kochi, Kolar, Kollam, Koppal, Maihar, Manglore, Motihari, Naharlagun, Nandesari, Narnaul, Shillong, Thoothukudi, Udupi, Vapi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 14, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Patiala	Moderate	108	$PM_{2.5}$	1
110	Patna	Poor	244	$PM_{2.5}$, PM_{10}	6
111	Pithampur	Satisfactory	84	PM_{10}	1
112	Prayagraj	Moderate	111	PM_{10}	3
113	Puducherry	Satisfactory	80	PM_{10}	1
114	Pune	Moderate	136	$PM_{2.5}$	7
115	Purnia	Poor	239	$PM_{2.5}$	1
116	Raichur	Moderate	148	PM_{10}	1
117	Rajamahendravaram	Moderate	113	PM_{10}	1
118	Rajgir	Moderate	130	PM_{10}	1
119	Ramanagara	Moderate	134	PM_{10}	1
120	Ratlam	Moderate	139	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bhilai, Bhiwani, Bidar, Brajrajnagar, Davanagere, Jhansi, Jorapokhar, Katihar, Kochi, Kolar, Kollam, Koppal, Maihar, Manglore, Motihari, Naharlagun, Nandesari, Narnaul, Shillong, Thoothukudi, Udupi, Vapi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 14, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Rohtak	Moderate	172	$PM_{2.5}$	1
122	Rupnagar	Moderate	193	PM_{10}	1
123	Sagar	Moderate	157	PM_{10}	1
124	Saharsa	Poor	273	PM_{10}	1
125	Sasaram	Very Poor	302	O_3	1
126	Satna	Satisfactory	61	PM_{10}	1
127	Shivamogga	Moderate	155	O_3	1
128	Siliguri	Poor	242	$PM_{2.5}$	1
129	Singrauli	Poor	271	PM_{10}	1
130	Sirsa	Moderate	124	PM_{10}	1
131	Siwan	Poor	221	$PM_{2.5}$	1
132	Solapur	Moderate	102	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bhilai, Bhiwani, Bidar, Brajrajnagar, Davanagere, Jhansi, Jorapokhar, Katihar, Kochi, Kolar, Kollam, Koppal, Maihar, Manglore, Motihari, Naharlagun, Nandesari, Narnaul, Shillong, Thoothukudi, Udupi, Vapi, Yamunanagar as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 14, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Sonipat	Moderate	170	PM_{10}	1
134	Srinagar	Good	48	PM_{10}	1
135	Talcher	Moderate	184	PM_{10}	1
136	Thane	Poor	206	PM_{10}	1
137	Thiruvananthapuram	Satisfactory	70	$PM_{2.5}$	2
138	Thrissur	Moderate	108	$PM_{2.5}$	1
139	Tirupati	Moderate	126	$PM_{2.5}$	1
140	Udaipur	Moderate	165	$PM_{2.5}$	1
141	Ujjain	Moderate	160	PM_{10}	1
142	Varanasi	Moderate	105	PM_{10}	4
143	Vatva	Poor	228	$PM_{2.5}$	1
144	Vijayapura	Good	50	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:
* AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bhilai, Bhiwani, Bidar, Brajrajnagar, Davanagere, Jhansi, Jorapokhar, Katihar, Kochi, Kolar, Kollam, Koppal, Maihar, Manglore, Motihari, Naharlagun, Nandesari, Narnaul, Shillong, Thoothukudi, Udupi, Vapi, Yamunanagar as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 14, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Visakhapatnam	Moderate	137	PM_{10}	1
146	Vrindavan	Moderate	165	$PM_{2.5}$	1
147	Yadgir	Satisfactory	100	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bhilai, Bhiwani, Bidar, Brajrajnagar, Davanagere, Jhansi, Jorapokhar, Katihar, Kochi, Kolar, Kollam, Koppal, Maihar, Manglore, Motihari, Naharlagun, Nandesari, Narnaul, Shillong, Thoothukudi, Udupi, Vapi, Yamunanagar as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.