

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	24	SO ₂	1
2	Agra	Good	30	O ₃ , PM ₁₀ , PM _{2.5}	4
3	Ahmedabad	Satisfactory	53	PM ₁₀ , PM _{2.5}	9
4	Ajmer	Satisfactory	58	PM _{2.5}	1
5	Alwar	Good	48	PM ₁₀	1
6	Amaravati	Good	26	PM ₁₀	1
7	Ambala	Good	34	со	1
8	Amritsar	Good	35	со	1
9	Bagalkot	Good	25	со	1
10	Baghpat	Satisfactory	56	PM ₁₀	1
11	Bahadurgarh	Satisfactory	55	PM _{2.5}	1
12	Ballabgarh	Satisfactory	59	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Asansol, Aurangabad, Bidar, Brajrajnagar, Coimbatore, Durgapur, Gummidipoondi, Jind, Jorapokhar, Kalaburgi, Maihar, Manglore, Nandesari, Narnaul, Puducherry, Raichur, Shillong, Vijayapura as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bathinda	Good	26	со	1
14	Bengaluru	Satisfactory	57	PM ₁₀ , CO	10
15	Bettiah	Satisfactory	62	PM ₁₀	1
16	Bhiwadi	Satisfactory	83	PM ₁₀	1
17	Bhiwani	Satisfactory	73	03	1
18	Bhopal	Good	38	PM ₁₀	1
19	Bihar Sharif	Satisfactory	66	NO ₂	1
20	Bulandshahr	Good	34	03	1
21	Chamarajanagar	Good	39	PM ₁₀	1
22	Chandigarh	Good	34	PM ₁₀	1
23	Chandrapur	Good	33	PM ₁₀	2
24	Charkhi Dadri	Good	28	NO ₂	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Asansol, Aurangabad, Bidar, Brajrajnagar, Coimbatore, Durgapur, Gummidipoondi, Jind, Jorapokhar, Kalaburgi, Maihar, Manglore, Nandesari, Narnaul, Puducherry, Raichur, Shillong, Vijayapura as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chennai	Satisfactory	71	CO, PM ₁₀	6
26	Chikkaballapur	Good	30	NO ₂	1
27	Chikkamagaluru	Good	29	PM ₁₀	1
28	Damoh	Good	18	NO ₂	1
29	Darbhanga	Good	17	со	1
30	Davanagere	Good	19	03	1
31	Delhi	Satisfactory	76	O ₃ , PM _{2.5} , PM ₁₀	36
32	Dewas	Good	42	PM ₁₀	1
33	Dharuhera	Satisfactory	60	со	1
34	Eloor	Satisfactory	78	со	1
35	Ernakulam	Good	41	со	1
36	Faridabad	Satisfactory	52	O ₃ , PM ₁₀	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Asansol, Aurangabad, Bidar, Brajrajnagar, Coimbatore, Durgapur, Gummidipoondi, Jind, Jorapokhar, Kalaburgi, Maihar, Manglore, Nandesari, Narnaul, Puducherry, Raichur, Shillong, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Fatehabad	Good	28	PM ₁₀	1
38	Firozabad	Good	17	со	1
39	Gadag	Good	19	SO ₂	1
40	Gandhinagar	Good	38	CO, PM _{2.5}	2
41	Gaya	Good	41	CO, O ₃	2
42	Ghaziabad	Good	50	CO, PM ₁₀	4
43	Gorakhpur	Good	16	со	1
44	Greater Noida	Good	45	PM ₁₀	2
45	Gurugram	Satisfactory	66	PM _{2.5} , PM ₁₀	3
46	Guwahati	Good	46	SO ₂	2
47	Gwalior	Satisfactory	64	PM ₁₀ , O ₃	2
48	Hajipur	Satisfactory	57	СО	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Asansol, Aurangabad, Bidar, Brajrajnagar, Coimbatore, Durgapur, Gummidipoondi, Jind, Jorapokhar, Kalaburgi, Maihar, Manglore, Nandesari, Narnaul, Puducherry, Raichur, Shillong, Vijayapura as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Haldia	Good	24	PM _{2.5}	1
50	Hapur	Good	47	со	1
51	Hassan	Satisfactory	54	PM ₁₀	1
52	Hisar	Good	35	PM _{2.5}	1
53	Howrah	Good	32	CO, PM ₁₀	3
54	Hubballi	Good	36	PM ₁₀	1
55	Hyderabad	Good	37	NO ₂ , PM ₁₀ , PM _{2.5}	5
56	Indore	Satisfactory	51	PM ₁₀	1
57	Jabalpur	Good	38	со	1
58	Jaipur	Good	44	PM ₁₀ , CO	2
59	Jalandhar	Good	42	O ₃	1
60	Jodhpur	Satisfactory	80	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Asansol, Aurangabad, Bidar, Brajrajnagar, Coimbatore, Durgapur, Gummidipoondi, Jind, Jorapokhar, Kalaburgi, Maihar, Manglore, Nandesari, Narnaul, Puducherry, Raichur, Shillong, Vijayapura as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kaithal	Satisfactory	76	O ₃	1
62	Kalyan	Good	44	PM ₁₀	1
63	Kannur	Good	37	NO ₂	1
64	Kanpur	Good	23	NO ₂ , NH ₃ , O ₃	3
65	Karnal	Good	28	PM ₁₀	1
66	Katni	Good	36	PM ₁₀	1
67	Khanna	Satisfactory	57	PM ₁₀	1
68	Kochi	Good	46	PM ₁₀	1
69	Kohima	Good	33	SO ₂	1
70	Kolar	Satisfactory	93	со	1
71	Kolkata	Good	33	O ₃ , PM ₁₀ , CO	7
72	Kollam	Satisfactory	100	СО	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Asansol, Aurangabad, Bidar, Brajrajnagar, Coimbatore, Durgapur, Gummidipoondi, Jind, Jorapokhar, Kalaburgi, Maihar, Manglore, Nandesari, Narnaul, Puducherry, Raichur, Shillong, Vijayapura as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Koppal	Good	28	O ₃	1
74	Kota	Good	42	PM ₁₀	1
75	Kozhikode	Satisfactory	78	со	1
76	Kurukshetra	Good	19	PM _{2.5}	1
77	Lucknow	Good	42	PM ₁₀ , CO, PM _{2.5}	6
78	Ludhiana	Satisfactory	56	PM ₁₀	1
79	Mandi Gobindgarh	Good	40	PM _{2.5}	1
80	Mandideep	Good	39	PM ₁₀	1
81	Mandikhera	Good	48	O ₃	1
82	Manesar	Satisfactory	64	PM ₁₀	1
83	Medikeri	Good	21	SO ₂	1
84	Meerut	Good	49	O ₃ , CO	3

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Asansol, Aurangabad, Bidar, Brajrajnagar, Coimbatore, Durgapur, Gummidipoondi, Jind, Jorapokhar, Kalaburgi, Maihar, Manglore, Nandesari, Narnaul, Puducherry, Raichur, Shillong, Vijayapura as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Moradabad	Satisfactory	65	PM _{2.5}	1
86	Motihari	Good	38	03	1
87	Mumbai	Satisfactory	65	O ₃ , PM ₁₀	19
88	Muzaffarnagar	Satisfactory	85	со	1
89	Muzaffarpur	Good	35	со	1
90	Mysuru	Satisfactory	60	O ₃	1
91	Nagpur	Satisfactory	79	со	1
92	Naharlagun	Good	39	PM ₁₀	1
93	Nashik	Good	35	PM ₁₀	1
94	Navi Mumbai	Good	42	PM ₁₀	3
95	Noida	Satisfactory	66	PM ₁₀ , CO, PM _{2.5}	4
96	Pali	Satisfactory	53	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Asansol, Aurangabad, Bidar, Brajrajnagar, Coimbatore, Durgapur, Gummidipoondi, Jind, Jorapokhar, Kalaburgi, Maihar, Manglore, Nandesari, Narnaul, Puducherry, Raichur, Shillong, Vijayapura as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Palwal	Good	47	PM _{2.5}	1
98	Panchkula	Good	42	03	1
99	Panipat	Good	50	PM ₁₀	1
100	Patiala	Satisfactory	51	03	1
101	Patna	Good	46	PM ₁₀	1
102	Pithampur	Satisfactory	59	PM ₁₀	1
103	Prayagraj	Good	30	PM ₁₀	3
104	Pune	Satisfactory	56	PM _{2.5} , CO	5
105	Rajamahendravaram	Satisfactory	52	PM ₁₀	1
106	Ramanagara	Good	38	O ₃	1
107	Ratlam	Good	33	PM _{2.5}	1
108	Rohtak	Satisfactory	65	03	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Asansol, Aurangabad, Bidar, Brajrajnagar, Coimbatore, Durgapur, Gummidipoondi, Jind, Jorapokhar, Kalaburgi, Maihar, Manglore, Nandesari, Narnaul, Puducherry, Raichur, Shillong, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Rupnagar	Satisfactory	73	PM ₁₀	1
110	Sagar	Good	24	NO ₂	1
111	Satna	Satisfactory	74	PM ₁₀	1
112	Shivamogga	Good	46	PM ₁₀	1
113	Siliguri	Good	31	со	1
114	Singrauli	Good	41	PM ₁₀	1
115	Sirsa	Satisfactory	64	03	1
116	Solapur	Good	41	03	1
117	Sonipat	Satisfactory	85	PM ₁₀	1
118	Srinagar	Good	46	PM ₁₀	1
119	Talcher	Satisfactory	68	со	1
120	Thane	Satisfactory	71	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Asansol, Aurangabad, Bidar, Brajrajnagar, Coimbatore, Durgapur, Gummidipoondi, Jind, Jorapokhar, Kalaburgi, Maihar, Manglore, Nandesari, Narnaul, Puducherry, Raichur, Shillong, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Thiruvananthapuram	Good	38	PM ₁₀ , CO	2
122	Thoothukudi	Good	45	PM ₁₀	1
123	Thrissur	Satisfactory	52	SO ₂	1
124	Tirupati	Good	33	со	1
125	Udaipur	Good	47	PM _{2.5}	1
126	Udupi	Moderate	174	03	1
127	Ujjain	Satisfactory	97	PM ₁₀	1
128	Vapi	Satisfactory	62	PM ₁₀	1
129	Varanasi	Good	32	PM ₁₀ , O ₃	3
130	Vatva	Satisfactory	71	NO ₂	1
131	Visakhapatnam	Satisfactory	72	PM ₁₀	1
132	Yadgir	Good	31	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Asansol, Aurangabad, Bidar, Brajrajnagar, Coimbatore, Durgapur, Gummidipoondi, Jind, Jorapokhar, Kalaburgi, Maihar, Manglore, Nandesari, Narnaul, Puducherry, Raichur, Shillong, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Yamunanagar	Good	44	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Asansol, Aurangabad, Bidar, Brajrajnagar, Coimbatore, Durgapur, Gummidipoondi, Jind, Jorapokhar, Kalaburgi, Maihar, Manglore, Nandesari, Narnaul, Puducherry, Raichur, Shillong, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.