



Air Quality Index on Dec 26, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	133	PM _{2.5}	1
2	Agra	Very Poor	309	PM _{2.5}	1
3	Ahmedabad	Moderate	189	O ₃	1
4	Aizawl	Good	25	PM ₁₀	1
5	Ajmer	Moderate	138	PM _{2.5}	1
6	Alwar	Satisfactory	94	PM ₁₀	1
7	Amaravati	Poor	259	PM _{2.5}	1
8	Ambala	Poor	233	PM _{2.5}	1
9	Amritsar	Moderate	131	PM ₁₀	1
10	Ankleshwar	Very Poor	302	PM _{2.5}	1
11	Asansol	Poor	222	PM _{2.5}	1
12	Aurangabad	Satisfactory	100	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Coimbatore, Ernakulam, Muzaffarnagar, Mysuru, Nagpur, Panipat, Ramanagara as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Dec 26, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Satisfactory	67	PM ₁₀	1
14	Baghpat	Very Poor	322	PM _{2.5}	1
15	Bahadurgarh	Poor	300	PM _{2.5}	1
16	Ballabgarh	Poor	221	PM _{2.5}	1
17	Bathinda	Moderate	128	PM ₁₀	1
18	Bengaluru	Satisfactory	88	O ₃ , PM _{2.5} , PM ₁₀	10
19	Bhiwadi	Very Poor	310	PM _{2.5}	1
20	Bhiwani	Moderate	138	PM ₁₀	1
21	Bhopal	Moderate	151	O ₃	1
22	Brajrajnagar	Moderate	172	PM _{2.5}	1
23	Bulandshahr	Very Poor	353	PM _{2.5}	1
24	Chamarajanagar	Good	47	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Coimbatore, Ernakulam, Muzaffarnagar, Mysuru, Nagpur, Panipat, Ramanagara as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Dec 26, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandigarh	Moderate	118	PM _{2.5}	1
26	Chandrapur	Moderate	164	PM _{2.5} , PM ₁₀	2
27	Charkhi Dadri	Poor	260	PM ₁₀	1
28	Chennai	Satisfactory	93	PM _{2.5} , PM ₁₀	7
29	Chikkaballapur	Satisfactory	78	PM _{2.5}	1
30	Chikkamagaluru	Satisfactory	79	O ₃	1
31	Damoh	Moderate	180	PM _{2.5}	1
32	Delhi	Very Poor	337	PM _{2.5}	38
33	Dewas	Poor	206	O ₃	1
34	Dharuhera	Very Poor	356	PM _{2.5}	1
35	Durgapur	Moderate	197	PM ₁₀	1
36	Eloor	Satisfactory	51	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Coimbatore, Ernakulam, Muzaffarnagar, Mysuru, Nagpur, Panipat, Ramanagara as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Dec 26, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Faridabad	Poor	300	PM _{2.5} , PM ₁₀	3
38	Fatehabad	Poor	280	PM _{2.5}	1
39	Gandhinagar	Satisfactory	82	PM ₁₀	1
40	Gaya	Moderate	146	PM _{2.5}	2
41	Ghaziabad	Very Poor	367	PM _{2.5}	4
42	Greater Noida	Very Poor	355	PM _{2.5}	2
43	Gurugram	Poor	269	PM _{2.5}	4
44	Guwahati	Poor	255	PM _{2.5}	1
45	Gwalior	Poor	262	PM _{2.5}	1
46	Hajipur	Poor	210	PM ₁₀	1
47	Haldia	Moderate	161	PM ₁₀	1
48	Hapur	Moderate	137	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Coimbatore, Ernakulam, Muzaffarnagar, Mysuru, Nagpur, Panipat, Ramanagara as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Dec 26, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hisar	Very Poor	323	PM _{2.5}	1
50	Howrah	Poor	295	PM _{2.5}	3
51	Hubballi	Moderate	126	PM _{2.5}	1
52	Hyderabad	Moderate	186	PM _{2.5}	6
53	Indore	Moderate	130	PM _{2.5}	1
54	Jabalpur	Poor	245	PM _{2.5}	1
55	Jaipur	Moderate	199	PM _{2.5}	3
56	Jalandhar	Moderate	140	PM ₁₀	1
57	Jind	Very Poor	366	PM _{2.5}	1
58	Jodhpur	Poor	209	PM _{2.5}	1
59	Jorapokhar	Poor	204	PM ₁₀	1
60	Kaithal	Moderate	129	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Coimbatore, Ernakulam, Muzaffarnagar, Mysuru, Nagpur, Panipat, Ramanagara as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Dec 26, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kalaburgi	Severe	419	PM ₁₀	1
62	Kalyan	Satisfactory	97	PM _{2.5}	1
63	Kannur	Satisfactory	90	PM _{2.5}	1
64	Kanpur	Poor	290	PM _{2.5}	2
65	Karnal	Moderate	130	PM _{2.5}	1
66	Katni	Very Poor	321	PM _{2.5}	1
67	Khanna	Moderate	136	PM ₁₀	1
68	Kochi	Satisfactory	98	PM _{2.5}	1
69	Kohima	Good	48	PM ₁₀	1
70	Kolkata	Poor	285	PM _{2.5} , PM ₁₀	7
71	Kollam	Moderate	159	PM _{2.5}	1
72	Koppal	Satisfactory	96	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Coimbatore, Ernakulam, Muzaffarnagar, Mysuru, Nagpur, Panipat, Ramanagara as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Dec 26, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kota	Moderate	176	PM _{2.5}	1
74	Kozhikode	Satisfactory	70	CO	1
75	Kurukshetra	Poor	272	PM _{2.5}	1
76	Lucknow	Poor	278	PM _{2.5}	4
77	Ludhiana	Moderate	113	PM _{2.5}	1
78	Maihar	Satisfactory	78	PM ₁₀	1
79	Mandi Gobindgarh	Moderate	180	PM _{2.5}	1
80	Mandideep	Moderate	146	PM _{2.5}	1
81	Mandikhera	Moderate	171	PM _{2.5}	1
82	Manesar	Poor	256	PM _{2.5}	1
83	Medikeri	Moderate	152	O ₃	1
84	Meerut	Very Poor	314	PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Coimbatore, Ernakulam, Muzaffarnagar, Mysuru, Nagpur, Panipat, Ramanagara as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Dec 26, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Moradabad	Poor	271	PM _{2.5}	1
86	Mumbai	Poor	221	PM _{2.5}	17
87	Muzaffarpur	Poor	285	PM _{2.5} , PM ₁₀	2
88	Nandesari	Moderate	116	CO	1
89	Narnaul	Poor	245	PM _{2.5}	1
90	Nashik	Moderate	147	PM _{2.5}	1
91	Navi Mumbai	Poor	285	PM _{2.5}	3
92	Noida	Very Poor	344	PM _{2.5}	3
93	Pali	Moderate	110	PM _{2.5}	1
94	Palwal	Moderate	144	PM _{2.5}	1
95	Panchkula	Poor	220	PM _{2.5}	1
96	Patiala	Moderate	150	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Coimbatore, Ernakulam, Muzaffarnagar, Mysuru, Nagpur, Panipat, Ramanagara as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Dec 26, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Patna	Very Poor	315	PM _{2.5}	5
98	Pithampur	Moderate	146	PM _{2.5}	1
99	Pune	Moderate	138	PM _{2.5}	2
100	Raichur	Moderate	131	PM ₁₀	1
101	Rajamahendravaram	Poor	244	PM _{2.5}	1
102	Ratlam	Moderate	123	PM ₁₀	1
103	Rohtak	Very Poor	311	PM _{2.5}	1
104	Rupnagar	Moderate	138	PM _{2.5}	1
105	Sagar	Satisfactory	79	PM _{2.5}	1
106	Satna	Moderate	109	PM ₁₀	1
107	Shillong	Good	23	PM ₁₀	1
108	Shivamogga	Satisfactory	71	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Coimbatore, Ernakulam, Muzaffarnagar, Mysuru, Nagpur, Panipat, Ramanagara as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Dec 26, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Siliguri	Poor	201	PM _{2.5}	1
110	Singrauli	Very Poor	311	PM _{2.5}	1
111	Sirsa	Poor	213	PM _{2.5}	1
112	Solapur	Moderate	134	PM _{2.5}	1
113	Sonipat	Moderate	196	PM ₁₀	1
114	Talcher	Moderate	161	PM _{2.5}	1
115	Thane	Poor	250	PM ₁₀	1
116	Thiruvananthapuram	Satisfactory	83	PM _{2.5}	1
117	Thoothukudi	Satisfactory	71	O ₃	1
118	Thrissur	Satisfactory	96	O ₃	1
119	Tirupati	Moderate	136	PM _{2.5}	1
120	Udaipur	Poor	232	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Coimbatore, Ernakulam, Muzaffarnagar, Mysuru, Nagpur, Panipat, Ramanagara as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Dec 26, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Ujjain	Poor	261	O ₃	1
122	Vapi	Poor	257	PM _{2.5}	1
123	Varanasi	Poor	285	PM _{2.5}	1
124	Vatva	Moderate	143	PM ₁₀	1
125	Vijayapura	Satisfactory	62	PM ₁₀	1
126	Visakhapatnam	Very Poor	326	PM _{2.5}	1
127	Yadgir	Moderate	133	PM _{2.5}	1
128	Yamunanagar	Poor	290	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Coimbatore, Ernakulam, Muzaffarnagar, Mysuru, Nagpur, Panipat, Ramanagara as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.