

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	23	SO ₂	1
2	Agra	Good	24	PM _{2.5} , PM ₁₀	3
3	Ahmedabad	Satisfactory	72	NO ₂ , PM ₁₀ , PM _{2.5}	9
4	Ajmer	Good	50	PM _{2.5}	1
5	Alwar	Good	46	PM ₁₀	1
6	Amaravati	Good	25	03	1
7	Ambala	Satisfactory	93	PM _{2.5}	1
8	Amritsar	Good	27	со	1
9	Bagalkot	Good	27	PM ₁₀	1
10	Baghpat	Good	48	PM ₁₀	1
11	Bahadurgarh	Good	28	PM _{2.5}	1
12	Ballabgarh	Satisfactory	75	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar,
 Asansol, Aurangabad, Coimbatore, Eloor, Gummidipoondi, Jorapokhar,
 Kalaburgi, Karnal, Maihar, Manglore, Medikeri, Nandesari, Raichur, Sonipat,
 Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bathinda	Good	22	СО	1
14	Bengaluru	Satisfactory	66	CO, PM ₁₀	10
15	Bettiah	Satisfactory	65	PM ₁₀	1
16	Bhiwadi	Moderate	109	PM ₁₀	1
17	Bhiwani	Good	41	PM ₁₀	1
18	Bhopal	Good	46	PM ₁₀	1
19	Bidar	Good	42	со	1
20	Bihar Sharif	Satisfactory	84	NO ₂	1
21	Brajrajnagar	Good	47	со	1
22	Bulandshahr	Satisfactory	56	O ₃	1
23	Chamarajanagar	Good	38	PM ₁₀	1
24	Chandigarh	Good	37	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Asansol, Aurangabad, Coimbatore, Eloor, Gummidipoondi, Jorapokhar, Kalaburgi, Karnal, Maihar, Manglore, Medikeri, Nandesari, Raichur, Sonipat, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Satisfactory	55	PM ₁₀	1
26	Charkhi Dadri	Good	33	PM ₁₀	1
27	Chennai	Satisfactory	68	CO, PM ₁₀	7
28	Chikkaballapur	Good	33	PM ₁₀	1
29	Chikkamagaluru	Good	27	PM ₁₀	1
30	Damoh	Good	22	PM ₁₀	1
31	Darbhanga	Good	22	со	1
32	Davanagere	Good	19	03	1
33	Delhi	Satisfactory	63	O ₃ , PM ₁₀ , CO	35
34	Dewas	Good	44	PM ₁₀	1
35	Dharuhera	Satisfactory	69	со	1
36	Durgapur	Good	33	NO ₂	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Asansol, Aurangabad, Coimbatore, Eloor, Gummidipoondi, Jorapokhar, Kalaburgi, Karnal, Maihar, Manglore, Medikeri, Nandesari, Raichur, Sonipat, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Ernakulam	Good	42	СО	1
38	Faridabad	Satisfactory	51	O ₃ , PM ₁₀	4
39	Fatehabad	Satisfactory	73	03	1
40	Firozabad	Good	43	PM _{2.5}	1
41	Gadag	Good	25	SO ₂	1
42	Gandhinagar	Good	41	CO, PM _{2.5} , PM ₁₀	3
43	Gaya	Satisfactory	57	со	1
44	Ghaziabad	Satisfactory	63	CO, PM ₁₀	4
45	Gorakhpur	Good	21	со	1
46	Greater Noida	Satisfactory	51	PM ₁₀	1
47	Gurugram	Satisfactory	59	PM ₁₀ , PM _{2.5}	3
48	Guwahati	Good	46	SO ₂	2

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Asansol, Aurangabad, Coimbatore, Eloor, Gummidipoondi, Jorapokhar, Kalaburgi, Karnal, Maihar, Manglore, Medikeri, Nandesari, Raichur, Sonipat, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gwalior	Satisfactory	56	PM ₁₀	2
50	Hajipur	Satisfactory	74	со	1
51	Haldia	Good	28	со	1
52	Hapur	Satisfactory	64	со	1
53	Hassan	Satisfactory	63	PM ₁₀	1
54	Hisar	Good	40	PM ₁₀	1
55	Howrah	Satisfactory	51	PM ₁₀ , CO	3
56	Hubballi	Good	43	PM ₁₀	1
57	Hyderabad	Good	38	NO ₂ , PM ₁₀ , PM _{2.5}	5
58	Indore	Satisfactory	54	PM ₁₀	1
59	Jabalpur	Good	50	PM ₁₀	1
60	Jaipur	Satisfactory	57	CO, PM ₁₀	3

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Asansol, Aurangabad, Coimbatore, Eloor, Gummidipoondi, Jorapokhar, Kalaburgi, Karnal, Maihar, Manglore, Medikeri, Nandesari, Raichur, Sonipat, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jalandhar	Good	28	СО	1
62	Jind	Good	30	PM _{2.5}	1
63	Jodhpur	Satisfactory	67	PM ₁₀	1
64	Kaithal	Satisfactory	53	03	1
65	Kalyan	Good	42	PM ₁₀	1
66	Kannur	Good	37	NO ₂	1
67	Kanpur	Good	26	NO ₂ , O ₃	2
68	Katni	Good	50	PM ₁₀	1
69	Khanna	Good	38	PM _{2.5}	1
70	Kochi	Satisfactory	53	PM ₁₀	1
71	Kohima	Good	33	SO ₂	1
72	Kolar	Satisfactory	96	СО	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Asansol, Aurangabad, Coimbatore, Eloor, Gummidipoondi, Jorapokhar, Kalaburgi, Karnal, Maihar, Manglore, Medikeri, Nandesari, Raichur, Sonipat, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kolkata	Good	40	O ₃ , PM ₁₀ , CO	7
74	Kollam	Satisfactory	99	со	1
75	Koppal	Good	28	O ₃	1
76	Kota	Good	46	PM ₁₀	1
77	Kozhikode	Satisfactory	60	со	1
78	Kurukshetra	Good	29	PM _{2.5}	1
79	Lucknow	Good	46	CO, O ₃ , PM ₁₀	5
80	Ludhiana	Good	46	со	1
81	Mandi Gobindgarh	Good	33	PM _{2.5}	1
82	Mandideep	Good	40	PM ₁₀	1
83	Mandikhera	Satisfactory	58	03	1
84	Manesar	Satisfactory	70	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Asansol, Aurangabad, Coimbatore, Eloor, Gummidipoondi, Jorapokhar, Kalaburgi, Karnal, Maihar, Manglore, Medikeri, Nandesari, Raichur, Sonipat, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Meerut	Good	39	O ₃ , NO ₂ , PM ₁₀	3
86	Moradabad	Satisfactory	57	PM ₁₀	1
87	Motihari	Good	40	03	1
88	Mumbai	Satisfactory	68	O ₃ , PM ₁₀	15
89	Muzaffarnagar	Satisfactory	83	со	1
90	Muzaffarpur	Good	43	O ₃ , CO, PM _{2.5}	3
91	Mysuru	Good	31	O ₃	1
92	Nagpur	Satisfactory	64	СО	1
93	Naharlagun	Good	35	SO ₂	1
94	Narnaul	Satisfactory	95	PM ₁₀	1
95	Nashik	Good	50	PM _{2.5}	1
96	Navi Mumbai	Good	44	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Asansol, Aurangabad, Coimbatore, Eloor, Gummidipoondi, Jorapokhar, Kalaburgi, Karnal, Maihar, Manglore, Medikeri, Nandesari, Raichur, Sonipat, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Noida	Satisfactory	59	CO, O ₃ , PM ₁₀	4
98	Pali	Satisfactory	65	PM ₁₀	1
99	Palwal	Satisfactory	60	PM ₁₀	1
100	Panchkula	Satisfactory	53	со	1
101	Panipat	Good	41	со	1
102	Patiala	Satisfactory	78	03	1
103	Patna	Satisfactory	58	O ₃ , CO	5
104	Pithampur	Satisfactory	59	PM ₁₀	1
105	Prayagraj	Good	28	PM ₁₀	3
106	Puducherry	Good	36	PM ₁₀	1
107	Pune	Satisfactory	65	CO, PM _{2.5}	6
108	Rajamahendravaram	Good	48	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Asansol, Aurangabad, Coimbatore, Eloor, Gummidipoondi, Jorapokhar, Kalaburgi, Karnal, Maihar, Manglore, Medikeri, Nandesari, Raichur, Sonipat, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Ramanagara	Good	36	PM ₁₀	1
110	Ratlam	Good	43	PM ₁₀	1
111	Rohtak	Satisfactory	92	со	1
112	Rupnagar	Satisfactory	58	PM ₁₀	1
113	Sagar	Good	24	NO ₂	1
114	Satna	Satisfactory	62	PM ₁₀	1
115	Shillong	Good	13	SO ₂	1
116	Shivamogga	Good	42	PM ₁₀	1
117	Siliguri	Good	34	PM ₁₀	1
118	Singrauli	Good	31	NO ₂	1
119	Sirsa	Moderate	106	O ₃	1
120	Solapur	Good	35	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Asansol, Aurangabad, Coimbatore, Eloor, Gummidipoondi, Jorapokhar, Kalaburgi, Karnal, Maihar, Manglore, Medikeri, Nandesari, Raichur, Sonipat, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Srinagar	Good	33	PM ₁₀	1
122	Talcher	Satisfactory	68	со	1
123	Thane	Satisfactory	71	PM ₁₀	1
124	Thiruvananthapuram	Good	34	O ₃ , CO	2
125	Thoothukudi	Good	46	PM ₁₀	1
126	Thrissur	Good	49	SO ₂	1
127	Tirupati	Good	33	СО	1
128	Udaipur	Good	46	СО	1
129	Udupi	Moderate	133	O ₃	1
130	Ujjain	Satisfactory	85	PM ₁₀	1
131	Vapi	Satisfactory	53	PM ₁₀	1
132	Varanasi	Good	34	PM ₁₀ , O ₃	4

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Asansol, Aurangabad, Coimbatore, Eloor, Gummidipoondi, Jorapokhar, Kalaburgi, Karnal, Maihar, Manglore, Medikeri, Nandesari, Raichur, Sonipat, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Vatva	Satisfactory	78	NO ₂	1
134	Visakhapatnam	Satisfactory	75	PM ₁₀	1
135	Yadgir	Good	31	O ₃	1
136	Yamunanagar	Good	45	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar,
 Asansol, Aurangabad, Coimbatore, Eloor, Gummidipoondi, Jorapokhar,
 Kalaburgi, Karnal, Maihar, Manglore, Medikeri, Nandesari, Raichur, Sonipat,
 Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.