Air Quality Index on Aug 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	227	$PM_{2.5}$	1
2	Agra	Satisfactory	94	PM_{10}	5
3	Ahmedabad	Satisfactory	82	PM_{10}, O_3	5
4	Aizawl	Satisfactory	82	PM_{10}	1
5	Akola	Moderate	114	PM_{10}	1
6	Alwar	Satisfactory	82	PM_{10}	1
7	Amaravati	Moderate	131	PM_{10}	1
8	Ambala	Satisfactory	97	CO	1
9	Amravati	Moderate	112	PM_{10}	2
10	Amritsar	Satisfactory	60	PM_{10}	1
11	Anantapur	Satisfactory	52	PM_{10}	1
12	Ankleshwar	Satisfactory	66	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Ariyalur, Baripada, Begusarai, Boisar, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Coimbatore, Darbhanga, Davanagere, Dhanbad, Dharwad, Dindigul, Eloor, Ernakulam, Imphal, Jind, Jorapokhar, Kalyan, Kochi, Kolar, Koppal, Kozhikode, Kurukshetra, Malegaon, Manguraha, Mira-Bhayandar, Naharlagun, Ooty, Palkalaiperur, Raichur, Rairangpur, Sirsa, Surat, Tensa, Udupi, Vijayawada, Virar, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Aug 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Araria	Moderate	106	PM_{10}	1
14	Arrah	Satisfactory	73	$PM_{2.5}$	1
15	Asansol	Satisfactory	91	$PM_{2.5}$	1
16	Aurangabad (Bihar)	Satisfactory	64	PM_{10}	1
17	Aurangabad (Maharashtra)	Satisfactory	53	PM_{10}	3
18	Baddi	Moderate	117	PM_{10}	1
19	Badlapur	Satisfactory	93	PM_{10}	1
20	Bagalkot	Good	42	PM_{10}	1
21	Baghpat	Moderate	143	PM_{10}	1
22	Bahadurgarh	Moderate	125	PM_{10}	1
23	Ballabgarh	Moderate	162	PM_{10}	1
24	Banswara	Moderate	106	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Ariyalur, Baripada, Begusarai, Boisar, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Coimbatore, Darbhanga, Davanagere, Dhanbad, Dharwad, Dindigul, Eloor, Ernakulam, Imphal, Jind, Jorapokhar, Kalyan, Kochi, Kolar, Koppal, Kozhikode, Kurukshetra, Malegaon, Manguraha, Mira-Bhayandar, Naharlagun, Ooty, Palkalaiperur, Raichur, Rairangpur, Sirsa, Surat, Tensa, Udupi, Vijayawada, Virar, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Aug 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Baran	Moderate	106	PM_{10}	1
26	Bareilly	Satisfactory	70	PM_{10}	2
27	Barmer	Satisfactory	88	PM_{10}	1
28	Bathinda	Moderate	124	PM_{10}	1
29	Belapur	Satisfactory	64	PM_{10}	1
30	Belgaum	Satisfactory	64	PM_{10}	1
31	Bengaluru	Satisfactory	71	$PM_{2.5}$, PM_{10}	12
32	Bettiah	Moderate	158	$PM_{2.5}$	1
33	Bhagalpur	Moderate	126	PM_{10}	2
34	Bharatpur	Moderate	131	PM_{10}	1
35	Bhilai	Satisfactory	75	PM_{10}	2
36	Bhilwara	Moderate	139	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Ariyalur, Baripada, Begusarai, Boisar, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Coimbatore, Darbhanga, Davanagere, Dhanbad, Dharwad, Dindigul, Eloor, Ernakulam, Imphal, Jind, Jorapokhar, Kalyan, Kochi, Kolar, Koppal, Kozhikode, Kurukshetra, Malegaon, Manguraha, Mira-Bhayandar, Naharlagun, Ooty, Palkalaiperur, Raichur, Rairangpur, Sirsa, Surat, Tensa, Udupi, Vijayawada, Virar, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Aug 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhiwadi	Moderate	170	PM_{10}	1
38	Bhiwandi	Satisfactory	78	PM_{10}	1
39	Bhiwani	Satisfactory	63	PM_{10}	1
40	Bhopal	Moderate	110	PM_{10}	3
41	Bidar	Good	49	PM_{10}	1
42	Bihar Sharif	Good	37	O_3	1
43	Bikaner	Moderate	122	PM_{10}	1
44	Bilaspur	Good	48	CO	1
45	Bileipada	Poor	206	PM_{10}	1
46	Bulandshahr	Moderate	140	PM_{10}	1
47	Bundi	Moderate	123	PM_{10}	1
48	Chamarajanagar	Good	41	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Ariyalur, Baripada, Begusarai, Boisar, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Coimbatore, Darbhanga, Davanagere, Dhanbad, Dharwad, Dindigul, Eloor, Ernakulam, Imphal, Jind, Jorapokhar, Kalyan, Kochi, Kolar, Koppal, Kozhikode, Kurukshetra, Malegaon, Manguraha, Mira-Bhayandar, Naharlagun, Ooty, Palkalaiperur, Raichur, Rairangpur, Sirsa, Surat, Tensa, Udupi, Vijayawada, Virar, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Aug 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chandigarh	Satisfactory	93	PM_{10}	3
50	Chandrapur	Satisfactory	73	PM_{10}	1
51	Charkhi Dadri	Moderate	144	$PM_{2.5}$	1
52	Chennai	Satisfactory	88	CO	6
53	Chhal	Satisfactory	60	PM_{10}	1
54	Chhapra	Moderate	189	PM_{10}	1
55	Chikkaballapur	Good	42	PM_{10}	1
56	Chikkamagaluru	Good	37	O_3	1
57	Chittoor	Good	39	O_3	1
58	Chittorgarh	Moderate	109	PM_{10}	1
59	Churu	Satisfactory	60	PM_{10}	1
60	Cuddalore	Good	48	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Ariyalur, Baripada, Begusarai, Boisar, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Coimbatore, Darbhanga, Davanagere, Dhanbad, Dharwad, Dindigul, Eloor, Ernakulam, Imphal, Jind, Jorapokhar, Kalyan, Kochi, Kolar, Koppal, Kozhikode, Kurukshetra, Malegaon, Manguraha, Mira-Bhayandar, Naharlagun, Ooty, Palkalaiperur, Raichur, Rairangpur, Sirsa, Surat, Tensa, Udupi, Vijayawada, Virar, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Aug 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Damoh	Satisfactory	89	PM_{10}	1
62	Dausa	Satisfactory	98	PM_{10}	1
63	Dehradun	Satisfactory	100	CO	1
64	Delhi	Moderate	154	PM_{10}	29
65	Dewas	Satisfactory	62	PM_{10}	1
66	Dharuhera	Moderate	126	PM_{10}	1
67	Dholpur	Satisfactory	68	PM_{10}	1
68	Dhule	Satisfactory	97	PM_{10}	1
69	Durgapur	Satisfactory	71	PM_{10}	1
70	Faridabad	Moderate	119	PM_{10}, $PM_{2.5}$	4
71	Fatehabad	Moderate	104	O_3	1
72	Firozabad	Moderate	105	PM_{10}	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Ariyalur, Baripada, Begusarai, Boisar, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Coimbatore, Darbhanga, Davanagere, Dhanbad, Dharwad, Dindigul, Eloor, Ernakulam, Imphal, Jind, Jorapokhar, Kalyan, Kochi, Kolar, Koppal, Kozhikode, Kurukshetra, Malegaon, Manguraha, Mira-Bhayandar, Naharlagun, Ooty, Palkalaiperur, Raichur, Rairangpur, Sirsa, Surat, Tensa, Udupi, Vijayawada, Virar, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Aug 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gadag	Good	46	SO_2	1
74	Gandhinagar	Satisfactory	89	$PM_{2.5}$, PM_{10}	2
75	Gangtok	Satisfactory	62	SO_2	1
76	Gaya	Satisfactory	76	PM_{10}, O_3	3
77	Ghaziabad	Moderate	155	PM_{10}	4
78	Gorakhpur	Moderate	113	PM_{10}	1
79	Greater Noida	Poor	224	PM_{10}	2
80	Gummidipoondi	Moderate	124	PM_{10}	1
81	Gurugram	Moderate	178	$PM_{2.5}$	3
82	Guwahati	Satisfactory	98	PM_{10}	4
83	Gwalior	Satisfactory	72	PM_{10}, $PM_{2.5}$	4
84	Hajipur	Moderate	132	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Ariyalur, Baripada, Begusarai, Boisar, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Coimbatore, Darbhanga, Davanagere, Dhanbad, Dharwad, Dindigul, Eloor, Ernakulam, Imphal, Jind, Jorapokhar, Kalyan, Kochi, Kolar, Koppal, Kozhikode, Kurukshetra, Malegaon, Manguraha, Mira-Bhayandar, Naharlagun, Ooty, Palkalaiperur, Raichur, Rairangpur, Sirsa, Surat, Tensa, Udupi, Vijayawada, Virar, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Aug 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Haldia	Moderate	119	PM_{10}	1
86	Hanumangarh	Moderate	160	PM_{10}	1
87	Hapur	Satisfactory	79	PM_{10}	1
88	Hassan	Satisfactory	52	PM_{10}	1
89	Haveri	Good	38	CO	1
90	Hisar	Moderate	135	PM_{10}	1
91	Hosur	Satisfactory	70	PM_{10}	1
92	Howrah	Moderate	144	$PM_{2.5}$, PM_{10}	3
93	Hubballi	Satisfactory	54	CO	2
94	Hyderabad	Satisfactory	94	$PM_{2.5}$, PM_{10}	10
95	Indore	Moderate	116	PM_{10}	1
96	Jabalpur	Moderate	109	PM_{10}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Ariyalur, Baripada, Begusarai, Boisar, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Coimbatore, Darbhanga, Davanagere, Dhanbad, Dharwad, Dindigul, Eloor, Ernakulam, Imphal, Jind, Jorapokhar, Kalyan, Kochi, Kolar, Koppal, Kozhikode, Kurukshetra, Malegaon, Manguraha, Mira-Bhayandar, Naharlagun, Ooty, Palkalaiperur, Raichur, Rairangpur, Sirsa, Surat, Tensa, Udupi, Vijayawada, Virar, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Aug 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jaipur	Moderate	114	PM_{10}	6
98	Jaisalmer	Satisfactory	93	PM_{10}	1
99	Jalandhar	Moderate	110	PM_{10}	1
100	Jalgaon	Satisfactory	78	PM_{10}	1
101	Jalna	Good	45	PM_{10}	1
102	Jhalawar	Satisfactory	93	PM_{10}	1
103	Jhansi	Satisfactory	89	PM_{10}	1
104	Jhunjhunu	Moderate	108	PM_{10}	1
105	Jodhpur	Satisfactory	92	PM_{10}	3
106	Kadapa	Good	35	$PM_{2.5}$	1
107	Kaithal	Moderate	134	$PM_{2.5}$	1
108	Kalaburgi	Good	47	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Ariyalur, Baripada, Begusarai, Boisar, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Coimbatore, Darbhanga, Davanagere, Dhanbad, Dharwad, Dindigul, Eloor, Ernakulam, Imphal, Jind, Jorapokhar, Kalyan, Kochi, Kolar, Koppal, Kozhikode, Kurukshetra, Malegaon, Manguraha, Mira-Bhayandar, Naharlagun, Ooty, Palkalaiperur, Raichur, Rairangpur, Sirsa, Surat, Tensa, Udupi, Vijayawada, Virar, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Aug 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kanchipuram	Good	27	PM_{10}	1
110	Kannur	Satisfactory	70	PM_{10}	1
111	Kanpur	Satisfactory	75	PM_{10}	3
112	Karauli	Good	46	$PM_{2.5}$	1
113	Karnal	Satisfactory	86	PM_{10}	1
114	Kashipur	Satisfactory	98	PM_{10}	1
115	Katihar	Moderate	142	PM_{10}	1
116	Katni	Satisfactory	86	PM_{10}	1
117	Keonjhar	Moderate	135	PM_{10}	1
118	Khanna	Satisfactory	99	PM_{10}	1
119	Khurja	Moderate	105	O_3	1
120	Kishanganj	Moderate	155	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Ariyalur, Baripada, Begusarai, Boisar, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Coimbatore, Darbhanga, Davanagere, Dhanbad, Dharwad, Dindigul, Eloor, Ernakulam, Imphal, Jind, Jorapokhar, Kalyan, Kochi, Kolar, Koppal, Kozhikode, Kurukshetra, Malegaon, Manguraha, Mira-Bhayandar, Naharlagun, Ooty, Palkalaiperur, Raichur, Rairangpur, Sirsa, Surat, Tensa, Udupi, Vijayawada, Virar, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Aug 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Kohima	Satisfactory	94	PM_{10}	1
122	Kolhapur	Satisfactory	58	CO, PM_{10}	2
123	Kolkata	Moderate	139	$PM_{2.5}$, PM_{10}	7
124	Kollam	Good	49	PM_{10}	1
125	Korba	Satisfactory	56	PM_{10}	2
126	Kota	Moderate	102	PM_{10}, $PM_{2.5}$	3
127	Kunjemura	Moderate	106	PM_{10}	1
128	Latur	Satisfactory	70	PM_{10}	1
129	Lucknow	Satisfactory	100	$PM_{2.5}$	6
130	Ludhiana	Satisfactory	79	PM_{10}	1
131	Madikeri	Good	28	$PM_{2.5}$	1
132	Mahad	Good	39	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Ariyalur, Baripada, Begusarai, Boisar, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Coimbatore, Darbhanga, Davanagere, Dhanbad, Dharwad, Dindigul, Eloor, Ernakulam, Imphal, Jind, Jorapokhar, Kalyan, Kochi, Kolar, Koppal, Kozhikode, Kurukshetra, Malegaon, Manguraha, Mira-Bhayandar, Naharlagun, Ooty, Palkalaiperur, Raichur, Rairangpur, Sirsa, Surat, Tensa, Udupi, Vijayawada, Virar, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Aug 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Maihar	Good	45	PM_{10}	1
134	Mandi Gobindgarh	Moderate	139	PM_{10}	1
135	Mandideep	Moderate	114	PM_{10}	1
136	Mandikhera	Satisfactory	71	PM_{10}	1
137	Manesar	Good	23	O_3	1
138	Mangalore	Satisfactory	62	PM_{10}	1
139	Meerut	Moderate	112	PM_{10}, $PM_{2.5}$	3
140	Milupara	Satisfactory	77	PM_{10}	1
141	Moradabad	Moderate	120	PM_{10}	6
142	Motihari	Very Poor	328	PM_{10}	1
143	Mumbai	Satisfactory	87	NO_2, PM_{10}	21
144	Munger	Moderate	188	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Ariyalur, Baripada, Begusarai, Boisar, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Coimbatore, Darbhanga, Davanagere, Dhanbad, Dharwad, Dindigul, Eloor, Ernakulam, Imphal, Jind, Jorapokhar, Kalyan, Kochi, Kolar, Koppal, Kozhikode, Kurukshetra, Malegaon, Manguraha, Mira-Bhayandar, Naharlagun, Ooty, Palkalaiperur, Raichur, Rairangpur, Sirsa, Surat, Tensa, Udupi, Vijayawada, Virar, vellore as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Aug 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Muzaffarnagar	Moderate	126	PM_{10}	1
146	Muzaffarpur	Moderate	146	O_3, NO_2	3
147	Mysuru	Satisfactory	65	O_3	1
148	Nagaon	Satisfactory	82	PM_{10}	1
149	Nagaur	Moderate	116	PM_{10}	1
150	Nagpur	Satisfactory	95	PM_{10}	4
151	Nalbari	Moderate	186	PM_{10}	1
152	Nanded	Moderate	122	PM_{10}	1
153	Nandesari	Good	50	CO	1
154	Narnaul	Moderate	119	PM_{10}	1
155	Nashik	Good	42	PM_{10}	4
156	Navi Mumbai	Satisfactory	90	$PM_{2.5}$, PM_{10}	6

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Ariyalur, Baripada, Begusarai, Boisar, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Coimbatore, Darbhanga, Davanagere, Dhanbad, Dharwad, Dindigul, Eloor, Ernakulam, Imphal, Jind, Jorapokhar, Kalyan, Kochi, Kolar, Koppal, Kozhikode, Kurukshetra, Malegaon, Manguraha, Mira-Bhayandar, Naharlagun, Ooty, Palkalaiperur, Raichur, Rairangpur, Sirsa, Surat, Tensa, Udupi, Vijayawada, Virar, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Aug 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Nayagarh	Moderate	153	PM_{10}	1
158	Noida	Moderate	144	PM_{10}, CO	4
159	Pali	Satisfactory	94	PM_{10}	1
160	Palwal	Good	48	$PM_{2.5}$	1
161	Panchkula	Satisfactory	77	$PM_{2.5}$	1
162	Panipat	Moderate	132	$PM_{2.5}$	1
163	Parbhani	Satisfactory	83	PM_{10}	1
164	Patiala	Satisfactory	94	PM_{10}	1
165	Patna	Moderate	138	PM_{10}, NO_2	6
166	Pimpri Chinchwad	Satisfactory	63	$PM_{2.5}$	3
167	Pithampur	Moderate	120	PM_{10}	1
168	Pratapgarh	Moderate	115	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Ariyalur, Baripada, Begusarai, Boisar, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Coimbatore, Darbhanga, Davanagere, Dhanbad, Dharwad, Dindigul, Eloor, Ernakulam, Imphal, Jind, Jorapokhar, Kalyan, Kochi, Kolar, Koppal, Kozhikode, Kurukshetra, Malegaon, Manguraha, Mira-Bhayandar, Naharlagun, Ooty, Palkalaiperur, Raichur, Rairangpur, Sirsa, Surat, Tensa, Udupi, Vijayawada, Virar, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Aug 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Prayagraj	Moderate	115	PM_{10}	3
170	Puducherry	Satisfactory	52	CO	1
171	Pune	Moderate	104	NO_2, $PM_{2.5}$	8
172	Purnia	Satisfactory	89	$PM_{2.5}$	1
173	Raipur	Satisfactory	71	PM_{10}	4
174	Rajamahendravaram	Moderate	120	PM_{10}	1
175	Rajgir	Moderate	116	PM_{10}	1
176	Rajsamand	Moderate	180	CO	1
177	Ramanagara	Good	36	PM_{10}	1
178	Ramanathapuram	Good	33	PM_{10}	1
179	Ratlam	Satisfactory	99	PM_{10}	1
180	Rishikesh	Satisfactory	63	O_3	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Ariyalur, Baripada, Begusarai, Boisar, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Coimbatore, Darbhanga, Davanagere, Dhanbad, Dharwad, Dindigul, Eloor, Ernakulam, Imphal, Jind, Jorapokhar, Kalyan, Kochi, Kolar, Koppal, Kozhikode, Kurukshetra, Malegaon, Manguraha, Mira-Bhayandar, Naharlagun, Ooty, Palkalaiperur, Raichur, Rairangpur, Sirsa, Surat, Tensa, Udupi, Vijayawada, Virar, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Aug 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Rohtak	Satisfactory	67	$PM_{2.5}$	1
182	Rourkela	Moderate	159	PM_{10}	1
183	Rupnagar	Moderate	172	PM_{10}	1
184	Sagar	Satisfactory	100	PM_{10}	1
185	Saharsa	Moderate	122	PM_{10}	1
186	Salem	Good	30	PM_{10}	1
187	Samastipur	Satisfactory	95	PM_{10}	1
188	Sangli	Good	32	PM_{10}	1
189	Sasaram	Satisfactory	71	PM_{10}	1
190	Satna	Satisfactory	83	PM_{10}	1
191	Sawai Madhopur	Satisfactory	90	PM_{10}	1
192	Shillong	Satisfactory	76	$PM_{10}, PM_{2.5}$	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Ariyalur, Baripada, Begusarai, Boisar, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Coimbatore, Darbhanga, Davanagere, Dhanbad, Dharwad, Dindigul, Eloor, Ernakulam, Imphal, Jind, Jorapokhar, Kalyan, Kochi, Kolar, Koppal, Kozhikode, Kurukshetra, Malegaon, Manguraha, Mira-Bhayandar, Naharlagun, Ooty, Palkalaiperur, Raichur, Rairangpur, Sirsa, Surat, Tensa, Udupi, Vijayawada, Virar, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Aug 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Shivamogga	Satisfactory	62	PM_{10}	1
194	Sikar	Moderate	103	PM_{10}	1
195	Silchar	Good	38	CO	1
196	Siliguri	Satisfactory	71	PM_{10}	1
197	Singrauli	Satisfactory	78	PM_{10}	1
198	Sirohi	Satisfactory	69	PM_{10}	1
199	Sivasagar	Satisfactory	52	PM_{10}	1
200	Siwan	Moderate	147	$PM_{2.5}$	1
201	Solapur	Satisfactory	70	$PM_{2.5}$, PM_{10}	3
202	Sonipat	Moderate	169	PM_{10}	1
203	Sri Ganganagar	Moderate	104	PM_{10}	1
204	Srinagar	Satisfactory	88	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Ariyalur, Baripada, Begusarai, Boisar, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Coimbatore, Darbhanga, Davanagere, Dhanbad, Dharwad, Dindigul, Eloor, Ernakulam, Imphal, Jind, Jorapokhar, Kalyan, Kochi, Kolar, Koppal, Kozhikode, Kurukshetra, Malegaon, Manguraha, Mira-Bhayandar, Naharlagun, Ooty, Palkalaiperur, Raichur, Rairangpur, Sirsa, Surat, Tensa, Udupi, Vijayawada, Virar, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Aug 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Suakati	Moderate	160	PM_{10}	1
206	Talcher	Satisfactory	83	PM_{10}	1
207	Thane	Satisfactory	90	NO_2	2
208	Thiruvananthapuram	Good	28	CO	2
209	Thoothukudi	Good	48	PM_{10}	1
210	Thrissur	Satisfactory	59	PM_{10}	1
211	Tirupati	Good	47	NO_2	1
212	Tirupur	Good	37	PM_{10}	1
213	Tonk	Moderate	127	PM_{10}	1
214	Tumakuru	Good	25	CO	1
215	Tumidih	Satisfactory	58	PM_{10}	1
216	Udaipur	Satisfactory	79	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Ariyalur, Baripada, Begusarai, Boisar, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Coimbatore, Darbhanga, Davanagere, Dhanbad, Dharwad, Dindigul, Eloor, Ernakulam, Imphal, Jind, Jorapokhar, Kalyan, Kochi, Kolar, Koppal, Kozhikode, Kurukshetra, Malegaon, Manguraha, Mira-Bhayandar, Naharlagun, Ooty, Palkalaiperur, Raichur, Rairangpur, Sirsa, Surat, Tensa, Udupi, Vijayawada, Virar, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Aug 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
217	Ujjain	Satisfactory	90	PM_{10}	1
218	Ulhasnagar	Satisfactory	91	PM_{10}	1
219	Vapi	Moderate	102	CO	1
220	Varanasi	Good	47	PM_{10}	4
221	Vatva	Satisfactory	96	PM_{10}	1
222	Vijayapura	Good	49	PM_{10}	1
223	Visakhapatnam	Moderate	198	PM_{10}	1
224	Vrindavan	Good	47	PM_{10}	1
225	Yadgir	Good	40	PM_{10}	1
226	Yamunanagar	Moderate	101	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Ariyalur, Baripada, Begusarai, Boisar, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Coimbatore, Darbhanga, Davanagere, Dhanbad, Dharwad, Dindigul, Eloor, Ernakulam, Imphal, Jind, Jorapokhar, Kalyan, Kochi, Kolar, Koppal, Kozhikode, Kurukshetra, Malegaon, Manguraha, Mira-Bhayandar, Naharlagun, Ooty, Palkalaiperur, Raichur, Rairangpur, Sirsa, Surat, Tensa, Udupi, Vijayawada, Virar, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.