

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	200	PM <sub>2.5</sub>	1
2	Agra	Moderate	192	PM <sub>2.5</sub>	1
3	Ahmedabad	Moderate	172	PM <sub>2.5</sub>	1
4	Aizawl	Satisfactory	87	PM <sub>10</sub>	1
5	Ajmer	Moderate	146	PM <sub>2.5</sub>	1
6	Alwar	Satisfactory	95	PM <sub>10</sub>	1
7	Amaravati	Satisfactory	56	PM <sub>10</sub>	1
8	Ambala	Moderate	109	PM <sub>10</sub>	1
9	Amritsar	Moderate	174	PM <sub>2.5</sub>	1
10	Ankleshwar	Moderate	164	NO <sub>2</sub>	1
11	Asansol	Moderate	174	PM <sub>10</sub>	1
12	Bagalkot	Good	41	03	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bhiwani, Chamarajanagar, Coimbatore, Dewas, Gadag, Gummidipoondi, Haldia, Hisar, Kochi, Kolar, Nagpur, Raichur, Ramanagara, Ratlam, Shillong, Srinagar, Thane as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Poor	242	PM <sub>10</sub>	1
14	Bahadurgarh	Poor	269	PM <sub>2.5</sub>	1
15	Ballabgarh	Poor	248	PM <sub>2.5</sub>	1
16	Bathinda	Moderate	170	PM <sub>10</sub>	1
17	Bengaluru	Satisfactory	86	PM <sub>10</sub> , PM <sub>2.5</sub> , CO	8
18	Bhiwadi	Poor	296	PM <sub>10</sub>	1
19	Bhopal	Moderate	120	03	1
20	Bidar	Satisfactory	90	PM <sub>10</sub>	1
21	Brajrajnagar	Poor	223	PM <sub>2.5</sub>	1
22	Bulandshahr	Poor	233	PM <sub>10</sub>	1
23	Chandigarh	Moderate	117	PM <sub>10</sub>	1
24	Chandrapur	Moderate	140	PM <sub>2.5</sub> , PM <sub>10</sub>	2

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bhiwani, Chamarajanagar, Coimbatore, Dewas, Gadag, Gummidipoondi, Haldia, Hisar, Kochi, Kolar, Nagpur, Raichur, Ramanagara, Ratlam, Shillong, Srinagar, Thane as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Poor	203	PM <sub>10</sub>	1
26	Chennai	Satisfactory	72	PM <sub>10</sub> , O <sub>3</sub> , PM <sub>2.5</sub>	6
27	Chikkaballapur	Moderate	101	PM <sub>10</sub>	1
28	Chikkamagaluru	Satisfactory	69	PM <sub>2.5</sub>	1
29	Damoh	Satisfactory	88	PM <sub>2.5</sub>	1
30	Davanagere	Moderate	103	PM <sub>10</sub>	1
31	Delhi	Poor	278	PM <sub>10</sub>	36
32	Dharuhera	Poor	265	PM <sub>10</sub>	1
33	Durgapur	Poor	216	PM <sub>2.5</sub>	1
34	Eloor	Good	47	со	1
35	Ernakulam	Satisfactory	84	PM <sub>2.5</sub>	1
36	Faridabad	Very Poor	312	PM <sub>10</sub> , PM <sub>2.5</sub>	4

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bhiwani, Chamarajanagar, Coimbatore, Dewas, Gadag, Gummidipoondi, Haldia, Hisar, Kochi, Kolar, Nagpur, Raichur, Ramanagara, Ratlam, Shillong, Srinagar, Thane as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Fatehabad	Moderate	116	PM <sub>10</sub>	1
38	Gandhinagar	Moderate	101	PM <sub>10</sub>	1
39	Gaya	Moderate	119	O <sub>3</sub>	1
40	Ghaziabad	Very Poor	332	PM <sub>10</sub> , O <sub>3</sub>	4
41	Greater Noida	Poor	298	PM <sub>10</sub>	2
42	Gurugram	Poor	218	PM <sub>2.5</sub> , PM <sub>10</sub>	4
43	Guwahati	Poor	266	PM <sub>10</sub> , PM <sub>2.5</sub>	2
44	Gwalior	Moderate	149	PM <sub>2.5</sub>	1
45	Hajipur	Moderate	191	PM <sub>10</sub>	1
46	Hapur	Moderate	199	PM <sub>10</sub>	1
47	Howrah	Poor	267	PM <sub>10</sub> , PM <sub>2.5</sub>	3
48	Hubballi	Moderate	110	PM <sub>10</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bhiwani, Chamarajanagar, Coimbatore, Dewas, Gadag, Gummidipoondi, Haldia, Hisar, Kochi, Kolar, Nagpur, Raichur, Ramanagara, Ratlam, Shillong, Srinagar, Thane as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hyderabad	Moderate	143	PM <sub>2.5</sub> , PM <sub>10</sub>	6
50	Indore	Moderate	194	PM <sub>10</sub>	1
51	Jabalpur	Moderate	156	PM <sub>10</sub>	1
52	Jaipur	Moderate	162	PM <sub>10</sub> , PM <sub>2.5</sub>	3
53	Jalandhar	Moderate	166	PM <sub>2.5</sub>	1
54	Jind	Moderate	155	PM <sub>2.5</sub>	1
55	Jodhpur	Moderate	158	PM <sub>10</sub>	1
56	Jorapokhar	Moderate	109	PM <sub>10</sub>	1
57	Kaithal	Moderate	151	PM <sub>10</sub>	1
58	Kalaburgi	Satisfactory	92	PM <sub>10</sub>	1
59	Kalyan	Poor	207	PM <sub>10</sub>	1
60	Kannur	Moderate	106	PM <sub>10</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bhiwani, Chamarajanagar, Coimbatore, Dewas, Gadag, Gummidipoondi, Haldia, Hisar, Kochi, Kolar, Nagpur, Raichur, Ramanagara, Ratlam, Shillong, Srinagar, Thane as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kanpur	Moderate	174	PM <sub>2.5</sub>	2
62	Karnal	Moderate	136	PM <sub>2.5</sub>	1
63	Katni	Poor	241	PM <sub>10</sub>	1
64	Khanna	Moderate	113	PM <sub>10</sub>	1
65	Kohima	Moderate	132	PM <sub>10</sub>	1
66	Kolkata	Poor	231	PM <sub>2.5</sub> , O <sub>3</sub> , PM <sub>10</sub>	6
67	Kollam	Satisfactory	99	PM <sub>10</sub>	1
68	Koppal	Moderate	109	PM <sub>10</sub>	1
69	Kota	Moderate	146	PM <sub>10</sub>	1
70	Kozhikode	Satisfactory	75	PM <sub>10</sub>	1
71	Kurukshetra	Moderate	124	PM <sub>10</sub>	1
72	Lucknow	Poor	224	PM <sub>2.5</sub>	4

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bhiwani, Chamarajanagar, Coimbatore, Dewas, Gadag, Gummidipoondi, Haldia, Hisar, Kochi, Kolar, Nagpur, Raichur, Ramanagara, Ratlam, Shillong, Srinagar, Thane as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Ludhiana	Moderate	126	PM <sub>2.5</sub>	1
74	Maihar	Satisfactory	69	PM <sub>10</sub>	1
75	Mandi Gobindgarh	Moderate	139	PM <sub>10</sub>	1
76	Mandideep	Satisfactory	67	PM <sub>10</sub>	1
77	Mandikhera	Moderate	125	PM <sub>2.5</sub>	1
78	Manesar	Poor	237	PM <sub>2.5</sub>	1
79	Manglore	Satisfactory	90	PM <sub>10</sub>	1
80	Medikeri	Satisfactory	72	PM <sub>10</sub>	1
81	Meerut	Poor	297	PM <sub>10</sub> , PM <sub>2.5</sub>	2
82	Moradabad	Poor	278	PM <sub>2.5</sub>	1
83	Mumbai	Moderate	185	PM <sub>2.5</sub> , O <sub>3</sub> , PM <sub>10</sub>	20
84	Muzaffarnagar	Poor	248	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bhiwani, Chamarajanagar, Coimbatore, Dewas, Gadag, Gummidipoondi, Haldia, Hisar, Kochi, Kolar, Nagpur, Raichur, Ramanagara, Ratlam, Shillong, Srinagar, Thane as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Muzaffarpur	Moderate	170	PM <sub>2.5</sub>	1
86	Mysuru	Satisfactory	99	03	1
87	Nandesari	Moderate	112	со	1
88	Narnaul	Moderate	180	PM <sub>10</sub>	1
89	Nashik	Satisfactory	82	PM <sub>10</sub>	1
90	Navi Mumbai	Poor	230	PM <sub>2.5</sub> , PM <sub>10</sub>	3
91	Noida	Very Poor	302	PM <sub>10</sub>	3
92	Pali	Moderate	171	PM <sub>10</sub>	1
93	Palwal	Satisfactory	74	03	1
94	Panchkula	Good	43	PM <sub>2.5</sub>	1
95	Panipat	Poor	269	PM <sub>10</sub>	1
96	Patiala	Moderate	116	PM <sub>10</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bhiwani, Chamarajanagar, Coimbatore, Dewas, Gadag, Gummidipoondi, Haldia, Hisar, Kochi, Kolar, Nagpur, Raichur, Ramanagara, Ratlam, Shillong, Srinagar, Thane as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Patna	Poor	219	PM <sub>2.5</sub> , PM <sub>10</sub>	5
98	Pithampur	Moderate	128	PM <sub>10</sub>	1
99	Puducherry	Satisfactory	52	PM <sub>10</sub>	1
100	Pune	Moderate	124	PM <sub>2.5</sub> , PM <sub>10</sub>	6
101	Rajamahendravaram	Moderate	111	PM <sub>10</sub>	1
102	Rohtak	Poor	226	PM <sub>2.5</sub>	1
103	Rupnagar	Satisfactory	85	PM <sub>10</sub>	1
104	Sagar	Poor	228	PM <sub>2.5</sub>	1
105	Satna	Satisfactory	88	PM <sub>10</sub>	1
106	Shivamogga	Satisfactory	66	O <sub>3</sub>	1
107	Siliguri	Poor	233	PM <sub>2.5</sub>	1
108	Singrauli	Poor	206	PM <sub>2.5</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bhiwani, Chamarajanagar, Coimbatore, Dewas, Gadag, Gummidipoondi, Haldia, Hisar, Kochi, Kolar, Nagpur, Raichur, Ramanagara, Ratlam, Shillong, Srinagar, Thane as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Sirsa	Moderate	106	PM <sub>10</sub>	1
110	Solapur	Satisfactory	83	PM <sub>10</sub>	1
111	Sonipat	Moderate	195	PM <sub>10</sub>	1
112	Talcher	Moderate	166	PM <sub>2.5</sub>	1
113	Thiruvananthapuram	Satisfactory	74	PM <sub>10</sub>	2
114	Thoothukudi	Satisfactory	73	PM <sub>10</sub>	1
115	Thrissur	Satisfactory	92	PM <sub>2.5</sub>	1
116	Tirupati	Satisfactory	72	PM <sub>10</sub>	1
117	Udaipur	Moderate	132	PM <sub>10</sub>	1
118	Udupi	Moderate	186	O <sub>3</sub>	1
119	Ujjain	Poor	220	PM <sub>10</sub>	1
120	Vapi	Moderate	175	PM <sub>10</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bhiwani, Chamarajanagar, Coimbatore, Dewas, Gadag, Gummidipoondi, Haldia, Hisar, Kochi, Kolar, Nagpur, Raichur, Ramanagara, Ratlam, Shillong, Srinagar, Thane as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Varanasi	Poor	208	PM <sub>2.5</sub>	1
122	Vatva	Very Poor	342	PM <sub>10</sub>	1
123	Vijayapura	Satisfactory	63	PM <sub>10</sub>	1
124	Visakhapatnam	Moderate	135	PM <sub>10</sub>	1
125	Yadgir	Satisfactory	93	03	1
126	Yamunanagar	Moderate	198	PM <sub>2.5</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bhiwani, Chamarajanagar, Coimbatore, Dewas, Gadag, Gummidipoondi, Haldia, Hisar, Kochi, Kolar, Nagpur, Raichur, Ramanagara, Ratlam, Shillong, Srinagar, Thane as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.