



Air Quality Index on Dec 27, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Ahmedabad	Satisfactory	87	PM _{2.5}	1
2	Ajmer	Satisfactory	83	PM ₁₀	1
3	Alwar	Moderate	124	PM _{2.5}	1
4	Amaravati	Satisfactory	72	PM ₁₀	1
5	Ambala	Very Poor	301	PM _{2.5}	1
6	Amritsar	Moderate	139	PM _{2.5}	1
7	Ankleshwar	Moderate	144	PM _{2.5}	1
8	Asanol	Poor	223	PM _{2.5}	1
9	Aurangabad	Satisfactory	88	PM ₁₀	1
10	Baghpat	Very Poor	340	PM _{2.5}	1
11	Bahadurgarh	Poor	275	PM _{2.5}	1
12	Ballabgarh	Very Poor	351	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Agra, Bulandshahr, Damoh, Jorapokhar, Kalaburagi, Moradabad, Muzaffarnagar, Ramanagara, Shillong, Talcher, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Dec 27, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bathinda	Moderate	107	PM _{2.5}	1
14	Bengaluru	Satisfactory	86	O ₃ , PM ₁₀	10
15	Bhiwadi	Very Poor	327	PM _{2.5}	1
16	Bhiwani	Very Poor	320	PM _{2.5}	1
17	Bhopal	Moderate	123	PM _{2.5}	1
18	Brajrajnagar	Moderate	190	PM _{2.5}	1
19	Chandigarh	Moderate	104	PM ₁₀	1
20	Chandrapur	Satisfactory	80	PM _{2.5} , PM ₁₀	2
21	Chennai	Satisfactory	61	PM _{2.5} , O ₃	3
22	Chikkaballapur	Satisfactory	71	PM ₁₀	1
23	Coimbatore	Satisfactory	90	PM _{2.5}	1
24	Delhi	Very Poor	373	PM _{2.5}	33

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Agra, Bulandshahr, Damoh, Jorapokhar, Kalaburagi, Moradabad, Muzaffarnagar, Ramanagara, Shillong, Talcher, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Dec 27, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Dewas	Satisfactory	72	O ₃	1
26	Dharuhera	Very Poor	309	PM _{2.5}	1
27	Eloor	Moderate	120	PM ₁₀	1
28	Faridabad	Very Poor	392	PM _{2.5}	1
29	Fatehabad	Moderate	152	PM ₁₀	1
30	GandhiNagar	Satisfactory	74	PM ₁₀	1
31	Gaya	Moderate	179	PM _{2.5}	1
32	Ghaziabad	Very Poor	384	PM _{2.5}	2
33	Greater_Noida	Very Poor	382	PM _{2.5}	2
34	Gurugram	Poor	292	PM _{2.5}	1
35	Guwahati	Poor	276	PM _{2.5}	1
36	Haldia	Satisfactory	96	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Agra, Bulandshahr, Damoh, Jorapokhar, Kalaburagi, Moradabad, Muzaffarnagar, Ramanagara, Shillong, Talcher, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Dec 27, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Hapur	Poor	242	PM ₁₀	1
38	Hisar	Very Poor	310	PM _{2.5}	1
39	Howrah	Moderate	199	PM _{2.5}	3
40	Hubballi	Satisfactory	97	PM ₁₀	1
41	Hyderabad	Moderate	118	PM _{2.5} , PM ₁₀	3
42	Indore	Satisfactory	88	PM ₁₀	1
43	Jabalpur	Moderate	108	PM _{2.5}	1
44	Jaipur	Moderate	134	PM ₁₀	3
45	Jalandhar	Moderate	124	PM _{2.5}	1
46	Jind	Very Poor	324	PM _{2.5}	1
47	Jodhpur	Poor	234	PM _{2.5}	1
48	Kaithal	Moderate	176	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Agra, Bulandshahr, Damoh, Jorapokhar, Kalaburagi, Moradabad, Muzaffarnagar, Ramanagara, Shillong, Talcher, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Dec 27, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kalyan	Moderate	158	PM ₁₀	1
50	Kanpur	Very Poor	351	PM _{2.5}	1
51	Karnal	Very Poor	327	PM _{2.5}	1
52	Katni	Moderate	156	PM _{2.5}	1
53	Khanna	Moderate	125	PM ₁₀	1
54	Kolkata	Moderate	150	PM _{2.5}	7
55	Kota	Moderate	112	PM ₁₀	1
56	Kurukshetra	Very Poor	324	PM _{2.5}	1
57	Lucknow	Very Poor	321	PM _{2.5}	4
58	Ludhiana	Moderate	131	PM _{2.5}	1
59	Maihar	Satisfactory	74	PM _{2.5}	1
60	Mandi Gobindgarh	Poor	211	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Agra, Bulandshahr, Damoh, Jorapokhar, Kalaburagi, Moradabad, Muzaffarnagar, Ramanagara, Shillong, Talcher, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Dec 27, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Mandideep	Satisfactory	94	PM ₁₀	1
62	Mandikhera	Poor	273	PM _{2.5}	1
63	Manesar	Very Poor	306	PM _{2.5}	1
64	Meerut	Very Poor	311	PM _{2.5}	2
65	Mumbai	Moderate	183	PM _{2.5} , O ₃	10
66	Muzaffarpur	Very Poor	358	PM _{2.5}	1
67	Mysuru	Moderate	102	PM _{2.5}	1
68	Nagpur	Satisfactory	53	NO ₂	1
69	Narnaul	Moderate	185	PM _{2.5}	1
70	Nashik	Moderate	108	PM _{2.5}	1
71	Navi Mumbai	Poor	204	PM _{2.5}	2
72	Noida	Very Poor	396	PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Agra, Bulandshahr, Damoh, Jorapokhar, Kalaburagi, Moradabad, Muzaffarnagar, Ramanagara, Shillong, Talcher, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Dec 27, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Pali	Satisfactory	97	PM ₁₀	1
74	Palwal	Very Poor	343	PM _{2.5}	1
75	Panchkula	Moderate	169	PM _{2.5}	1
76	Panipat	Very Poor	341	PM ₁₀	1
77	Patiala	Poor	203	PM _{2.5}	1
78	Patna	Poor	253	PM _{2.5}	4
79	Pithampur	Satisfactory	100	PM ₁₀	1
80	Pune	Moderate	146	PM _{2.5}	1
81	Rajamahendravaram	Satisfactory	75	PM ₁₀	1
82	Ratlam	Moderate	125	PM ₁₀	1
83	Rohtak	Very Poor	302	PM _{2.5}	1
84	Rupnagar	Satisfactory	74	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Agra, Bulandshahr, Damoh, Jorapokhar, Kalaburagi, Moradabad, Muzaffarnagar, Ramanagara, Shillong, Talcher, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Dec 27, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Satna	Moderate	106	PM ₁₀	1
86	Siliguri	Poor	271	PM _{2.5}	1
87	Singrauli	Very Poor	312	PM _{2.5}	1
88	Sirsa	Moderate	146	PM _{2.5}	1
89	Solapur	Moderate	130	PM ₁₀	1
90	Sonipat	Poor	295	PM ₁₀	1
91	Thane	Satisfactory	87	PM ₁₀	1
92	Thiruvananthapuram	Satisfactory	78	CO	1
93	Tirupati	Good	50	PM ₁₀	1
94	Udaipur	Moderate	119	PM ₁₀	1
95	Ujjain	Satisfactory	75	O ₃	1
96	Vapi	Poor	257	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Agra, Bulandshahr, Damoh, Jorapokhar, Kalaburagi, Moradabad, Muzaffarnagar, Ramanagara, Shillong, Talcher, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Dec 27, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Varanasi	Very Poor	308	PM _{2.5}	1
98	Vatva	Moderate	141	PM ₁₀	1
99	Visakhapatnam	Moderate	103	PM _{2.5}	1
100	Yadgir	Satisfactory	71	PM _{2.5}	1
101	Yamunanagar	Poor	244	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Agra, Bulandshahr, Damoh, Jorapokhar, Kalaburagi, Moradabad, Muzaffarnagar, Ramanagara, Shillong, Talcher, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpqb.nic.in>) may be referred.