

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	31	O <sub>3</sub>	1
2	Agra	Satisfactory	53	PM <sub>10</sub> , PM <sub>2.5</sub>	5
3	Ahmedabad	Satisfactory	52	CO, SO <sub>2</sub> , PM <sub>10</sub>	9
4	Ajmer	Satisfactory	84	PM <sub>10</sub>	1
5	Alwar	Satisfactory	73	PM <sub>10</sub>	1
6	Amaravati	Good	35	03	1
7	Ambala	Satisfactory	59	PM <sub>10</sub>	1
8	Amritsar	Satisfactory	61	PM <sub>10</sub>	1
9	Ankleshwar	Satisfactory	65	со	1
10	Bagalkot	Good	25	со	1
11	Baghpat	Satisfactory	81	PM <sub>10</sub>	1
12	Bahadurgarh	Satisfactory	94	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aizawl, Asansol,
  Aurangabad, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore,
  Darbhanga, Haldia, Jorapokhar, Kalaburgi, Kalyan, Manglore, Motihari,
  Nagpur, Nandesari, Panchkula, Raichur, Solapur, Sonipat, Thane, Vapi as
  data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Satisfactory	63	PM <sub>2.5</sub>	1
14	Bathinda	Good	46	PM <sub>10</sub>	1
15	Bengaluru	Satisfactory	63	CO, PM <sub>10</sub> , SO <sub>2</sub>	9
16	Bhiwadi	Satisfactory	76	PM <sub>10</sub>	1
17	Bhiwani	Satisfactory	76	PM <sub>2.5</sub>	1
18	Bhopal	Satisfactory	74	PM <sub>10</sub>	1
19	Bilaspur	Good	47	PM <sub>10</sub>	1
20	Bulandshahr	Satisfactory	60	PM <sub>10</sub>	1
21	Chamarajanagar	Good	41	PM <sub>10</sub>	1
22	Chandigarh	Satisfactory	56	O <sub>3</sub> , CO	2
23	Chandrapur	Good	34	PM <sub>10</sub>	2
24	Charkhi Dadri	Satisfactory	78	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aizawl, Asansol,
  Aurangabad, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore,
  Darbhanga, Haldia, Jorapokhar, Kalaburgi, Kalyan, Manglore, Motihari,
  Nagpur, Nandesari, Panchkula, Raichur, Solapur, Sonipat, Thane, Vapi as
  data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chennai	Satisfactory	69	CO, PM <sub>10</sub> , PM <sub>2.5</sub>	7
26	Chikkaballapur	Good	31	NO <sub>2</sub>	1
27	Chikkamagaluru	Good	28	PM <sub>10</sub>	1
28	Damoh	Good	37	PM <sub>2.5</sub>	1
29	Davanagere	Good	18	O <sub>3</sub>	1
30	Delhi	Satisfactory	84	PM <sub>10</sub>	38
31	Dewas	Good	35	PM <sub>10</sub>	1
32	Dharuhera	Satisfactory	58	PM <sub>10</sub>	1
33	Durgapur	Satisfactory	75	PM <sub>10</sub>	1
34	Eloor	Good	50	со	1
35	Ernakulam	Satisfactory	58	со	1
36	Faridabad	Satisfactory	93	O <sub>3</sub> , PM <sub>10</sub>	3

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aizawl, Asansol, Aurangabad, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Haldia, Jorapokhar, Kalaburgi, Kalyan, Manglore, Motihari, Nagpur, Nandesari, Panchkula, Raichur, Solapur, Sonipat, Thane, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Fatehabad	Satisfactory	67	O <sub>3</sub>	1
38	Firozabad	Satisfactory	75	O <sub>3</sub>	1
39	Gadag	Good	17	со	1
40	Gandhinagar	Good	29	CO, O <sub>3</sub>	3
41	Gaya	Good	44	CO, PM <sub>10</sub>	2
42	Ghaziabad	Satisfactory	94	PM <sub>10</sub>	4
43	Gorakhpur	Good	19	PM <sub>10</sub>	1
44	Greater Noida	Satisfactory	98	PM <sub>10</sub>	2
45	Gummidipoondi	Satisfactory	98	PM <sub>10</sub>	1
46	Gurugram	Satisfactory	77	PM <sub>10</sub> , PM <sub>2.5</sub>	3
47	Guwahati	Satisfactory	78	SO <sub>2</sub> , PM <sub>10</sub>	2
48	Gwalior	Satisfactory	51	PM <sub>10</sub>	2

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aizawl, Asansol, Aurangabad, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Haldia, Jorapokhar, Kalaburgi, Kalyan, Manglore, Motihari, Nagpur, Nandesari, Panchkula, Raichur, Solapur, Sonipat, Thane, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hajipur	Satisfactory	61	со	1
50	Hapur	Satisfactory	60	PM <sub>10</sub>	1
51	Hassan	Satisfactory	55	PM <sub>10</sub>	1
52	Hisar	Satisfactory	95	PM <sub>2.5</sub>	1
53	Howrah	Good	46	со	2
54	Hubballi	Good	31	PM <sub>10</sub>	1
55	Hyderabad	Good	46	NO <sub>2</sub> , PM <sub>10</sub> , PM <sub>2.5</sub>	6
56	Indore	Satisfactory	57	PM <sub>10</sub>	1
57	Jabalpur	Satisfactory	52	03	1
58	Jaipur	Satisfactory	60	PM <sub>10</sub>	2
59	Jalandhar	Satisfactory	56	03	1
60	Jind	Satisfactory	55	СО	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aizawl, Asansol, Aurangabad, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Haldia, Jorapokhar, Kalaburgi, Kalyan, Manglore, Motihari, Nagpur, Nandesari, Panchkula, Raichur, Solapur, Sonipat, Thane, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jodhpur	Satisfactory	88	PM <sub>10</sub>	1
62	Kaithal	Satisfactory	69	PM <sub>10</sub>	1
63	Kannur	Good	45	со	1
64	Kanpur	Good	42	NO <sub>2</sub> , O <sub>3</sub> , PM <sub>10</sub>	4
65	Karnal	Satisfactory	66	PM <sub>10</sub>	1
66	Katni	Good	49	PM <sub>10</sub>	1
67	Khanna	Satisfactory	62	PM <sub>10</sub>	1
68	Kochi	Good	46	СО	1
69	Kohima	Good	38	PM <sub>10</sub>	1
70	Kolar	Satisfactory	51	PM <sub>10</sub>	1
71	Kolkata	Good	40	CO, PM <sub>10</sub> , NO <sub>2</sub>	5
72	Kollam	Satisfactory	90	СО	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aizawl, Asansol, Aurangabad, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Haldia, Jorapokhar, Kalaburgi, Kalyan, Manglore, Motihari, Nagpur, Nandesari, Panchkula, Raichur, Solapur, Sonipat, Thane, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Koppal	Good	38	O <sub>3</sub>	1
74	Kota	Satisfactory	86	PM <sub>2.5</sub>	1
75	Kozhikode	Satisfactory	63	со	1
76	Kurukshetra	Satisfactory	66	03	1
77	Lucknow	Satisfactory	61	PM <sub>10</sub> , CO, O <sub>3</sub>	6
78	Ludhiana	Moderate	104	PM <sub>10</sub>	1
79	Maihar	Good	22	PM <sub>2.5</sub>	1
80	Mandi Gobindgarh	Good	25	PM <sub>10</sub>	1
81	Mandideep	Moderate	101	PM <sub>10</sub>	1
82	Mandikhera	Good	49	со	1
83	Manesar	Satisfactory	70	PM <sub>10</sub>	1
84	Medikeri	Good	36	O <sub>3</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Asansol, Aurangabad, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Haldia, Jorapokhar, Kalaburgi, Kalyan, Manglore, Motihari, Nagpur, Nandesari, Panchkula, Raichur, Solapur, Sonipat, Thane, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Meerut	Satisfactory	76	PM <sub>10</sub> , NO <sub>2</sub>	2
86	Moradabad	Satisfactory	87	PM <sub>10</sub>	1
87	Mumbai	Good	48	O <sub>3</sub> , CO, PM <sub>10</sub>	17
88	Muzaffarnagar	Satisfactory	78	PM <sub>10</sub>	1
89	Muzaffarpur	Satisfactory	64	03	1
90	Mysuru	Good	40	PM <sub>10</sub>	1
91	Naharlagun	Good	48	PM <sub>10</sub>	1
92	Narnaul	Satisfactory	62	PM <sub>2.5</sub>	1
93	Nashik	Good	31	со	1
94	Navi Mumbai	Good	48	со	2
95	Noida	Satisfactory	82	PM <sub>10</sub> , CO	4
96	Pali	Satisfactory	56	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Asansol,
  Aurangabad, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore,
  Darbhanga, Haldia, Jorapokhar, Kalaburgi, Kalyan, Manglore, Motihari,
  Nagpur, Nandesari, Panchkula, Raichur, Solapur, Sonipat, Thane, Vapi as
  data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Palwal	Satisfactory	85	PM <sub>10</sub>	1
98	Panipat	Satisfactory	89	PM <sub>10</sub>	1
99	Patiala	Good	49	PM <sub>10</sub>	1
100	Patna	Satisfactory	52	O <sub>3</sub> , CO	5
101	Pithampur	Good	36	03	1
102	Prayagraj	Good	44	PM <sub>10</sub>	2
103	Puducherry	Satisfactory	60	O <sub>3</sub>	1
104	Pune	Satisfactory	66	со	5
105	Rajamahendravaram	Good	32	со	1
106	Ramanagara	Good	36	PM <sub>10</sub>	1
107	Ratlam	Satisfactory	56	PM <sub>10</sub>	1
108	Rohtak	Moderate	111	NO <sub>2</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Asansol, Aurangabad, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Haldia, Jorapokhar, Kalaburgi, Kalyan, Manglore, Motihari, Nagpur, Nandesari, Panchkula, Raichur, Solapur, Sonipat, Thane, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Rupnagar	Moderate	102	PM <sub>10</sub>	1
110	Sagar	Good	27	PM <sub>2.5</sub>	1
111	Satna	Good	46	PM <sub>10</sub>	1
112	Shillong	Good	18	SO <sub>2</sub>	1
113	Shivamogga	Good	40	PM <sub>10</sub>	1
114	Siliguri	Good	43	PM <sub>10</sub>	1
115	Singrauli	Satisfactory	83	PM <sub>10</sub>	1
116	Sirsa	Satisfactory	64	03	1
117	Srinagar	Satisfactory	66	PM <sub>10</sub>	1
118	Talcher	Satisfactory	52	со	1
119	Thiruvananthapuram	Good	49	PM <sub>10</sub> , CO	2
120	Thoothukudi	Good	40	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Asansol, Aurangabad, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Haldia, Jorapokhar, Kalaburgi, Kalyan, Manglore, Motihari, Nagpur, Nandesari, Panchkula, Raichur, Solapur, Sonipat, Thane, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Thrissur	Satisfactory	74	SO <sub>2</sub>	1
122	Tirupati	Satisfactory	58	O <sub>3</sub>	1
123	Udaipur	Satisfactory	87	PM <sub>10</sub>	1
124	Udupi	Moderate	102	СО	1
125	Ujjain	Satisfactory	84	PM <sub>10</sub>	1
126	Varanasi	Good	32	PM <sub>10</sub>	4
127	Vatva	Good	47	NO <sub>2</sub>	1
128	Vijayapura	Satisfactory	56	СО	1
129	Visakhapatnam	Moderate	105	PM <sub>10</sub>	1
130	Vrindavan	Good	49	PM <sub>10</sub>	1
131	Yadgir	Good	30	SO <sub>2</sub>	1
132	Yamunanagar	Moderate	140	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Asansol,
  Aurangabad, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore,
  Darbhanga, Haldia, Jorapokhar, Kalaburgi, Kalyan, Manglore, Motihari,
  Nagpur, Nandesari, Panchkula, Raichur, Solapur, Sonipat, Thane, Vapi as
  data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.