

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	35	PM ₁₀	1
2	Agra	Satisfactory	66	PM ₁₀ , NO ₂	6
3	Ahmedabad	Satisfactory	74	CO, PM ₁₀	6
4	Aizawl	Good	10	PM ₁₀	1
5	Ajmer	Satisfactory	85	PM ₁₀	1
6	Akola	Good	48	PM ₁₀	1
7	Alwar	Moderate	105	PM ₁₀	1
8	Amaravati	Good	28	PM ₁₀	1
9	Ambala	Satisfactory	91	со	1
10	Amravati	Good	28	PM _{2.5} , PM ₁₀	2
11	Amritsar	Satisfactory	66	PM _{2.5}	1
12	Anantapur	Good	40	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Arrah,

ol, Begusarai, Bhiwandi, Bidar, Bihar Sharif, Bilaspur,

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ankleshwar	Poor	253	O ₃	1
14	Ariyalur	Good	29	NO ₂	1
15	Aurangabad (Bihar)	Moderate	130	PM ₁₀	1
16	Aurangabad (Maharashtra)	Good	45	PM ₁₀	2
17	Baddi	Good	48	PM ₁₀	1
18	Badlapur	Good	48	PM ₁₀	1
19	Bagalkot	Good	46	PM ₁₀	1
20	Baghpat	Good	41	03	1
21	Bahadurgarh	Satisfactory	52	PM ₁₀	1
22	Ballabgarh	Satisfactory	76	PM ₁₀	1
23	Banswara	Satisfactory	57	PM _{2.5}	1
24	Baran	Satisfactory	54	O ₃	1

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Arrah,

Notes:

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bareilly	Good	25	SO ₂	2
26	Baripada	Good	47	PM ₁₀	1
27	Barmer	Moderate	138	03	1
28	Bathinda	Satisfactory	56	со	1
29	Belapur	Good	36	PM ₁₀	1
30	Belgaum	Good	46	со	1
31	Bengaluru	Good	38	CO, PM ₁₀	11
32	Bettiah	Moderate	112	PM ₁₀	1
33	Bhagalpur	Good	41	PM _{2.5}	2
34	Bharatpur	Good	47	O ₃	1
35	Bhilai	Good	22	PM ₁₀ , NO ₂	2
36	Bhilwara	Satisfactory	61	PM _{2.5}	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Arrah,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhiwadi	Satisfactory	82	PM ₁₀	1
38	Bhiwani	Satisfactory	59	PM _{2.5}	1
39	Bhopal	Good	45	PM ₁₀	3
40	Bikaner	Satisfactory	56	PM ₁₀	1
41	Bileipada	Satisfactory	78	PM ₁₀	1
42	Bulandshahr	Good	31	PM ₁₀	1
43	Bundi	Moderate	175	PM ₁₀	1
44	Byrnihat	Moderate	151	PM _{2.5}	1
45	Chamarajanagar	Good	40	PM ₁₀	1
46	Chandigarh	Good	45	СО	3
47	Chandrapur	Satisfactory	61	PM ₁₀	1
48	Charkhi Dadri	Satisfactory	78	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Arrah,

ol, Begusarai, Bhiwandi, Bidar, Bihar Sharif, Bilaspur,

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Brajrajnagar, Buxar, Damoh, Darbhanga, Dehradun, Dharwad, Dholpur, Eloor, Ernakulam, Gummidipoondi, Hassan, Hisar, Imphal, Jhansi, Jorapokhar, Kalaburgi, Kanchipuram, Kannur, Kochi, Kolar, Kozhikode, Kunjemura, Malegaon, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Narnaul, Parbhani, Raichur, Sasaram, Singrauli, Sirsa, Srinagar, Tonk, Tumakuru, Udupi, Ujjain, Yadgir, vellore as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chengalpattu	Satisfactory	63	PM ₁₀	1
50	Chennai	Satisfactory	63	CO, NO ₂	7
51	Chhal	Good	28	со	1
52	Chhapra	Moderate	107	со	1
53	Chikkaballapur	Good	32	03	1
54	Chikkamagaluru	Good	25	PM ₁₀	1
55	Chittoor	Good	37	O ₃	1
56	Chittorgarh	Good	43	со	1
57	Churu	Satisfactory	60	03	1
58	Coimbatore	Good	49	PM ₁₀	1
59	Cuddalore	Moderate	169	NO ₂	2
60	Dausa	Moderate	135	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Arrah,

ol, Begusarai, Bhiwandi, Bidar, Bihar Sharif, Bilaspur,

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Brajrajnagar, Buxar, Damoh, Darbhanga, Dehradun, Dharwad, Dholpur, Eloor, Ernakulam, Gummidipoondi, Hassan, Hisar, Imphal, Jhansi, Jorapokhar, Kalaburgi, Kanchipuram, Kannur, Kochi, Kolar, Kozhikode, Kunjemura, Malegaon, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Narnaul, Parbhani, Raichur, Sasaram, Singrauli, Sirsa, Srinagar, Tonk, Tumakuru, Udupi, Ujjain, Yadgir, vellore as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Davanagere	Good	16	03	1
62	Delhi	Satisfactory	71	NO ₂ , PM ₁₀	36
63	Dewas	Good	50	со	1
64	Dhanbad	Moderate	183	со	1
65	Dharuhera	Satisfactory	77	PM ₁₀	1
66	Dhule	Good	33	O ₃	1
67	Dindigul	Good	41	SO ₂	1
68	Durgapur	Good	44	PM _{2.5}	1
69	Faridabad	Satisfactory	76	PM _{2.5} , PM ₁₀	3
70	Fatehabad	Moderate	122	O ₃	1
71	Firozabad	Good	45	PM ₁₀	2
72	Gadag	Good	46	SO ₂	1

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Arrah,

Notes:

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Asansol, Begusarai, Bhiwandi, Bidar, Bihar Sharif, Bilaspur, Boisar,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gandhinagar	Satisfactory	52	CO, PM _{2.5}	3
74	Gangtok	Satisfactory	52	SO ₂	1
75	Gaya	Satisfactory	77	03	3
76	Ghaziabad	Good	50	со	4
77	Gorakhpur	Good	50	SO ₂	1
78	Greater Noida	Satisfactory	66	со	2
79	Gurugram	Satisfactory	74	со	4
80	Guwahati	Good	32	SO ₂ , O ₃	3
81	Gwalior	Satisfactory	54	PM _{2.5}	3
82	Hajipur	Good	42	PM ₁₀	1
83	Haldia	Good	44	O ₃	1
84	Hanumangarh	Moderate	179	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Arrah,

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hapur	Good	30	O ₃	1
86	Haveri	Good	39	СО	1
87	Hosur	Good	31	PM ₁₀	1
88	Howrah	Good	39	NO ₂	3
89	Hubballi	Satisfactory	63	PM ₁₀	1
90	Hyderabad	Satisfactory	63	PM _{2.5} , PM ₁₀	12
91	Indore	Satisfactory	66	PM ₁₀	1
92	Jabalpur	Good	47	O ₃	3
93	Jaipur	Satisfactory	78	PM _{2.5} , CO	6
94	Jaisalmer	Satisfactory	72	PM ₁₀	1
95	Jalandhar	Satisfactory	62	O ₃	1
96	Jalgaon	Satisfactory	78	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Arrah,

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jalna	Satisfactory	78	PM ₁₀	1
98	Jhalawar	Satisfactory	54	O ₃	1
99	Jhunjhunu	Satisfactory	87	03	1
100	Jind	Moderate	178	со	1
101	Jodhpur	Satisfactory	60	PM ₁₀ , O ₃	4
102	Kadapa	Good	32	PM _{2.5}	1
103	Kaithal	Good	50	PM _{2.5}	1
104	Kalyan	Satisfactory	55	NO ₂	1
105	Kanpur	Satisfactory	66	СО	3
106	Karauli	Good	34	O ₃	1
107	Karnal	Good	28	PM ₁₀	1
108	Kashipur	Good	35	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Arrah,

ol, Begusarai, Bhiwandi, Bidar, Bihar Sharif, Bilaspur,

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Katihar	Satisfactory	68	со	1
110	Katni	Good	48	PM ₁₀	1
111	Keonjhar	Good	41	PM ₁₀	1
112	Khanna	Satisfactory	84	PM ₁₀	1
113	Khurja	Moderate	108	PM _{2.5}	1
114	Kishanganj	Good	37	со	1
115	Kohima	Good	45	SO ₂	1
116	Kolhapur	Good	36	PM ₁₀	2
117	Kolkata	Good	40	O ₃ , PM ₁₀	7
118	Kollam	Satisfactory	54	PM _{2.5}	1
119	Koppal	Good	23	SO ₂	1
120	Korba	Good	43	NO ₂	2

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Arrah,

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	oor Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

ol, Begusarai, Bhiwandi, Bidar, Bihar Sharif, Bilaspur, E

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Kota	Satisfactory	98	PM ₁₀	3
122	Kurukshetra	Good	47	03	1
123	Latur	Good	37	PM ₁₀	1
124	Lucknow	Good	46	PM ₁₀	4
125	Ludhiana	Satisfactory	86	PM ₁₀	1
126	Madikeri	Good	18	PM _{2.5}	1
127	Mahad	Good	38	PM ₁₀	1
128	Maihar	Good	25	со	1
129	Mandi Gobindgarh	Good	42	PM _{2.5}	1
130	Mandideep	Satisfactory	87	O ₃	1
131	Mandikhera	Satisfactory	65	PM ₁₀	1
132	Manesar	Satisfactory	61	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Arrah, Asansol, Begusarai, Bhiwandi, Bidar, Bihar Sharif, Bilaspur, Boisar,

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Mangalore	Good	47	PM ₁₀	1
134	Manguraha	Poor	280	03	1
135	Meerut	Good	48	CO, NO ₂	3
136	Moradabad	Satisfactory	57	PM _{2.5}	5
137	Motihari	Good	46	NO ₂	1
138	Mumbai	Satisfactory	91	PM ₁₀	21
139	Munger	Moderate	147	PM ₁₀	1
140	Muzaffarpur	Satisfactory	78	СО	2
141	Mysuru	Good	39	O ₃	1
142	Nagaon	Satisfactory	57	PM ₁₀	1
143	Nagaur	Satisfactory	77	03	1
144	Nagpur	Good	30	PM ₁₀	4

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Arrah,

ol, Begusarai, Bhiwandi, Bidar, Bihar Sharif, Bilaspur,

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Brajrajnagar, Buxar, Damoh, Darbhanga, Dehradun, Dharwad, Dholpur, Eloor, Ernakulam, Gummidipoondi, Hassan, Hisar, Imphal, Jhansi, Jorapokhar, Kalaburgi, Kanchipuram, Kannur, Kochi, Kolar, Kozhikode, Kunjemura, Malegaon, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Narnaul, Parbhani, Raichur, Sasaram, Singrauli, Sirsa, Srinagar, Tonk, Tumakuru, Udupi, Ujjain, Yadgir, vellore as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Nalbari	Good	30	PM ₁₀	1
146	Nanded	Good	43	O ₃	1
147	Nashik	Good	26	PM ₁₀ , CO	4
148	Navi Mumbai	Satisfactory	56	со	4
149	Nayagarh	Good	31	PM _{2.5}	1
150	Noida	Satisfactory	55	со	4
151	Ooty	Satisfactory	51	SO ₂	1
152	Pali	Moderate	117	PM ₁₀	1
153	Palkalaiperur	Satisfactory	65	SO ₂	1
154	Palwal	Good	26	PM ₁₀	1
155	Panchkula	Moderate	109	со	1
156	Panipat	Good	45	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Arrah,

Notes:

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Patiala	Good	40	PM ₁₀	1
158	Patna	Satisfactory	62	PM _{2.5} , NO ₂	5
159	Pimpri Chinchwad	Good	42	CO, PM ₁₀	3
160	Pithampur	Good	49	PM ₁₀	1
161	Pratapgarh	Good	46	O ₃	1
162	Prayagraj	Satisfactory	54	PM _{2.5} , PM ₁₀	3
163	Puducherry	Good	50	PM ₁₀	1
164	Pune	Satisfactory	88	NO ₂ , CO	4
165	Purnia	Satisfactory	70	СО	1
166	Raipur	Good	42	PM ₁₀ , NO ₂	3
167	Rairangpur	Good	42	PM ₁₀	1
168	Rajamahendravaram	Good	27	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Arrah,

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Rajgir	Satisfactory	70	PM ₁₀	1
170	Rajsamand	Satisfactory	92	со	1
171	Ramanagara	Good	32	PM ₁₀	1
172	Ramanathapuram	Good	31	PM ₁₀	1
173	Ratlam	Good	23	SO ₂	1
174	Rishikesh	Good	28	PM ₁₀	1
175	Rohtak	Satisfactory	100	PM _{2.5}	1
176	Rourkela	Good	42	PM ₁₀	2
177	Rupnagar	Moderate	126	PM ₁₀	1
178	Sagar	Good	36	03	1
179	Saharsa	Satisfactory	51	со	1
180	Salem	Moderate	103	SO ₂	1

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Arrah,

ol, Begusarai, Bhiwandi, Bidar, Bihar Sharif, Bilaspur, E

Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Samastipur	Satisfactory	77	со	1
182	Sangli	Good	26	03	1
183	Satna	Satisfactory	68	PM ₁₀	1
184	Sawai Madhopur	Good	42	PM ₁₀	1
185	Shillong	Good	21	SO ₂	1
186	Shivamogga	Good	25	PM ₁₀	1
187	Sikar	Satisfactory	89	O ₃	1
188	Silchar	Good	29	со	1
189	Siliguri	Good	31	PM ₁₀	1
190	Sirohi	Good	48	03	1
191	Sivasagar	Good	11	PM ₁₀	1
192	Siwan	Satisfactory	51	со	1

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Arrah,

Notes: Erna

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Solapur	Satisfactory	60	PM ₁₀	3
194	Sonipat	Good	48	PM ₁₀	1
195	Sri Ganganagar	Moderate	173	PM ₁₀	1
196	Suakati	Good	38	PM ₁₀	1
197	Surat	Good	25	PM _{2.5}	1
198	Talcher	Moderate	113	со	1
199	Tensa	Good	25	PM ₁₀	1
200	Thane	Satisfactory	52	PM ₁₀	2
201	Thiruvananthapuram	Good	22	PM ₁₀ , CO	2
202	Thoothukudi	Moderate	104	03	1
203	Thrissur	Good	48	PM _{2.5}	1
204	Tirupati	Good	37	NO ₂	1

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Arrah,

Notes:

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Asansol, Begusarai, Bhiwandi, Bidar, Bihar Sharif, Bilaspur, Boisar,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Tirupur	Good	31	PM ₁₀	1
206	Tumidih	Satisfactory	56	PM ₁₀	1
207	Udaipur	Satisfactory	52	PM ₁₀	1
208	Vapi	Good	48	PM _{2.5}	1
209	Varanasi	Good	32	SO ₂ , PM ₁₀	4
210	Vatva	Satisfactory	53	PM _{2.5}	1
211	Vijayapura	Good	49	PM ₁₀	1
212	Vijayawada	Good	43	03	1
213	Visakhapatnam	Moderate	109	PM ₁₀	1
214	Vrindavan	Satisfactory	90	PM ₁₀	1
215	Yamunanagar	Satisfactory	60	PM _{2.5}	1

Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Arrah,

- Asansol, Begusarai, Bhiwandi, Bidar, Bihar Sharif, Bilaspur, Boisar,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.