

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	164	PM _{2.5}	1
2	Ahmedabad	Poor	256	OZONE	1
3	Ajmer	Moderate	135	PM ₁₀	1
4	Alwar	Moderate	139	PM ₁₀	1
5	Amaravati	Satisfactory	86	PM ₁₀	1
6	Ambala	Moderate	194	OZONE	1
7	Amritsar	Moderate	106	PM ₁₀	1
8	Ankleshwar	Satisfactory	76	PM ₁₀	1
9	Asanol	Satisfactory	82	PM _{2.5}	1
10	Aurangabad	Moderate	107	PM _{2.5}	1
11	Baghpat	Poor	208	PM ₁₀	1
12	Bahadurgarh	Moderate	138	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bulandshahr, Damoh, Hapur, Hubballi, Jorapokhar, Mandikhera, Moradabad, Nashik, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Moderate	165	PM ₁₀	1
14	Bathinda	Satisfactory	92	PM ₁₀	1
15	Bengaluru	Satisfactory	65	OZONE, PM ₁₀ , CO	7
16	Bhiwadi	Poor	244	PM _{2.5}	1
17	Bhiwani	Poor	223	PM _{2.5}	1
18	Brajrajnagar	Moderate	114	СО	1
19	Chandrapur	Moderate	110	PM ₁₀	1
20	Chennai	Moderate	157	OZONE, PM _{2.5}	3
21	Chikkaballapur	Satisfactory	73	PM ₁₀	1
22	Delhi	Moderate	192	PM _{2.5} , OZONE	35
23	Dewas	Moderate	146	PM ₁₀	1
24	Dharuhera	Moderate	152	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Bulandshahr, Damoh, Hapur, Hubballi, Jorapokhar, Mandikhera, Moradabad, Nashik, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Durgapur	Good	48	PM ₁₀	1
26	Eloor	Good	44	со	1
27	Faridabad	Moderate	132	PM _{2.5}	1
28	Fatehabad	Poor	217	PM ₁₀	1
29	GandhiNagar	Satisfactory	96	PM ₁₀	1
30	Gaya	Moderate	179	PM _{2.5}	1
31	Ghaziabad	Moderate	186	PM ₁₀	2
32	Greater_Noida	Moderate	150	PM ₁₀	1
33	Gurugram	Poor	215	PM _{2.5}	1
34	Guwahati	Good	44	OZONE	1
35	Haldia	Good	46	PM ₁₀	1
36	Hisar	Moderate	177	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bulandshahr, Damoh, Hapur, Hubballi, Jorapokhar, Mandikhera, Moradabad, Nashik, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Howrah	Satisfactory	65	PM ₁₀ , PM _{2.5}	3
38	Hyderabad	Satisfactory	76	PM ₁₀ , OZONE	4
39	Jaipur	Moderate	172	PM ₁₀	3
40	Jalandhar	Moderate	151	PM ₁₀	1
41	Jind	Moderate	162	PM ₁₀	1
42	Jodhpur	Poor	293	PM _{2.5}	1
43	Kaithal	Moderate	136	PM ₁₀	1
44	Kalaburagi	Satisfactory	78	PM ₁₀	1
45	Kanpur	Moderate	118	OZONE	1
46	Karnal	Moderate	170	PM _{2.5}	1
47	Khanna	Moderate	102	PM ₁₀	1
48	Kolkata	Satisfactory	60	PM ₁₀ , PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bulandshahr, Damoh, Hapur, Hubballi, Jorapokhar, Mandikhera, Moradabad, Nashik, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kota	Moderate	106	PM ₁₀	1
50	Kurukshetra	Moderate	141	PM ₁₀	1
51	Loni_Dehat	Poor	231	PM ₁₀	1
52	Lucknow	Moderate	170	PM _{2.5}	4
53	Ludhiana	Moderate	128	PM _{2.5}	1
54	Maihar	Moderate	107	PM ₁₀	1
55	Mandi Gobindgarh	Moderate	105	PM ₁₀	1
56	Mandideep	Poor	227	PM ₁₀	1
57	Manesar	Moderate	195	PM _{2.5}	1
58	Mumbai	Satisfactory	81	СО	1
59	Muzaffarnagar	Moderate	183	PM _{2.5}	1
60	Muzaffarpur	Satisfactory	54	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bulandshahr, Damoh, Hapur, Hubballi, Jorapokhar, Mandikhera, Moradabad, Nashik, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Nagpur	Satisfactory	70	OZONE	1
62	Narnaul	Moderate	182	PM _{2.5}	1
63	Navi Mumbai	Moderate	107	со	1
64	Noida	Moderate	171	PM ₁₀	2
65	Pali	Moderate	120	PM ₁₀	1
66	Palwal	Moderate	198	PM _{2.5}	1
67	Panchkula	Satisfactory	88	PM _{2.5}	1
68	Panipat	Moderate	111	PM ₁₀	1
69	Patiala	Moderate	134	PM ₁₀	1
70	Patna	Satisfactory	66	PM _{2.5}	1
71	Pithampur	Moderate	166	PM ₁₀	1
72	Pune	Satisfactory	71	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bulandshahr, Damoh, Hapur, Hubballi, Jorapokhar, Mandikhera, Moradabad, Nashik, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Rajamahendravaram	Satisfactory	97	OZONE	1
74	Ratlam	Moderate	136	PM ₁₀	1
75	Rohtak	Poor	236	PM _{2.5}	1
76	Rupnagar	Satisfactory	96	PM _{2.5}	1
77	Satna	Satisfactory	92	со	1
78	Siliguri	Good	50	OZONE	1
79	Singrauli	Poor	215	PM ₁₀	1
80	Sirsa	Moderate	177	PM ₁₀	1
81	Solapur	Satisfactory	69	PM ₁₀	1
82	Sonipat	Moderate	165	PM _{2.5}	1
83	Talcher	Satisfactory	95	PM ₁₀	1
84	Thane	Satisfactory	61	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bulandshahr, Damoh, Hapur, Hubballi, Jorapokhar, Mandikhera, Moradabad, Nashik, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Thiruvananthapuram	Good	46	OZONE	1
86	Tirupati	Satisfactory	53	NO ₂	1
87	Udaipur	Moderate	106	PM _{2.5}	1
88	Ujjain	Moderate	153	PM ₁₀	1
89	Vapi	Satisfactory	54	PM ₁₀	1
90	Varanasi	Moderate	170	PM ₁₀	1
91	Vatva	Moderate	109	PM ₁₀	1
92	Visakhapatnam	Satisfactory	88	PM _{2.5}	1
93	Yamunanagar	Poor	244	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bulandshahr, Damoh, Hapur, Hubballi, Jorapokhar, Mandikhera, Moradabad, Nashik, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.