

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	27	03	1
2	Agra	Satisfactory	58	PM <sub>2.5</sub>	1
3	Ahmedabad	Satisfactory	96	PM <sub>10</sub>	1
4	Ajmer	Moderate	117	PM <sub>10</sub>	1
5	Alwar	Satisfactory	70	PM <sub>10</sub>	1
6	Amaravati	Good	21	со	1
7	Ambala	Moderate	118	PM <sub>10</sub>	1
8	Amritsar	Satisfactory	73	PM <sub>10</sub>	1
9	Asansol	Satisfactory	74	PM <sub>10</sub>	1
10	Baghpat	Poor	210	PM <sub>10</sub>	1
11	Bahadurgarh	Moderate	123	PM <sub>10</sub>	1
12	Ballabgarh	Satisfactory	75	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar,
  Aurangabad, Bagalkot, Bidar, Brajrajnagar, Coimbatore, Damoh, Davanagere,
  Durgapur, Ernakulam, Kalaburgi, Kochi, Kolar, Kollam, Maihar, Mandikhera,
  Nagpur, Naharlagun, Palwal, Raichur, Ramanagara, Rohtak, Thoothukudi,
  Thrissur, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bathinda	Satisfactory	85	PM <sub>10</sub>	1
14	Bengaluru	Good	43	CO, NO <sub>2</sub> , O <sub>3</sub>	7
15	Bhiwadi	Moderate	101	PM <sub>10</sub>	1
16	Bhiwani	Moderate	144	PM <sub>10</sub>	1
17	Bhopal	Satisfactory	90	03	1
18	Bulandshahr	Moderate	191	PM <sub>10</sub>	1
19	Chamarajanagar	Good	32	PM <sub>10</sub>	1
20	Chandigarh	Satisfactory	71	PM <sub>10</sub>	1
21	Chandrapur	Good	32	PM <sub>10</sub> , PM <sub>2.5</sub>	2
22	Charkhi Dadri	Moderate	107	PM <sub>2.5</sub>	1
23	Chennai	Satisfactory	62	PM <sub>10</sub> , O <sub>3</sub> , CO	8
24	Chikkaballapur	Good	34	СО	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar,
  Aurangabad, Bagalkot, Bidar, Brajrajnagar, Coimbatore, Damoh, Davanagere,
  Durgapur, Ernakulam, Kalaburgi, Kochi, Kolar, Kollam, Maihar, Mandikhera,
  Nagpur, Naharlagun, Palwal, Raichur, Ramanagara, Rohtak, Thoothukudi,
  Thrissur, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chikkamagaluru	Satisfactory	51	O <sub>3</sub>	1
26	Delhi	Moderate	140	O <sub>3</sub> , PM <sub>10</sub>	31
27	Dewas	Moderate	105	PM <sub>10</sub>	1
28	Dharuhera	Moderate	118	PM <sub>10</sub>	1
29	Eloor	Good	47	со	1
30	Faridabad	Moderate	132	PM <sub>10</sub> , CO	4
31	Fatehabad	Poor	223	PM <sub>10</sub>	1
32	Gadag	Good	17	O <sub>3</sub>	1
33	Gandhinagar	Satisfactory	58	PM <sub>10</sub>	1
34	Gaya	Moderate	164	PM <sub>2.5</sub> , O <sub>3</sub>	2
35	Ghaziabad	Moderate	177	PM <sub>10</sub>	4
36	Greater Noida	Moderate	163	PM <sub>10</sub>	2

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar,
  Aurangabad, Bagalkot, Bidar, Brajrajnagar, Coimbatore, Damoh, Davanagere,
  Durgapur, Ernakulam, Kalaburgi, Kochi, Kolar, Kollam, Maihar, Mandikhera,
  Nagpur, Naharlagun, Palwal, Raichur, Ramanagara, Rohtak, Thoothukudi,
  Thrissur, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gummidipoondi	Satisfactory	75	PM <sub>10</sub>	1
38	Gurugram	Moderate	121	PM <sub>10</sub> , O <sub>3</sub>	3
39	Guwahati	Good	49	SO <sub>2</sub> , PM <sub>10</sub>	2
40	Gwalior	Moderate	104	03	1
41	Hajipur	Moderate	141	PM <sub>10</sub>	1
42	Haldia	Good	24	PM <sub>2.5</sub>	1
43	Hapur	Satisfactory	74	03	1
44	Hassan	Good	40	со	1
45	Hisar	Moderate	135	PM <sub>10</sub>	1
46	Howrah	Satisfactory	54	PM <sub>10</sub>	2
47	Hubballi	Good	31	O <sub>3</sub>	1
48	Hyderabad	Good	35	NO <sub>2</sub> , PM <sub>10</sub> , PM <sub>2.5</sub>	5

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar,
  Aurangabad, Bagalkot, Bidar, Brajrajnagar, Coimbatore, Damoh, Davanagere,
  Durgapur, Ernakulam, Kalaburgi, Kochi, Kolar, Kollam, Maihar, Mandikhera,
  Nagpur, Naharlagun, Palwal, Raichur, Ramanagara, Rohtak, Thoothukudi,
  Thrissur, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Indore	Moderate	119	PM <sub>10</sub>	1
50	Jabalpur	Satisfactory	85	O <sub>3</sub>	1
51	Jaipur	Satisfactory	80	PM <sub>10</sub> , O <sub>3</sub>	3
52	Jalandhar	Satisfactory	56	PM <sub>10</sub>	1
53	Jind	Moderate	101	PM <sub>10</sub>	1
54	Jodhpur	Poor	255	PM <sub>2.5</sub>	1
55	Jorapokhar	Moderate	102	PM <sub>10</sub>	1
56	Kaithal	Moderate	123	PM <sub>10</sub>	1
57	Kalyan	Satisfactory	86	PM <sub>2.5</sub>	1
58	Kannur	Satisfactory	98	PM <sub>10</sub>	1
59	Kanpur	Moderate	102	PM <sub>2.5</sub>	2
60	Karnal	Satisfactory	79	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar,
  Aurangabad, Bagalkot, Bidar, Brajrajnagar, Coimbatore, Damoh, Davanagere,
  Durgapur, Ernakulam, Kalaburgi, Kochi, Kolar, Kollam, Maihar, Mandikhera,
  Nagpur, Naharlagun, Palwal, Raichur, Ramanagara, Rohtak, Thoothukudi,
  Thrissur, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Katni	Satisfactory	98	PM <sub>10</sub>	1
62	Khanna	Satisfactory	85	PM <sub>10</sub>	1
63	Kohima	Satisfactory	62	PM <sub>10</sub>	1
64	Kolkata	Satisfactory	56	PM <sub>2.5</sub> , O <sub>3</sub> , PM <sub>10</sub>	7
65	Koppal	Satisfactory	64	со	1
66	Kota	Moderate	108	PM <sub>2.5</sub>	1
67	Kozhikode	Good	24	со	1
68	Kurukshetra	Moderate	127	PM <sub>10</sub>	1
69	Lucknow	Moderate	107	PM <sub>2.5</sub> , PM <sub>10</sub> , O <sub>3</sub>	4
70	Ludhiana	Satisfactory	66	PM <sub>10</sub>	1
71	Mandi Gobindgarh	Moderate	105	PM <sub>10</sub>	1
72	Mandideep	Good	44	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar,
  Aurangabad, Bagalkot, Bidar, Brajrajnagar, Coimbatore, Damoh, Davanagere,
  Durgapur, Ernakulam, Kalaburgi, Kochi, Kolar, Kollam, Maihar, Mandikhera,
  Nagpur, Naharlagun, Palwal, Raichur, Ramanagara, Rohtak, Thoothukudi,
  Thrissur, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Manesar	Moderate	111	PM <sub>10</sub>	1
74	Manglore	Good	34	SO <sub>2</sub>	1
75	Medikeri	Good	30	03	1
76	Meerut	Moderate	194	PM <sub>10</sub>	2
77	Moradabad	Moderate	128	PM <sub>10</sub>	1
78	Mumbai	Satisfactory	85	PM <sub>2.5</sub> , PM <sub>10</sub> , SO <sub>2</sub>	17
79	Muzaffarnagar	Moderate	154	PM <sub>10</sub>	1
80	Muzaffarpur	Satisfactory	80	PM <sub>10</sub>	1
81	Mysuru	Good	30	PM <sub>10</sub>	1
82	Nandesari	Satisfactory	62	со	1
83	Narnaul	Moderate	138	PM <sub>10</sub>	1
84	Nashik	Satisfactory	59	O <sub>3</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar,
  Aurangabad, Bagalkot, Bidar, Brajrajnagar, Coimbatore, Damoh, Davanagere,
  Durgapur, Ernakulam, Kalaburgi, Kochi, Kolar, Kollam, Maihar, Mandikhera,
  Nagpur, Naharlagun, Palwal, Raichur, Ramanagara, Rohtak, Thoothukudi,
  Thrissur, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Navi Mumbai	Satisfactory	68	PM <sub>10</sub>	1
86	Noida	Moderate	153	PM <sub>10</sub>	3
87	Pali	Moderate	176	PM <sub>10</sub>	1
88	Panchkula	Satisfactory	60	PM <sub>2.5</sub>	1
89	Panipat	Moderate	171	PM <sub>10</sub>	1
90	Patiala	Moderate	110	PM <sub>10</sub>	1
91	Patna	Moderate	112	O <sub>3</sub> , PM <sub>10</sub> , CO	4
92	Pithampur	Satisfactory	91	PM <sub>10</sub>	1
93	Puducherry	Good	45	03	1
94	Pune	Satisfactory	57	CO, PM <sub>10</sub> , PM <sub>2.5</sub>	5
95	Rajamahendravaram	Good	40	со	1
96	Ratlam	Moderate	105	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar,
  Aurangabad, Bagalkot, Bidar, Brajrajnagar, Coimbatore, Damoh, Davanagere,
  Durgapur, Ernakulam, Kalaburgi, Kochi, Kolar, Kollam, Maihar, Mandikhera,
  Nagpur, Naharlagun, Palwal, Raichur, Ramanagara, Rohtak, Thoothukudi,
  Thrissur, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Rupnagar	Satisfactory	82	PM <sub>10</sub>	1
98	Sagar	Satisfactory	55	PM <sub>2.5</sub>	1
99	Satna	Satisfactory	77	PM <sub>10</sub>	1
100	Shillong	Good	17	PM <sub>10</sub>	1
101	Shivamogga	Good	50	PM <sub>10</sub>	1
102	Siliguri	Satisfactory	60	PM <sub>10</sub>	1
103	Singrauli	Poor	243	PM <sub>2.5</sub>	1
104	Sirsa	Moderate	123	PM <sub>10</sub>	1
105	Solapur	Good	43	O <sub>3</sub>	1
106	Sonipat	Poor	203	PM <sub>10</sub>	1
107	Srinagar	Satisfactory	52	PM <sub>10</sub>	1
108	Talcher	Satisfactory	81	СО	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar,
  Aurangabad, Bagalkot, Bidar, Brajrajnagar, Coimbatore, Damoh, Davanagere,
  Durgapur, Ernakulam, Kalaburgi, Kochi, Kolar, Kollam, Maihar, Mandikhera,
  Nagpur, Naharlagun, Palwal, Raichur, Ramanagara, Rohtak, Thoothukudi,
  Thrissur, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Thane	Poor	220	NO <sub>2</sub>	1
110	Thiruvananthapuram	Good	27	со	1
111	Tirupati	Good	44	PM <sub>10</sub>	1
112	Udaipur	Moderate	130	PM <sub>10</sub>	1
113	Ujjain	Moderate	133	O <sub>3</sub>	1
114	Vapi	Satisfactory	93	PM <sub>10</sub>	1
115	Varanasi	Moderate	178	PM <sub>10</sub>	1
116	Vatva	Moderate	154	PM <sub>2.5</sub>	1
117	Visakhapatnam	Satisfactory	56	PM <sub>10</sub>	1
118	Yadgir	Good	25	O <sub>3</sub>	1
119	Yamunanagar	Moderate	149	03	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar,
  Aurangabad, Bagalkot, Bidar, Brajrajnagar, Coimbatore, Damoh, Davanagere,
  Durgapur, Ernakulam, Kalaburgi, Kochi, Kolar, Kollam, Maihar, Mandikhera,
  Nagpur, Naharlagun, Palwal, Raichur, Ramanagara, Rohtak, Thoothukudi,
  Thrissur, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.