

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	194	PM _{2.5}	1
2	Agra	Poor	210	O ₃ , PM _{2.5}	5
3	Ahmedabad	Moderate	119	PM _{2.5} , PM ₁₀	8
4	Aizawl	Good	40	PM ₁₀	1
5	Ajmer	Moderate	115	PM ₁₀	1
6	Alwar	Satisfactory	88	PM ₁₀	1
7	Amaravati	Good	28	со	1
8	Ambala	Very Poor	301	PM _{2.5}	1
9	Amritsar	Moderate	163	PM _{2.5}	1
10	Ankleshwar	Poor	252	PM _{2.5}	1
11	Asansol	Moderate	179	03	1
12	Aurangabad	Satisfactory	69	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Bihar Sharif, Buxar, Davanagere, Gummidipoondi, Kochi, Kolar, Maihar, Naharlagun, Singrauli as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	44	PM _{2.5}	1
14	Baghpat	Poor	272	PM _{2.5}	1
15	Bahadurgarh	Very Poor	304	PM _{2.5}	1
16	Ballabgarh	Poor	286	PM _{2.5}	1
17	Bathinda	Poor	274	PM ₁₀	1
18	Bengaluru	Satisfactory	63	PM ₁₀ , NO ₂ , PM _{2.5}	10
19	Bettiah	Very Poor	386	PM ₁₀	1
20	Bhagalpur	Poor	270	PM _{2.5}	2
21	Bhiwadi	Poor	290	PM ₁₀	1
22	Bhiwani	Moderate	197	PM _{2.5}	1
23	Bhopal	Moderate	138	PM ₁₀	1
24	Bidar	Satisfactory	53	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Bihar Sharif, Buxar, Davanagere, Gummidipoondi, Kochi, Kolar, Maihar, Naharlagun, Singrauli as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bilaspur	Satisfactory	89	PM ₁₀	1
26	Brajrajnagar	Satisfactory	89	03	1
27	Bulandshahr	Very Poor	325	PM _{2.5}	1
28	Chamarajanagar	Good	32	PM ₁₀	1
29	Chandigarh	Moderate	112	PM _{2.5} , PM ₁₀	2
30	Chandrapur	Moderate	118	PM _{2.5}	2
31	Charkhi Dadri	Poor	245	PM _{2.5}	1
32	Chennai	Satisfactory	55	PM ₁₀ , O ₃ , CO	8
33	Chhapra	Very Poor	319	PM _{2.5}	1
34	Chikkaballapur	Good	29	со	1
35	Chikkamagaluru	Good	33	NO ₂	1
36	Coimbatore	Satisfactory	56	NO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Bihar Sharif, Buxar, Davanagere, Gummidipoondi, Kochi, Kolar, Maihar, Naharlagun, Singrauli as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Damoh	Moderate	126	PM ₁₀	1
38	Darbhanga	Very Poor	377	PM _{2.5}	1
39	Delhi	Very Poor	361	PM _{2.5} , PM ₁₀	37
40	Dewas	Satisfactory	66	PM ₁₀	1
41	Dharuhera	Poor	259	PM _{2.5}	1
42	Durgapur	Poor	292	PM _{2.5}	1
43	Eloor	Satisfactory	57	PM ₁₀	1
44	Ernakulam	Satisfactory	60	со	1
45	Faridabad	Very Poor	367	PM ₁₀ , PM _{2.5}	4
46	Fatehabad	Moderate	184	PM _{2.5}	1
47	Firozabad	Poor	215	PM _{2.5}	1
48	Gadag	Good	22	PM ₁₀	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Bihar Sharif, Buxar, Davanagere, Gummidipoondi, Kochi, Kolar, Maihar, Naharlagun, Singrauli as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gandhinagar	Satisfactory	74	PM ₁₀ , PM _{2.5}	3
50	Gaya	Moderate	161	PM _{2.5} , PM ₁₀	3
51	Ghaziabad	Very Poor	366	PM _{2.5} , PM ₁₀	4
52	Gorakhpur	Moderate	197	PM _{2.5}	1
53	Greater Noida	Very Poor	312	PM _{2.5}	1
54	Gurugram	Very Poor	305	PM _{2.5}	3
55	Guwahati	Satisfactory	64	PM ₁₀ , PM _{2.5}	2
56	Gwalior	Moderate	115	PM _{2.5} , PM ₁₀	2
57	Hajipur	Poor	271	PM _{2.5}	1
58	Haldia	Poor	219	PM _{2.5}	1
59	Hapur	Poor	287	PM _{2.5}	1
60	Hassan	Good	31	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Bihar Sharif, Buxar, Davanagere, Gummidipoondi, Kochi, Kolar, Maihar, Naharlagun, Singrauli as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hisar	Very Poor	313	PM _{2.5}	1
62	Howrah	Poor	223	PM _{2.5}	3
63	Hubballi	Satisfactory	90	PM ₁₀	1
64	Hyderabad	Satisfactory	76	PM ₁₀ , PM _{2.5}	5
65	Indore	Moderate	194	PM _{2.5}	1
66	Jabalpur	Poor	239	PM _{2.5}	1
67	Jaipur	Moderate	164	PM _{2.5} , PM ₁₀	3
68	Jalandhar	Moderate	148	PM _{2.5}	1
69	Jind	Very Poor	342	PM _{2.5}	1
70	Jodhpur	Poor	240	PM _{2.5}	1
71	Jorapokhar	Good	42	O ₃	1
72	Kaithal	Poor	298	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Bihar Sharif, Buxar, Davanagere, Gummidipoondi, Kochi, Kolar, Maihar, Naharlagun, Singrauli as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kalaburgi	Satisfactory	53	PM ₁₀	1
74	Kalyan	Moderate	124	PM _{2.5}	1
75	Kannur	Satisfactory	56	PM ₁₀	1
76	Kanpur	Poor	208	PM _{2.5}	3
77	Karnal	Poor	271	PM _{2.5}	1
78	Katihar	Poor	227	PM ₁₀	1
79	Katni	Moderate	182	PM ₁₀	1
80	Khanna	Moderate	173	PM _{2.5}	1
81	Kishanganj	Poor	241	PM _{2.5}	1
82	Kohima	Satisfactory	87	PM ₁₀	1
83	Kolkata	Moderate	179	PM _{2.5} , PM ₁₀	6
84	Kollam	Satisfactory	74	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Bihar Sharif, Buxar, Davanagere, Gummidipoondi, Kochi, Kolar, Maihar, Naharlagun, Singrauli as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Koppal	Satisfactory	72	03	1
86	Kota	Poor	238	PM _{2.5}	1
87	Kozhikode	Satisfactory	52	PM ₁₀	1
88	Kurukshetra	Poor	292	PM _{2.5}	1
89	Lucknow	Poor	259	PM _{2.5} , PM ₁₀	6
90	Ludhiana	Poor	255	PM _{2.5}	1
91	Mandi Gobindgarh	Moderate	112	PM ₁₀	1
92	Mandideep	Moderate	115	PM ₁₀	1
93	Mandikhera	Moderate	151	PM _{2.5}	1
94	Manesar	Poor	285	PM _{2.5}	1
95	Manglore	Satisfactory	65	со	1
96	Medikeri	Good	26	03	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Bihar Sharif, Buxar, Davanagere, Gummidipoondi, Kochi, Kolar, Maihar, Naharlagun, Singrauli as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Meerut	Very Poor	320	PM _{2.5}	3
98	Moradabad	Poor	228	PM _{2.5} , PM ₁₀	2
99	Motihari	Very Poor	386	PM _{2.5}	1
100	Mumbai	Satisfactory	94	PM _{2.5} , PM ₁₀	18
101	Munger	Moderate	197	PM ₁₀	1
102	Muzaffarnagar	Very Poor	378	PM _{2.5}	1
103	Muzaffarpur	Very Poor	342	PM _{2.5}	2
104	Mysuru	Good	37	O ₃	1
105	Nagpur	Satisfactory	81	PM ₁₀	1
106	Nandesari	Satisfactory	79	со	1
107	Narnaul	Moderate	193	PM _{2.5}	1
108	Nashik	Satisfactory	67	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Bihar Sharif, Buxar, Davanagere, Gummidipoondi, Kochi, Kolar, Maihar, Naharlagun, Singrauli as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Navi Mumbai	Moderate	131	PM _{2.5} , PM ₁₀	2
110	Noida	Very Poor	325	PM ₁₀ , PM _{2.5}	4
111	Pali	Moderate	123	PM _{2.5}	1
112	Palwal	Moderate	190	PM ₁₀	1
113	Panchkula	Moderate	130	PM _{2.5}	1
114	Panipat	Poor	258	PM _{2.5}	1
115	Patiala	Moderate	200	PM _{2.5}	1
116	Patna	Poor	280	PM ₁₀ , PM _{2.5}	5
117	Pithampur	Moderate	193	PM _{2.5}	1
118	Prayagraj	Moderate	175	PM _{2.5}	3
119	Puducherry	Good	39	со	1
120	Pune	Satisfactory	94	PM _{2.5} , PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Bihar Sharif, Buxar, Davanagere, Gummidipoondi, Kochi, Kolar, Maihar, Naharlagun, Singrauli as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Purnia	Moderate	188	PM ₁₀	1
122	Raichur	Satisfactory	71	PM ₁₀	1
123	Rajamahendravaram	Good	31	PM ₁₀	1
124	Rajgir	Moderate	200	PM _{2.5}	1
125	Ramanagara	Good	47	PM ₁₀	1
126	Ratlam	Satisfactory	81	PM ₁₀	1
127	Rohtak	Poor	297	PM _{2.5}	1
128	Rupnagar	Poor	240	PM ₁₀	1
129	Sagar	Satisfactory	51	PM _{2.5}	1
130	Saharsa	Very Poor	374	PM ₁₀	1
131	Sasaram	Moderate	187	PM _{2.5}	1
132	Satna	Satisfactory	63	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Bihar Sharif, Buxar, Davanagere, Gummidipoondi, Kochi, Kolar, Maihar, Naharlagun, Singrauli as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Shillong	Good	38	PM _{2.5}	1
134	Shivamogga	Good	42	PM ₁₀	1
135	Siliguri	Satisfactory	87	PM ₁₀	1
136	Sirsa	Poor	243	PM _{2.5}	1
137	Siwan	Severe	420	PM _{2.5}	1
138	Solapur	Satisfactory	66	PM ₁₀	1
139	Sonipat	Very Poor	323	PM _{2.5}	1
140	Srinagar	Moderate	108	PM ₁₀	1
141	Talcher	Satisfactory	73	PM ₁₀	1
142	Thane	Moderate	126	PM ₁₀	1
143	Thiruvananthapuram	Good	42	PM ₁₀ , CO	2
144	Thoothukudi	Moderate	107	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Bihar Sharif, Buxar, Davanagere, Gummidipoondi, Kochi, Kolar, Maihar, Naharlagun, Singrauli as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Thrissur	Good	36	PM ₁₀	1
146	Tirupati	Good	41	со	1
147	Udaipur	Moderate	109	PM ₁₀	1
148	Udupi	Good	41	03	1
149	Ujjain	Moderate	131	PM ₁₀	1
150	Vapi	Moderate	142	PM _{2.5}	1
151	Varanasi	Moderate	142	PM _{2.5}	4
152	Vatva	Moderate	175	NO ₂	1
153	Vijayapura	Satisfactory	51	PM ₁₀	1
154	Visakhapatnam	Good	41	PM ₁₀	1
155	Vrindavan	Poor	229	PM _{2.5}	1
156	Yadgir	Good	33	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bhilai, Bihar Sharif, Buxar, Davanagere, Gummidipoondi, Kochi, Kolar, Maihar, Naharlagun, Singrauli as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Yamunanagar	Very Poor	307	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bhilai, Bihar Sharif, Buxar, Davanagere, Gummidipoondi, Kochi, Kolar, Maihar, Naharlagun, Singrauli as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.