Air Quality Index on Mar 08, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Poor	232	$PM_{2.5}$	1
2	Ahmedabad	Moderate	106	$PM_{2.5}$	1
3	Ajmer	Satisfactory	82	OZONE	1
4	Alwar	Satisfactory	91	$PM_{2.5}$	1
5	Amaravati	Satisfactory	56	PM_{10}	1
6	Ambala	Satisfactory	98	PM_{10}	1
7	Amritsar	Satisfactory	80	PM_{10}	1
8	Ankleshwar	Moderate	139	$PM_{2.5}$	1
9	Asanol	Moderate	139	$PM_{2.5}$	1
10	Baghpat	Moderate	188	$PM_{2.5}$	1
11	Bahadurgarh	Moderate	134	$PM_{2.5}$	1
12	Ballabgarh	Poor	299	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Bulandshahr, Chandrapur, Durgapur, GandhiNagar, Kalaburgi, Ratlam, Rupnagar, Siliguri, Sonipat, Talcher, Thane, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Mar 08, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bathinda	Satisfactory	68	PM_{10}	1
14	Bengaluru	Moderate	164	OZONE, $PM_{2.5}$, PM_{10}	10
15	Bhiwadi	Poor	231	$PM_{2.5}$	1
16	Bhiwani	Satisfactory	89	PM_{10}	1
17	Brajrajnagar	Moderate	145	$PM_{2.5}$	1
18	Chennai	Satisfactory	73	$PM_{2.5}$, CO	3
19	Chikkaballapur	Moderate	147	PM_{10}	1
20	Damoh	Satisfactory	72	PM_{10}	1
21	Delhi	Moderate	197	PM_{10}, $PM_{2.5}$	34
22	Dewas	Satisfactory	92	PM_{10}	1
23	Dharuhera	Moderate	142	$PM_{2.5}$	1
24	Faridabad	Moderate	187	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Bulandshahr, Chandrapur, Durgapur, GandhiNagar, Kalaburgi, Ratlam, Rupnagar, Siliguri, Sonipat, Talcher, Thane, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Mar 08, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Fatehabad	Satisfactory	81	PM_{10}	1
26	Gaya	Satisfactory	99	$PM_{2.5}$	1
27	Ghaziabad	Poor	231	$PM_{2.5}$	3
28	Greater_Noida	Poor	237	$PM_{2.5}$	1
29	Gurugram	Moderate	140	$PM_{2.5}$, PM_{10}	2
30	Guwahati	Poor	221	$PM_{2.5}$	1
31	Haldia	Satisfactory	100	PM_{10}	1
32	Hapur	Moderate	131	$PM_{2.5}$	1
33	Hisar	Satisfactory	77	PM_{10}	1
34	Howrah	Moderate	198	$PM_{2.5}$	2
35	Hubballi	Moderate	138	PM_{10}	1
36	Hyderabad	Moderate	144	$PM_{2.5}$, PM_{10}	6

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Bulandshahr, Chandrapur, Durgapur, GandhiNagar, Kalaburgi, Ratlam, Rupnagar, Siliguri, Sonipat, Talcher, Thane, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Mar 08, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Jaipur	Satisfactory	96	$PM_{2.5}$, PM_{10}, OZONE	3
38	Jalandhar	Moderate	150	PM_{10}	1
39	Jind	Moderate	115	PM_{10}	1
40	Jodhpur	Poor	204	$PM_{2.5}$	1
41	Jorapokhar	Moderate	106	$PM_{2.5}$	1
42	Kaithal	Moderate	101	$PM_{2.5}$	1
43	Kanpur	Moderate	165	$PM_{2.5}$	1
44	Karnal	Moderate	117	PM_{10}	1
45	Khanna	Satisfactory	73	PM_{10}	1
46	Kolkata	Moderate	168	$PM_{2.5}$	2
47	Kota	Moderate	108	PM_{10}	1
48	Kurushketra	Satisfactory	90	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Bulandshahr, Chandrapur, Durgapur, GandhiNagar, Kalaburgi, Ratlam, Rupnagar, Siliguri, Sonipat, Talcher, Thane, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Mar 08, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Loni_Dehat	Poor	212	$PM_{2.5}$	1
50	Lucknow	Poor	272	$PM_{2.5}$	4
51	Ludhiana	Moderate	133	PM_{10}	1
52	Maihar	Satisfactory	99	CO	1
53	Mandi Gobindgarh	Moderate	105	PM_{10}	1
54	Mandideep	Moderate	123	PM_{10}	1
55	Mandikhera	Moderate	121	$PM_{2.5}$	1
56	Manesar	Moderate	178	PM_{10}	1
57	Moradabad	Moderate	192	$PM_{2.5}$	1
58	Mumbai	Moderate	102	PM_{10}	1
59	Muzaffarnagar	Moderate	154	$PM_{2.5}$	1
60	Muzaffarpur	Poor	237	OZONE	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Bulandshahr, Chandrapur, Durgapur, GandhiNagar, Kalaburgi, Ratlam, Rupnagar, Siliguri, Sonipat, Talcher, Thane, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Mar 08, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Nagpur	Moderate	126	$PM_{2.5}$	1
62	Narnaul	Moderate	102	$PM_{2.5}$	1
63	Nashik	Moderate	136	OZONE	1
64	Navi Mumbai	Moderate	102	CO	1
65	Noida	Moderate	200	$PM_{2.5}$	2
66	Pali	Moderate	134	$PM_{2.5}$	1
67	Palwal	Moderate	170	$PM_{2.5}$	1
68	Panchkula	Satisfactory	52	$PM_{2.5}$	1
69	Panipat	Moderate	117	PM_{10}	1
70	Patiala	Moderate	147	PM_{10}	1
71	Patna	Poor	201	$PM_{2.5}$	1
72	Pithampur	Moderate	114	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Bulandshahr, Chandrapur, Durgapur, GandhiNagar, Kalaburgi, Ratlam, Rupnagar, Siliguri, Sonipat, Talcher, Thane, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Mar 08, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Pune	Moderate	125	PM_{10}	1
74	Rajamahendravaram	Satisfactory	51	PM_{10}	1
75	Rohtak	Satisfactory	84	$PM_{2.5}$	1
76	Satna	Moderate	109	CO	1
77	Singrauli	Moderate	180	PM_{10}	1
78	Sirsa	Satisfactory	63	OZONE	1
79	Solapur	Moderate	144	PM_{10}	1
80	Thiruvananthapuram	Moderate	128	PM_{10}	1
81	Tirupati	Satisfactory	73	PM_{10}	1
82	Udaipur	Moderate	127	$PM_{2.5}$	1
83	Ujjain	Moderate	129	PM_{10}	1
84	Vapi	Moderate	159	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Bulandshahr, Chandrapur, Durgapur, GandhiNagar, Kalaburgi, Ratlam, Rupnagar, Siliguri, Sonipat, Talcher, Thane, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Mar 08, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Varanasi	Poor	217	$PM_{2.5}$	1
86	Vatva	Moderate	182	PM_{10}	1
87	Visakhapatnam	Satisfactory	78	PM_{10}	1
88	Yamunanagar	Moderate	134	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Bulandshahr, Chandrapur, Durgapur, GandhiNagar, Kalaburgi, Ratlam, Rupnagar, Siliguri, Sonipat, Talcher, Thane, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.