

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	23	PM _{2.5} , PM ₁₀	2
2	Agra	Good	26	PM ₁₀ , SO ₂ , CO	6
3	Ahmedabad	Satisfactory	75	SO ₂	1
4	Aizawl	Good	19	SO ₂	1
5	Ajmer	Satisfactory	65	PM ₁₀	1
6	Alwar	Satisfactory	81	PM ₁₀	1
7	Amaravati	Good	28	03	1
8	Ambala	Moderate	133	PM _{2.5}	1
9	Amritsar	Satisfactory	72	PM ₁₀	1
10	Anantapur	Satisfactory	53	PM ₁₀	1
11	Ankleshwar	Moderate	106	со	1
12	Arrah	Satisfactory	77	NO ₂	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Araria, Aurangabad

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Satisfactory	77	PM ₁₀	1
14	Aurangabad (Maharashtra)	Satisfactory	80	PM ₁₀	1
15	Baddi	Moderate	121	PM ₁₀	1
16	Bagalkot	Good	38	со	1
17	Baghpat	Good	45	PM ₁₀	1
18	Ballabgarh	Satisfactory	64	PM ₁₀	1
19	Bareilly	Satisfactory	51	PM ₁₀	2
20	Bathinda	Satisfactory	88	PM ₁₀	1
21	Bengaluru	Good	50	PM ₁₀ , CO, NO ₂	8
22	Bhagalpur	Satisfactory	72	NO ₂	1
23	Bhiwadi	Moderate	156	NO ₂	1
24	Bhiwani	Satisfactory	66	O ₃	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Araria, Aurangabad

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhopal	Good	38	O ₃	1
26	Bilaspur	Satisfactory	71	со	1
27	Brajrajnagar	Good	49	со	1
28	Bulandshahr	Satisfactory	62	PM ₁₀	1
29	Chamarajanagar	Good	40	PM ₁₀	1
30	Chandigarh	Satisfactory	61	PM ₁₀ , O ₃	3
31	Chandrapur	Satisfactory	51	PM ₁₀ , NO ₂	2
32	Charkhi Dadri	Satisfactory	62	PM ₁₀	1
33	Chennai	Satisfactory	70	PM ₁₀ , CO	7
34	Chhapra	Satisfactory	61	PM ₁₀	1
35	Chikkaballapur	Good	29	со	1
36	Chikkamagaluru	Good	34	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Araria, Aurangabac

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Darbhanga	Good	26	PM ₁₀	1
38	Davanagere	Good	21	PM ₁₀	1
39	Dehradun	Satisfactory	86	03	1
40	Delhi	Satisfactory	71	CO, PM ₁₀	30
41	Dewas	Satisfactory	51	03	1
42	Dharuhera	Satisfactory	88	PM ₁₀	1
43	Dindigul	Good	45	SO ₂	1
44	Durgapur	Satisfactory	85	PM ₁₀	1
45	Eloor	Good	44	PM ₁₀	1
46	Ernakulam	Satisfactory	59	со	1
47	Faridabad	Satisfactory	69	PM ₁₀ , O ₃	4
48	Fatehabad	Satisfactory	64	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQL is not calculated for today's bulletin for Argrig. Aurangabas

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Firozabad	Satisfactory	54	O ₃ , PM ₁₀	2
50	Gadag	Satisfactory	54	NO ₂	1
51	Gandhinagar	Good	32	PM ₁₀	1
52	Gaya	Moderate	107	PM ₁₀ , CO	3
53	Ghaziabad	Satisfactory	66	CO, PM ₁₀	4
54	Gorakhpur	Good	47	SO ₂	1
55	Greater Noida	Satisfactory	82	PM ₁₀ , CO	2
56	Gurugram	Satisfactory	69	PM _{2.5} , PM ₁₀	2
57	Guwahati	Good	44	O ₃ , PM ₁₀	2
58	Gwalior	Good	34	PM ₁₀	1
59	Hajipur	Good	33	NO ₂	1
60	Hapur	Good	25	O ₃	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Araria, Aurangabad

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hassan	Good	25	NO ₂	1
62	Haveri	Satisfactory	60	СО	1
63	Hisar	Satisfactory	69	03	1
64	Hosur	Satisfactory	55	со	1
65	Howrah	Good	34	PM ₁₀ , CO	2
66	Hubballi	Satisfactory	53	со	1
67	Hyderabad	Good	45	CO, PM ₁₀ , PM _{2.5}	13
68	Imphal	Satisfactory	86	O ₃ , SO ₂	2
69	Indore	Good	50	NO ₂	1
70	Jaipur	Good	46	CO, O ₃	2
71	Jalandhar	Satisfactory	95	PM ₁₀	1
72	Jhansi	Good	25	СО	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Araria, Aurangabad

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jind	Satisfactory	53	СО	1
74	Jodhpur	Satisfactory	91	PM ₁₀	1
75	Kaithal	Good	43	03	1
76	Kalyan	Satisfactory	52	со	1
77	Kannur	Satisfactory	53	PM _{2.5}	1
78	Kanpur	Good	28	PM _{2.5} , O ₃	4
79	Karnal	Satisfactory	57	PM ₁₀	1
80	Katihar	Satisfactory	67	СО	1
81	Katni	Good	30	PM ₁₀	1
82	Khanna	Satisfactory	57	PM ₁₀	1
83	Khurja	Satisfactory	60	PM _{2.5}	1
84	Kishanganj	Good	32	СО	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Araria, Aurangabac

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kochi	Moderate	146	PM _{2.5}	1
86	Kolkata	Good	39	PM ₁₀ , O ₃	7
87	Kollam	Satisfactory	77	PM ₁₀	1
88	Koppal	Satisfactory	60	O ₃	1
89	Kota	Satisfactory	64	PM ₁₀	1
90	Kozhikode	Satisfactory	66	PM ₁₀	1
91	Kurukshetra	Satisfactory	53	03	1
92	Lucknow	Good	44	CO, NO ₂ , PM ₁₀	6
93	Ludhiana	Satisfactory	96	PM ₁₀	1
94	Madikeri	Good	18	SO ₂	1
95	Maihar	Good	19	со	1
96	Mandi Gobindgarh	Moderate	126	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Araria, Aurangabad

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mandideep	Good	34	03	1
98	Manesar	Satisfactory	77	PM _{2.5}	1
99	Manglore	Satisfactory	53	со	1
100	Meerut	Satisfactory	54	PM ₁₀ , O ₃ , NO ₂	3
101	Moradabad	Good	50	CO, PM ₁₀	6
102	Mumbai	Satisfactory	53	CO, NO ₂ , O ₃	15
103	Munger	Satisfactory	79	со	1
104	Muzaffarnagar	Satisfactory	61	PM ₁₀	1
105	Muzaffarpur	Satisfactory	59	CO, O ₃ , PM ₁₀	3
106	Mysuru	Good	34	03	1
107	Nagpur	Good	31	03	1
108	Narnaul	Good	29	NO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Araria, Aurangabad

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Navi Mumbai	Satisfactory	53	NO ₂ , CO, PM ₁₀	3
110	Noida	Satisfactory	55	CO, PM ₁₀	3
111	Ooty	Good	49	PM ₁₀	1
112	Pali	Satisfactory	74	PM ₁₀	1
113	Palwal	Satisfactory	78	PM _{2.5}	1
114	Patiala	Good	38	PM ₁₀	1
115	Patna	Satisfactory	52	PM ₁₀ , PM _{2.5} , CO	6
116	Pithampur	Good	42	PM ₁₀	1
117	Prayagraj	Good	42	PM _{2.5} , O ₃	2
118	Puducherry	Good	42	PM ₁₀	1
119	Purnia	Satisfactory	77	со	1
120	Raichur	Satisfactory	76	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Araria, Aurangabad

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Rajamahendravaram	Good	42	PM ₁₀	1
122	Ramanagara	Good	39	03	1
123	Ramanathapuram	Good	45	PM ₁₀	1
124	Ratlam	Good	27	NO ₂	1
125	Rupnagar	Satisfactory	77	PM ₁₀	1
126	Salem	Good	36	PM ₁₀	1
127	Samastipur	Satisfactory	67	PM ₁₀	1
128	Satna	Good	21	PM ₁₀	1
129	Shillong	Good	24	PM ₁₀ , SO ₂	2
130	Shivamogga	Good	45	PM ₁₀	1
131	Siliguri	Good	31	NO ₂	1
132	Sirsa	Moderate	103	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Araria, Aurangabad

Notes:

Sharif, Buxar, Chengalpattu, Coimbatore, Damoh, Gangtok, Gummidipoondi, Haldia, Jabalpur, Jorapokhar, Kalaburgi, Kohima, Kolar, Mandikhera,

Manguraha, Motihari, Naharlagun, Nandesari, Nashik, Panchkula, Panipat,
Pune, Rajgir, Rohtak, Sagar, Saharsa, Sasaram, Singrauli, Siwan, Udupi,
Vapi, Vatva as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Solapur	Satisfactory	90	PM ₁₀	1
134	Sonipat	Satisfactory	81	PM ₁₀	1
135	Srinagar	Good	47	PM ₁₀	1
136	Talcher	Good	47	со	1
137	Thane	Good	44	03	1
138	Thiruvananthapuram	Good	30	PM ₁₀ , NO ₂	2
139	Thoothukudi	Satisfactory	71	PM ₁₀	1
140	Thrissur	Good	47	PM ₁₀	1
141	Tirupati	Good	38	со	1
142	Tiruppur	Moderate	185	PM ₁₀	1
143	Udaipur	Satisfactory	53	PM ₁₀	1
144	Ujjain	Good	44	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Araria, Aurangabad

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Varanasi	Good	36	PM ₁₀ , NO ₂	4
146	Vijayapura	Good	40	PM ₁₀	1
147	Visakhapatnam	Satisfactory	92	PM ₁₀	1
148	Vrindavan	Good	49	SO ₂	1
149	Yadgir	Good	29	со	1
150	Yamunanagar	Moderate	196	PM _{2.5}	1
151	vellore	Satisfactory	58	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Araria, Aurangabad

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.