

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	253	PM _{2.5}	2
2	Agra	Good	47	PM ₁₀	6
3	Ahmedabad	Moderate	146	PM _{2.5} , PM ₁₀	7
4	Aizawl	Moderate	117	PM ₁₀	1
5	Alwar	Satisfactory	59	NO ₂	1
6	Amaravati	Moderate	103	PM ₁₀	1
7	Ambala	Satisfactory	76	PM _{2.5}	1
8	Amritsar	Satisfactory	98	PM _{2.5}	1
9	Anantapur	Satisfactory	73	PM ₁₀	1
10	Ankleshwar	Moderate	169	PM _{2.5}	1
11	Araria	Very Poor	359	PM _{2.5}	1
12	Ariyalur	Satisfactory	78	NO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Banswara,

Begusarai, Bikaner, Buxar, Chhal, Chittorgarh, Churu, Coimbatore,

Notes: Darbhanga, Dausa, Davanagere, Dharwad, Dholpur, Ernakulam, Hanumangarh,
Kannur, Kolar, Koppal, Kunjemura, Milupara, Nandesari, Nashik, Palwal,
Salem, Sawai Madhopur, Silchar, Singrauli, Sirohi, Solapur, Sonipat, Thane,
Thrissur, Tonk, Tumakuru, Tumidih, Udupi, Vapi, Vatva, vellore as data was
not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Moderate	158	PM _{2.5}	1
14	Asansol	Moderate	172	PM _{2.5}	1
15	Aurangabad (Bihar)	Moderate	136	PM ₁₀	1
16	Aurangabad (Maharashtra)	Moderate	162	PM _{2.5}	1
17	Baddi	Moderate	122	PM ₁₀	1
18	Bagalkot	Good	49	PM ₁₀	1
19	Baghpat	Moderate	158	PM _{2.5}	1
20	Bahadurgarh	Satisfactory	90	PM ₁₀	1
21	Ballabgarh	Moderate	109	PM ₁₀	1
22	Bareilly	Satisfactory	65	PM ₁₀	2
23	Baripada	Poor	212	PM _{2.5}	1
24	Bathinda	Moderate	108	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Banswara,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Belgaum	Moderate	168	PM ₁₀	1
26	Bengaluru	Satisfactory	92	PM ₁₀	10
27	Bettiah	Moderate	160	PM _{2.5}	1
28	Bhagalpur	Moderate	174	PM ₁₀	2
29	Bharatpur	Moderate	138	PM ₁₀	1
30	Bhilai	Satisfactory	81	PM ₁₀ , O ₃	2
31	Bhiwadi	Moderate	148	PM ₁₀	1
32	Bhiwani	Satisfactory	93	PM ₁₀	1
33	Bhopal	Satisfactory	99	PM ₁₀	3
34	Bidar	Satisfactory	80	PM ₁₀	1
35	Bihar Sharif	Satisfactory	94	PM ₁₀	1
36	Bilaspur	Good	36	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Banswara,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bileipada	Poor	206	PM ₁₀	1
38	Brajrajnagar	Moderate	107	PM ₁₀	1
39	Bulandshahr	Moderate	112	PM ₁₀	1
40	Byrnihat	Very Poor	310	PM ₁₀	1
41	Chamarajanagar	Good	41	PM ₁₀	1
42	Chandigarh	Moderate	107	PM _{2.5}	3
43	Chandrapur	Moderate	188	PM _{2.5}	1
44	Charkhi Dadri	Moderate	127	PM _{2.5}	1
45	Chengalpattu	Satisfactory	92	PM ₁₀	1
46	Chennai	Satisfactory	91	PM _{2.5} , PM ₁₀	8
47	Chhapra	Moderate	197	PM ₁₀	1
48	Chikkaballapur	Satisfactory	82	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Banswara,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chikkamagaluru	Satisfactory	53	PM ₁₀	1
50	Chittoor	Satisfactory	63	03	1
51	Damoh	Good	31	PM _{2.5}	1
52	Dehradun	Satisfactory	69	PM ₁₀	1
53	Delhi	Moderate	142	PM _{2.5}	35
54	Dewas	Moderate	120	PM ₁₀	1
55	Dhanbad	Satisfactory	100	PM ₁₀	1
56	Dharuhera	Moderate	115	PM ₁₀	1
57	Dindigul	Very Poor	337	NO ₂	1
58	Durgapur	Moderate	144	PM ₁₀	1
59	Eloor	Satisfactory	90	PM ₁₀	1
60	Faridabad	Moderate	151	PM _{2.5}	3

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Banswara,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Fatehabad	Moderate	153	PM ₁₀	1
62	Firozabad	Satisfactory	68	PM ₁₀	2
63	Gadag	Moderate	116	PM ₁₀	1
64	Gandhinagar	Moderate	140	PM _{2.5} , PM ₁₀	3
65	Gangtok	Satisfactory	81	PM _{2.5}	1
66	Gaya	Moderate	119	PM ₁₀ , PM _{2.5}	3
67	Ghaziabad	Moderate	125	PM ₁₀	4
68	Gorakhpur	Moderate	112	PM ₁₀	1
69	Greater Noida	Moderate	120	PM ₁₀	2
70	Gummidipoondi	Moderate	126	PM _{2.5}	1
71	Gurugram	Moderate	124	PM _{2.5} , O ₃	4
72	Guwahati	Poor	253	PM _{2.5}	4

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Banswara,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gwalior	Moderate	168	PM ₁₀	2
74	Hajipur	Moderate	190	PM ₁₀	1
75	Haldia	Moderate	139	PM ₁₀	1
76	Hapur	Satisfactory	58	03	1
77	Hassan	Satisfactory	84	PM ₁₀	1
78	Haveri	Moderate	162	PM _{2.5}	1
79	Hisar	Moderate	156	PM ₁₀	1
80	Hosur	Moderate	138	PM _{2.5}	1
81	Howrah	Moderate	184	PM ₁₀ , PM _{2.5}	3
82	Hubballi	Moderate	132	PM ₁₀	2
83	Hyderabad	Moderate	111	PM _{2.5} , PM ₁₀	14
84	Imphal	Poor	231	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Banswara,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Indore	Satisfactory	71	NO ₂	1
86	Jabalpur	Moderate	113	PM ₁₀	1
87	Jaipur	Satisfactory	74	PM ₁₀	3
88	Jalandhar	Moderate	115	PM ₁₀	1
89	Jhansi	Satisfactory	60	PM ₁₀	1
90	Jind	Satisfactory	73	со	1
91	Jodhpur	Satisfactory	98	O ₃ , PM _{2.5}	2
92	Jorapokhar	Moderate	130	PM ₁₀	1
93	Kadapa	Moderate	108	PM _{2.5}	1
94	Kaithal	Satisfactory	75	PM ₁₀	1
95	Kalaburgi	Moderate	118	PM _{2.5}	1
96	Kalyan	Poor	271	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Banswara,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kanchipuram	Satisfactory	79	PM ₁₀	1
98	Kanpur	Satisfactory	86	PM ₁₀	3
99	Karnal	Satisfactory	74	PM ₁₀	1
100	Kashipur	Satisfactory	93	PM ₁₀	1
101	Katihar	Poor	239	PM ₁₀	1
102	Katni	Moderate	146	PM ₁₀	1
103	Keonjhar	Moderate	113	PM ₁₀	1
104	Khanna	Satisfactory	53	PM ₁₀	1
105	Khurja	Satisfactory	74	PM _{2.5}	1
106	Kishanganj	Poor	272	PM ₁₀	1
107	Kochi	Moderate	184	PM _{2.5}	1
108	Kohima	Moderate	198	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Banswara,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kolkata	Moderate	154	PM _{2.5}	7
110	Kollam	Satisfactory	99	PM ₁₀	1
111	Korba	Satisfactory	61	PM _{2.5}	2
112	Kota	Satisfactory	88	PM _{2.5}	3
113	Kozhikode	Satisfactory	97	NH ₃	1
114	Kurukshetra	Satisfactory	73	O ₃	1
115	Lucknow	Satisfactory	99	PM _{2.5}	6
116	Ludhiana	Moderate	104	PM ₁₀	1
117	Madikeri	Good	41	O ₃	1
118	Maihar	Good	32	PM ₁₀	1
119	Mandi Gobindgarh	Moderate	154	PM _{2.5}	1
120	Mandideep	Moderate	144	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Banswara,

Begusarai, Bikaner, Buxar, Chhal, Chittorgarh, Churu, Coimbatore,
Darbhanga, Dausa, Davanagere, Dharwad, Dholpur, Ernakulam, Hanumangarh,
Kannur, Kolar, Koppal, Kunjemura, Milupara, Nandesari, Nashik, Palwal,
Salem, Sawai Madhopur, Silchar, Singrauli, Sirohi, Solapur, Sonipat, Thane,
Thrissur, Tonk, Tumakuru, Tumidih, Udupi, Vapi, Vatva, vellore as data was
not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Mandikhera	Good	47	PM ₁₀	1
122	Manesar	Satisfactory	88	PM ₁₀	1
123	Mangalore	Moderate	124	PM ₁₀	1
124	Manguraha	Moderate	155	PM ₁₀	1
125	Meerut	Moderate	134	PM _{2.5}	3
126	Moradabad	Moderate	131	PM _{2.5}	6
127	Motihari	Moderate	150	PM ₁₀	1
128	Mumbai	Poor	260	NO ₂ , PM _{2.5}	18
129	Munger	Moderate	188	PM ₁₀	1
130	Muzaffarnagar	Moderate	104	PM _{2.5}	1
131	Muzaffarpur	Moderate	170	PM _{2.5} , PM ₁₀	3
132	Mysuru	Good	38	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Banswara,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Nagaon	Very Poor	313	PM _{2.5}	1
134	Nagpur	Moderate	147	PM _{2.5}	1
135	Naharlagun	Satisfactory	64	PM _{2.5}	1
136	Nalbari	Poor	271	PM _{2.5}	1
137	Narnaul	Satisfactory	60	PM ₁₀	1
138	Navi Mumbai	Very Poor	330	PM _{2.5}	3
139	Nayagarh	Poor	256	PM _{2.5}	1
140	Noida	Moderate	121	PM ₁₀	4
141	Ooty	Satisfactory	65	СО	1
142	Pali	Satisfactory	68	PM ₁₀	1
143	Panchkula	Moderate	136	со	1
144	Panipat	Moderate	126	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Banswara,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Patiala	Satisfactory	80	PM ₁₀	1
146	Patna	Poor	214	PM _{2.5}	6
147	Pithampur	Moderate	121	PM ₁₀	1
148	Prayagraj	Satisfactory	91	O ₃ , PM ₁₀	3
149	Puducherry	Satisfactory	61	PM ₁₀	1
150	Pune	Moderate	185	PM _{2.5} , PM ₁₀	4
151	Purnia	Poor	214	PM _{2.5}	1
152	Raichur	Moderate	126	PM ₁₀	1
153	Raipur	Moderate	114	NO ₂ , PM ₁₀	4
154	Rairangpur	Poor	214	PM _{2.5}	1
155	Rajamahendravaram	Moderate	184	PM _{2.5}	1
156	Rajgir	Moderate	112	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Banswara,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Ramanagara	Moderate	106	PM _{2.5}	1
158	Ramanathapuram	Satisfactory	51	PM _{2.5}	1
159	Ratlam	Moderate	130	PM ₁₀	1
160	Rishikesh	Satisfactory	54	PM ₁₀	1
161	Rohtak	Satisfactory	83	PM _{2.5}	1
162	Rourkela	Moderate	162	PM ₁₀	3
163	Rupnagar	Satisfactory	86	PM ₁₀	1
164	Sagar	Satisfactory	60	O ₃ , CO	2
165	Saharsa	Poor	266	PM _{2.5}	1
166	Samastipur	Moderate	157	PM ₁₀	1
167	Sasaram	Satisfactory	98	PM ₁₀	1
168	Satna	Satisfactory	73	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Banswara,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Shillong	Poor	205	PM _{2.5}	1
170	Shivamogga	Satisfactory	71	03	1
171	Siliguri	Moderate	124	PM _{2.5}	1
172	Sirsa	Moderate	109	PM ₁₀	1
173	Sivasagar	Satisfactory	79	PM _{2.5}	1
174	Siwan	Moderate	155	PM _{2.5}	1
175	Srinagar	Good	39	PM ₁₀	1
176	Suakati	Moderate	124	PM ₁₀	1
177	Surat	Poor	245	PM _{2.5}	1
178	Talcher	Poor	299	PM ₁₀	1
179	Tensa	Satisfactory	91	PM ₁₀	1
180	Thiruvananthapuram	Satisfactory	58	PM ₁₀ , PM _{2.5}	2

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Banswara,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Thoothukudi	Good	46	PM ₁₀	1
182	Tirupati	Moderate	110	PM _{2.5} , NO ₂	2
183	Tirupur	Satisfactory	76	PM ₁₀	1
184	Udaipur	Moderate	102	PM ₁₀	1
185	Ujjain	Moderate	113	PM ₁₀	1
186	Varanasi	Good	50	PM ₁₀ , SO ₂	4
187	Vijayapura	Good	46	PM ₁₀	1
188	Vijayawada	Moderate	200	PM _{2.5}	1
189	Visakhapatnam	Poor	237	PM ₁₀	1
190	Vrindavan	Moderate	113	PM ₁₀	1
191	Yadgir	Moderate	107	PM ₁₀	1
192	Yamunanagar	Satisfactory	95	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQL is not coloulated for today's bulletin for Aimer. Panawara

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.