



## Air Quality Index on Dec 16, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	182	PM <sub>2.5</sub>	1
2	Agra	Poor	280	PM <sub>2.5</sub>	1
3	Ahmedabad	Moderate	116	PM <sub>10</sub>	1
4	Aizawl	Good	32	PM <sub>10</sub>	1
5	Ajmer	Satisfactory	98	PM <sub>10</sub>	1
6	Alwar	Satisfactory	86	PM <sub>10</sub>	1
7	Amaravati	Moderate	161	PM <sub>2.5</sub>	1
8	Ambala	Satisfactory	87	PM <sub>10</sub>	1
9	Amritsar	Satisfactory	58	PM <sub>2.5</sub>	1
10	Ankleshwar	Moderate	142	PM <sub>10</sub>	1
11	Asansol	Moderate	162	PM <sub>2.5</sub>	1
12	Aurangabad	Satisfactory	94	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Chamarajanagar, Coimbatore, Durgapur, Haldia, Jorapokhar, Kalyan, Koppal, Nagpur, Panchkula, Raichur as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Dec 16, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Moderate	145	NO <sub>2</sub>	1
14	Baghpat	Poor	218	PM <sub>2.5</sub>	1
15	Bahadurgarh	Moderate	182	PM <sub>2.5</sub>	1
16	Ballabgarh	Moderate	127	PM <sub>10</sub>	1
17	Bathinda	Satisfactory	95	PM <sub>10</sub>	1
18	Bengaluru	Satisfactory	84	PM <sub>10</sub> , PM <sub>2.5</sub> , O <sub>3</sub>	9
19	Bhiwadi	Very Poor	302	PM <sub>2.5</sub>	1
20	Bhiwani	Moderate	190	O <sub>3</sub>	1
21	Bhopal	Poor	248	PM <sub>2.5</sub>	1
22	Brajrajnagar	Moderate	189	PM <sub>2.5</sub>	1
23	Bulandshahr	Very Poor	322	PM <sub>2.5</sub>	1
24	Chandigarh	Satisfactory	71	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Chamarajanagar, Coimbatore, Durgapur, Haldia, Jorapokhar, Kalyan, Koppal, Nagpur, Panchkula, Raichur as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Dec 16, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Moderate	143	PM <sub>2.5</sub> , PM <sub>10</sub>	2
26	Charkhi Dadri	Moderate	160	PM <sub>10</sub>	1
27	Chennai	Satisfactory	69	PM <sub>10</sub> , PM <sub>2.5</sub>	6
28	Chikkaballapur	Satisfactory	67	PM <sub>10</sub>	1
29	Chikkamagaluru	Satisfactory	75	O <sub>3</sub>	1
30	Damoh	Moderate	156	PM <sub>2.5</sub>	1
31	Delhi	Poor	262	PM <sub>2.5</sub>	37
32	Dewas	Poor	208	PM <sub>2.5</sub>	1
33	Dharuhera	Poor	285	PM <sub>2.5</sub>	1
34	Eloor	Satisfactory	57	PM <sub>10</sub>	1
35	Ernakulam	Moderate	112	PM <sub>2.5</sub>	1
36	Faridabad	Poor	222	PM <sub>2.5</sub> , PM <sub>10</sub>	4

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Chamarajanagar, Coimbatore, Durgapur, Haldia, Jorapokhar, Kalyan, Koppal, Nagpur, Panchkula, Raichur as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Dec 16, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Fatehabad	Moderate	137	PM <sub>2.5</sub>	1
38	Gandhinagar	Satisfactory	84	PM <sub>10</sub>	1
39	Gaya	Moderate	188	PM <sub>2.5</sub>	2
40	Ghaziabad	Very Poor	319	PM <sub>2.5</sub>	4
41	Greater Noida	Very Poor	331	PM <sub>2.5</sub>	2
42	Gurugram	Poor	221	PM <sub>2.5</sub>	4
43	Guwahati	Very Poor	317	PM <sub>2.5</sub>	1
44	Gwalior	Poor	292	PM <sub>2.5</sub>	1
45	Hajipur	Poor	214	PM <sub>10</sub>	1
46	Hapur	Satisfactory	92	PM <sub>10</sub>	1
47	Hisar	Moderate	195	PM <sub>2.5</sub>	1
48	Howrah	Poor	239	PM <sub>2.5</sub>	3

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Chamarajanagar, Coimbatore, Durgapur, Haldia, Jorapokhar, Kalyan, Koppal, Nagpur, Panchkula, Raichur as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Dec 16, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hubballi	Moderate	103	PM <sub>10</sub>	1
50	Hyderabad	Moderate	150	PM <sub>2.5</sub>	6
51	Indore	Poor	218	PM <sub>2.5</sub>	1
52	Jabalpur	Poor	260	PM <sub>2.5</sub>	1
53	Jaipur	Satisfactory	96	PM <sub>10</sub> , PM <sub>2.5</sub>	3
54	Jalandhar	Satisfactory	78	PM <sub>10</sub>	1
55	Jind	Moderate	163	PM <sub>2.5</sub>	1
56	Jodhpur	Moderate	171	PM <sub>2.5</sub>	1
57	Kaithal	Satisfactory	85	PM <sub>10</sub>	1
58	Kalaburgi	Satisfactory	91	PM <sub>10</sub>	1
59	Kannur	Satisfactory	97	PM <sub>2.5</sub>	1
60	Kanpur	Very Poor	304	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Chamarajanagar, Coimbatore, Durgapur, Haldia, Jorapokhar, Kalyan, Koppal, Nagpur, Panchkula, Raichur as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Dec 16, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Karnal	Moderate	165	PM <sub>2.5</sub>	1
62	Katni	Very Poor	310	PM <sub>2.5</sub>	1
63	Khanna	Satisfactory	96	PM <sub>10</sub>	1
64	Kochi	Satisfactory	91	PM <sub>10</sub>	1
65	Kohima	Satisfactory	92	PM <sub>10</sub>	1
66	Kolkata	Poor	229	PM <sub>2.5</sub>	7
67	Kollam	Moderate	172	PM <sub>2.5</sub>	1
68	Kota	Moderate	194	PM <sub>2.5</sub>	1
69	Kozhikode	Satisfactory	81	PM <sub>10</sub>	1
70	Kurukshetra	Moderate	156	PM <sub>2.5</sub>	1
71	Lucknow	Very Poor	318	PM <sub>2.5</sub>	3
72	Ludhiana	Satisfactory	68	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Chamarajanagar, Coimbatore, Durgapur, Haldia, Jorapokhar, Kalyan, Koppal, Nagpur, Panchkula, Raichur as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Dec 16, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Maihar	Moderate	117	PM <sub>2.5</sub>	1
74	Mandi Gobindgarh	Satisfactory	92	PM <sub>10</sub>	1
75	Mandideep	Moderate	115	PM <sub>10</sub>	1
76	Mandikhera	Satisfactory	81	PM <sub>2.5</sub>	1
77	Manesar	Moderate	151	PM <sub>2.5</sub>	1
78	Medikeri	Satisfactory	62	PM <sub>10</sub>	1
79	Meerut	Poor	268	PM <sub>2.5</sub>	2
80	Moradabad	Poor	281	PM <sub>2.5</sub>	1
81	Mumbai	Moderate	194	PM <sub>2.5</sub>	16
82	Muzaffarnagar	Poor	217	PM <sub>2.5</sub>	1
83	Muzaffarpur	Poor	261	PM <sub>2.5</sub> , PM <sub>10</sub>	2
84	Mysuru	Good	45	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Chamarajanagar, Coimbatore, Durgapur, Haldia, Jorapokhar, Kalyan, Koppal, Nagpur, Panchkula, Raichur as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Dec 16, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Nandesari	Moderate	106	CO	1
86	Narnaul	Poor	261	PM <sub>2.5</sub>	1
87	Nashik	Satisfactory	76	O <sub>3</sub>	1
88	Navi Mumbai	Poor	281	PM <sub>2.5</sub>	3
89	Noida	Poor	280	PM <sub>2.5</sub>	3
90	Pali	Satisfactory	82	PM <sub>10</sub>	1
91	Palwal	Moderate	111	CO	1
92	Panipat	Satisfactory	86	CO	1
93	Patiala	Satisfactory	86	PM <sub>10</sub>	1
94	Patna	Very Poor	333	PM <sub>2.5</sub>	6
95	Pithampur	Poor	256	PM <sub>2.5</sub>	1
96	Pune	Moderate	125	PM <sub>2.5</sub>	2

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Chamarajanagar, Coimbatore, Durgapur, Haldia, Jorapokhar, Kalyan, Koppal, Nagpur, Panchkula, Raichur as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.





## Air Quality Index on Dec 16, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Rajamahendravaram	Moderate	121	PM <sub>2.5</sub>	1
98	Ramanagara	Satisfactory	65	PM <sub>10</sub>	1
99	Ratlam	Moderate	138	PM <sub>2.5</sub>	1
100	Rohtak	Moderate	184	PM <sub>2.5</sub>	1
101	Rupnagar	Satisfactory	81	PM <sub>10</sub>	1
102	Sagar	Satisfactory	65	PM <sub>2.5</sub>	1
103	Satna	Satisfactory	74	PM <sub>10</sub>	1
104	Shillong	Satisfactory	85	PM <sub>2.5</sub>	1
105	Shivamogga	Moderate	107	PM <sub>2.5</sub>	1
106	Siliguri	Poor	254	PM <sub>2.5</sub>	1
107	Singrauli	Very Poor	318	PM <sub>2.5</sub>	1
108	Sirsa	Satisfactory	89	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Chamarajanagar, Coimbatore, Durgapur, Haldia, Jorapokhar, Kalyan, Koppal, Nagpur, Panchkula, Raichur as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Dec 16, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Solapur	Moderate	121	PM <sub>10</sub>	1
110	Sonipat	Moderate	117	PM <sub>10</sub>	1
111	Talcher	Moderate	118	PM <sub>10</sub>	1
112	Thane	Moderate	135	PM <sub>10</sub>	1
113	Thiruvananthapuram	Satisfactory	72	PM <sub>10</sub> , PM <sub>2.5</sub>	2
114	Thoothukudi	Satisfactory	64	O <sub>3</sub>	1
115	Thrissur	Satisfactory	84	O <sub>3</sub>	1
116	Tirupati	Satisfactory	61	PM <sub>2.5</sub>	1
117	Udaipur	Moderate	183	PM <sub>2.5</sub>	1
118	Ujjain	Poor	226	PM <sub>2.5</sub>	1
119	Vapi	Moderate	135	PM <sub>10</sub>	1
120	Varanasi	Poor	231	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Chamarajanagar, Coimbatore, Durgapur, Haldia, Jorapokhar, Kalyan, Koppal, Nagpur, Panchkula, Raichur as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Dec 16, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Vatva	Moderate	146	PM <sub>2.5</sub>	1
122	Vijayapura	Satisfactory	60	PM <sub>10</sub>	1
123	Visakhapatnam	Moderate	116	PM <sub>2.5</sub>	1
124	Yadgir	Satisfactory	73	PM <sub>10</sub>	1
125	Yamunanagar	Poor	208	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Chamarajanagar, Coimbatore, Durgapur, Haldia, Jorapokhar, Kalyan, Koppal, Nagpur, Panchkula, Raichur as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.