

### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	123	со	1
2	Ahmedabad	Satisfactory	90	PM <sub>10</sub>	1
3	Ajmer	Satisfactory	59	PM <sub>10</sub>	1
4	Alwar	Satisfactory	56	PM <sub>10</sub>	1
5	Amaravati	Good	32	O <sub>3</sub>	1
6	Ambala	Good	40	PM <sub>10</sub>	1
7	Amritsar	Satisfactory	65	PM <sub>2.5</sub>	1
8	Asansol	Good	23	PM <sub>10</sub>	1
9	Aurangabad	Satisfactory	52	СО	1
10	Bagalkot	Good	37	PM <sub>10</sub>	1
11	Baghpat	Good	49	O <sub>3</sub>	1
12	Ballabgarh	Moderate	172	O <sub>3</sub>	1

Good	Minimal Impact	
Satisfactory	actory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* Motes to calculated for today's bulletin for Aizawl, Ankleshwar, Bahadurgarh, Bhiwani, Brajrajnagar, Charkhi Dadri, Kalaburgi, Kochi, Kozhikode, Moradabad, Mysuru, Narnaul, Palwal, Rajamahendravaram, Rupnagar, Sagar, Sirsa, Solapur, Sonipat, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bathinda	Satisfactory	62	PM <sub>10</sub>	1
14	Bengaluru	Satisfactory	55	PM <sub>10</sub>	9
15	Bhiwadi	Good	37	со	1
16	Bhopal	Good	30	03	1
17	Bulandshahr	Good	48	со	1
18	Chandigarh	Good	28	PM <sub>10</sub>	1
19	Chandrapur	Good	18	со	1
20	Chennai	Satisfactory	61	PM <sub>2.5</sub> , O <sub>3</sub>	4
21	Chikkaballapur	Satisfactory	70	PM <sub>10</sub>	1
22	Chikkamagaluru	Good	46	PM <sub>10</sub>	1
23	Coimbatore	Good	39	NO <sub>2</sub>	1
24	Damoh	Good	27	PM <sub>10</sub>	1

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* Moters calculated for today's bulletin for Aizawl, Ankleshwar, Bahadurgarh, Bhiwani, Brajrajnagar, Charkhi Dadri, Kalaburgi, Kochi, Kozhikode, Moradabad, Mysuru, Narnaul, Palwal, Rajamahendravaram, Rupnagar, Sagar, Sirsa, Solapur, Sonipat, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Delhi	Satisfactory	52	O <sub>3</sub> , CO, PM <sub>10</sub>	30
26	Dewas	Good	22	03	1
27	Dharuhera	Good	37	со	1
28	Eloor	Satisfactory	66	PM <sub>10</sub>	1
29	Ernakulam	Moderate	106	со	1
30	Faridabad	Satisfactory	68	O <sub>3</sub> , PM <sub>2.5</sub>	2
31	Fatehabad	Satisfactory	63	PM <sub>2.5</sub>	1
32	Gandhinagar	Good	29	PM <sub>10</sub>	1
33	Gaya	Good	42	O <sub>3</sub> , NO <sub>2</sub>	2
34	Ghaziabad	Satisfactory	51	O <sub>3</sub> , NO <sub>2</sub>	3
35	Greater Noida	Good	40	PM <sub>10</sub> , PM <sub>2.5</sub>	2
36	Gurugram	Satisfactory	62	PM <sub>10</sub> , PM <sub>2.5</sub> , O <sub>3</sub>	4

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* Motes to calculated for today's bulletin for Aizawl, Ankleshwar, Bahadurgarh, Bhiwani, Brajrajnagar, Charkhi Dadri, Kalaburgi, Kochi, Kozhikode, Moradabad, Mysuru, Narnaul, Palwal, Rajamahendravaram, Rupnagar, Sagar, Sirsa, Solapur, Sonipat, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Guwahati	Good	23	O <sub>3</sub>	1
38	Gwalior	Good	46	PM <sub>10</sub>	1
39	Hajipur	Good	19	со	1
40	Hapur	Good	42	со	1
41	Hisar	Satisfactory	65	PM <sub>10</sub>	1
42	Howrah	Good	36	O <sub>3</sub> , NO <sub>2</sub>	3
43	Hubballi	Good	14	NO <sub>2</sub>	1
44	Hyderabad	Good	26	NO <sub>2</sub> , CO	6
45	Indore	Good	48	O <sub>3</sub>	1
46	Jabalpur	Good	48	PM <sub>10</sub>	1
47	Jaipur	Good	46	PM <sub>10</sub>	3
48	Jalandhar	Good	47	O <sub>3</sub>	1

Good	Minimal Impact	
Satisfactory	atisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* Motes to calculated for today's bulletin for Aizawl, Ankleshwar, Bahadurgarh, Bhiwani, Brajrajnagar, Charkhi Dadri, Kalaburgi, Kochi, Kozhikode, Moradabad, Mysuru, Narnaul, Palwal, Rajamahendravaram, Rupnagar, Sagar, Sirsa, Solapur, Sonipat, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jind	Satisfactory	60	PM <sub>2.5</sub>	1
50	Jodhpur	Satisfactory	82	PM <sub>10</sub>	1
51	Jorapokhar	Moderate	175	O <sub>3</sub>	1
52	Kaithal	Satisfactory	55	PM <sub>10</sub>	1
53	Kalyan	Good	32	PM <sub>10</sub>	1
54	Kannur	Good	31	PM <sub>10</sub>	1
55	Kanpur	Good	41	O <sub>3</sub>	1
56	Karnal	Good	47	PM <sub>2.5</sub>	1
57	Katni	Good	43	PM <sub>10</sub>	1
58	Khanna	Satisfactory	57	PM <sub>10</sub>	1
59	Kolkata	Good	46	CO, PM <sub>10</sub> , O <sub>3</sub>	4
60	Kollam	Satisfactory	93	СО	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* Motes to calculated for today's bulletin for Aizawl, Ankleshwar, Bahadurgarh, Bhiwani, Brajrajnagar, Charkhi Dadri, Kalaburgi, Kochi, Kozhikode, Moradabad, Mysuru, Narnaul, Palwal, Rajamahendravaram, Rupnagar, Sagar, Sirsa, Solapur, Sonipat, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kota	Good	42	PM <sub>10</sub>	1
62	Kurukshetra	Satisfactory	55	PM <sub>10</sub>	1
63	Lucknow	Satisfactory	62	O <sub>3</sub> , PM <sub>10</sub>	4
64	Ludhiana	Good	44	NO <sub>2</sub>	1
65	Maihar	Good	21	PM <sub>10</sub>	1
66	Mandi Gobindgarh	Good	39	PM <sub>2.5</sub>	1
67	Mandideep	Good	46	03	1
68	Mandikhera	Satisfactory	74	NO <sub>2</sub>	1
69	Manesar	Satisfactory	77	PM <sub>10</sub>	1
70	Meerut	Good	48	PM <sub>10</sub>	2
71	Mumbai	Good	47	PM <sub>10</sub> , SO <sub>2</sub>	8
72	Muzaffarnagar	Satisfactory	62	PM <sub>10</sub>	1

Good	Minimal Impact	
Satisfactory	sfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* Arbiters t calculated for today's bulletin for Aizawl, Ankleshwar, Bahadurgarh, Bhiwani, Brajrajnagar, Charkhi Dadri, Kalaburgi, Kochi, Kozhikode, Moradabad, Mysuru, Narnaul, Palwal, Rajamahendravaram, Rupnagar, Sagar, Sirsa, Solapur, Sonipat, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Muzaffarpur	Satisfactory	83	O <sub>3</sub>	1
74	Nagpur	Satisfactory	71	O <sub>3</sub>	1
75	Nandesari	Poor	280	PM <sub>2.5</sub>	1
76	Nashik	Good	25	PM <sub>2.5</sub>	1
77	Navi Mumbai	Good	40	PM <sub>10</sub>	1
78	Noida	Satisfactory	53	CO, PM <sub>10</sub>	4
79	Pali	Satisfactory	84	PM <sub>10</sub>	1
80	Panchkula	Satisfactory	51	со	1
81	Panipat	Satisfactory	94	PM <sub>10</sub>	1
82	Patiala	Good	38	PM <sub>10</sub>	1
83	Patna	Good	38	O <sub>3</sub> , PM <sub>2.5</sub>	3
84	Pithampur	Good	18	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* ACDITECT calculated for today's bulletin for Aizawl, Ankleshwar,
  Bahadurgarh, Bhiwani, Brajrajnagar, Charkhi Dadri, Kalaburgi, Kochi,
  Kozhikode, Moradabad, Mysuru, Narnaul, Palwal, Rajamahendravaram,
  Rupnagar, Sagar, Sirsa, Solapur, Sonipat, Vapi, Yadgir as data was
  not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Pune	Good	47	со	1
86	Ramanagara	Good	37	NO <sub>2</sub>	1
87	Ratlam	Good	12	PM <sub>10</sub>	1
88	Rohtak	Good	41	PM <sub>2.5</sub>	1
89	Satna	Satisfactory	52	PM <sub>10</sub>	1
90	Shillong	Good	7	SO <sub>2</sub>	1
91	Siliguri	Good	22	O <sub>3</sub>	1
92	Singrauli	Good	49	PM <sub>10</sub>	1
93	Talcher	Satisfactory	97	со	1
94	Thane	Good	46	PM <sub>10</sub>	1
95	Thiruvananthapuram	Satisfactory	60	PM <sub>10</sub>	2
96	Tirupati	Good	49	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* Motes to calculated for today's bulletin for Aizawl, Ankleshwar, Bahadurgarh, Bhiwani, Brajrajnagar, Charkhi Dadri, Kalaburgi, Kochi, Kozhikode, Moradabad, Mysuru, Narnaul, Palwal, Rajamahendravaram, Rupnagar, Sagar, Sirsa, Solapur, Sonipat, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Udaipur	Satisfactory	58	PM <sub>10</sub>	1
98	Ujjain	Good	40	PM <sub>10</sub>	1
99	Varanasi	Good	33	NO <sub>2</sub>	1
100	Vatva	Satisfactory	63	PM <sub>2.5</sub>	1
101	Vijayapura	Satisfactory	61	O <sub>3</sub>	1
102	Visakhapatnam	Good	42	PM <sub>10</sub>	1
103	Yamunanagar	Satisfactory	72	PM <sub>10</sub>	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* Arbiters t calculated for today's bulletin for Aizawl, Ankleshwar, Bahadurgarh, Bhiwani, Brajrajnagar, Charkhi Dadri, Kalaburgi, Kochi, Kozhikode, Moradabad, Mysuru, Narnaul, Palwal, Rajamahendravaram, Rupnagar, Sagar, Sirsa, Solapur, Sonipat, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.