

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	108	со	1
2	Ahmedabad	Satisfactory	73	PM ₁₀	1
3	Aizawl	Good	11	PM ₁₀	1
4	Ajmer	Satisfactory	55	PM ₁₀	1
5	Alwar	Satisfactory	55	PM ₁₀	1
6	Amaravati	Good	34	O ₃	1
7	Ambala	Satisfactory	53	PM ₁₀	1
8	Amritsar	Good	45	PM ₁₀	1
9	Ankleshwar	Good	47	со	1
10	Asansol	Satisfactory	74	PM _{2.5}	1
11	Aurangabad	Satisfactory	51	СО	1
12	Bagalkot	Good	25	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Charkhi Dadri, Ernakulam, Fatehabad, Indore, Jind, Kalaburgi, Karnal, Kollam, Mandikhera, Manesar, Moradabad, Mysuru, Shillong, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Satisfactory	81	со	1
14	Bahadurgarh	Good	46	PM ₁₀	1
15	Ballabgarh	Moderate	152	PM _{2.5}	1
16	Bengaluru	Good	43	PM _{2.5} , NO ₂ , O ₃	7
17	Bhiwadi	Satisfactory	70	PM ₁₀	1
18	Bhiwani	Satisfactory	56	O ₃	1
19	Bhopal	Satisfactory	60	O ₃	1
20	Brajrajnagar	Good	49	PM _{2.5}	1
21	Bulandshahr	Satisfactory	97	O ₃	1
22	Chandigarh	Good	33	PM ₁₀	1
23	Chandrapur	Good	25	O ₃	1
24	Chennai	Satisfactory	58	CO, O ₃	4

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Notes

* AQI is not calculated for today's bulletin for Bathinda, Charkhi Dadri, Ernakulam, Fatehabad, Indore, Jind, Kalaburgi, Karnal, Kollam, Mandikhera, Manesar, Moradabad, Mysuru, Shillong, Vapi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chikkaballapur	Good	36	PM ₁₀	1
26	Chikkamagaluru	Good	28	PM ₁₀	1
27	Coimbatore	Good	36	NO ₂	1
28	Damoh	Good	19	NO ₂	1
29	Delhi	Satisfactory	61	CO, PM ₁₀	33
30	Dewas	Satisfactory	68	PM ₁₀	1
31	Dharuhera	Good	42	СО	1
32	Eloor	Good	30	PM ₁₀	1
33	Faridabad	Satisfactory	77	PM _{2.5}	1
34	Gandhinagar	Good	46	PM ₁₀	1
35	Gaya	Good	39	СО	1
36	Ghaziabad	Satisfactory	64	NO ₂ , PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bathinda, Charkhi Dadri, Ernakulam, Fatehabad, Indore, Jind, Kalaburgi, Karnal, Kollam, Mandikhera, Manesar, Moradabad, Mysuru, Shillong, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Greater Noida	Moderate	102	O ₃ , PM ₁₀	2
38	Gurugram	Satisfactory	57	PM ₁₀ , PM _{2.5}	4
39	Guwahati	Good	46	PM _{2.5}	1
40	Gwalior	Good	46	03	1
41	Hajipur	Satisfactory	79	PM ₁₀	1
42	Hapur	Satisfactory	75	PM ₁₀	1
43	Hisar	Moderate	105	O ₃	1
44	Howrah	Good	45	PM ₁₀ , O ₃	3
45	Hubballi	Good	11	NO ₂	1
46	Hyderabad	Good	40	NO ₂ , PM _{2.5} , PM ₁₀	5
47	Jabalpur	Good	40	O ₃	1
48	Jaipur	Satisfactory	66	PM ₁₀ , O ₃ , NO ₂	3

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bathinda, Charkhi Dadri, Ernakulam, Fatehabad, Indore, Jind, Kalaburgi, Karnal, Kollam, Mandikhera, Manesar, Moradabad, Mysuru, Shillong, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jalandhar	Good	43	со	1
50	Jodhpur	Satisfactory	81	PM ₁₀	1
51	Jorapokhar	Satisfactory	69	со	1
52	Kaithal	Satisfactory	63	PM ₁₀	1
53	Kalyan	Good	27	PM ₁₀	1
54	Kannur	Good	15	NO ₂	1
55	Kanpur	Good	46	PM _{2.5}	1
56	Katni	Satisfactory	56	PM ₁₀	1
57	Khanna	Satisfactory	88	PM ₁₀	1
58	Kochi	Satisfactory	73	СО	1
59	Kolkata	Good	43	PM ₁₀ , O ₃	4
60	Kota	Good	33	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Bathinda, Charkhi Dadri, Ernakulam, Fatehabad, Indore, Jind, Kalaburgi, Karnal, Kollam, Mandikhera, Manesar, Moradabad, Mysuru, Shillong, Vapi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kozhikode	Good	19	PM ₁₀	1
62	Kurukshetra	Satisfactory	53	PM ₁₀	1
63	Lucknow	Satisfactory	68	PM ₁₀ , O ₃	4
64	Ludhiana	Good	40	O ₃	1
65	Maihar	Good	24	со	1
66	Mandi Gobindgarh	Moderate	107	PM _{2.5}	1
67	Mandideep	Good	48	O ₃	1
68	Meerut	Satisfactory	87	CO, PM ₁₀	3
69	Mumbai	Good	27	SO ₂ , PM ₁₀ , CO	7
70	Muzaffarnagar	Satisfactory	70	PM ₁₀	1
71	Muzaffarpur	Good	48	03	1
72	Nagpur	Satisfactory	70	O ₃	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bathinda, Charkhi Dadri, Ernakulam, Fatehabad, Indore, Jind, Kalaburgi, Karnal, Kollam, Mandikhera, Manesar, Moradabad, Mysuru, Shillong, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Nandesari	Poor	208	PM _{2.5}	1
74	Narnaul	Good	40	NO ₂	1
75	Nashik	Good	30	03	1
76	Navi Mumbai	Good	25	со	1
77	Noida	Satisfactory	78	CO, PM ₁₀	3
78	Pali	Good	47	PM ₁₀	1
79	Palwal	Good	46	NH ₃	1
80	Panchkula	Satisfactory	69	PM _{2.5}	1
81	Panipat	Satisfactory	99	PM ₁₀	1
82	Patiala	Good	32	со	1
83	Patna	Satisfactory	71	NO ₂ , PM _{2.5} , PM ₁₀	5
84	Pithampur	Good	43	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Charkhi Dadri, Ernakulam, Fatehabad, Indore, Jind, Kalaburgi, Karnal, Kollam, Mandikhera, Manesar, Moradabad, Mysuru, Shillong, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Pune	Good	48	со	1
86	Rajamahendravaram	Satisfactory	54	O ₃	1
87	Ramanagara	Good	30	O ₃	1
88	Ratlam	Good	39	PM ₁₀	1
89	Rohtak	Good	40	PM _{2.5}	1
90	Rupnagar	Good	45	PM ₁₀	1
91	Sagar	Good	25	СО	1
92	Satna	Satisfactory	54	PM ₁₀	1
93	Siliguri	Satisfactory	53	PM ₁₀	1
94	Singrauli	Satisfactory	93	PM ₁₀	1
95	Sirsa	Satisfactory	53	PM ₁₀	1
96	Solapur	Good	36	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Charkhi Dadri, Ernakulam, Fatehabad, Indore, Jind, Kalaburgi, Karnal, Kollam, Mandikhera, Manesar, Moradabad, Mysuru, Shillong, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Sonipat	Satisfactory	66	PM ₁₀	1
98	Talcher	Satisfactory	98	PM ₁₀	1
99	Thane	Good	47	PM ₁₀	1
100	Thiruvananthapuram	Good	29	со	1
101	Tirupati	Good	34	03	1
102	Udaipur	Good	47	PM ₁₀	1
103	Ujjain	Satisfactory	75	03	1
104	Varanasi	Satisfactory	51	PM _{2.5}	1
105	Vatva	Satisfactory	67	PM ₁₀	1
106	Vijayapura	Satisfactory	77	03	1
107	Visakhapatnam	Satisfactory	56	PM ₁₀	1
108	Yamunanagar	Satisfactory	59	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Charkhi Dadri, Ernakulam, Fatehabad, Indore, Jind, Kalaburgi, Karnal, Kollam, Mandikhera, Manesar, Moradabad, Mysuru, Shillong, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.