

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	191	PM _{2.5}	1
2	Agra	Moderate	118	PM _{2.5} , PM ₁₀	6
3	Ahmedabad	Moderate	155	PM _{2.5} , PM ₁₀	9
4	Aizawl	Satisfactory	65	PM ₁₀	1
5	Ajmer	Moderate	101	PM ₁₀	1
6	Alwar	Satisfactory	91	PM ₁₀	1
7	Amaravati	Satisfactory	56	PM ₁₀	1
8	Ambala	Moderate	110	PM ₁₀	1
9	Amritsar	Satisfactory	61	со	1
10	Ankleshwar	Moderate	156	PM _{2.5}	1
11	Araria	Moderate	181	PM _{2.5}	1
12	Arrah	Moderate	185	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Bettiah, Bidar, Brajrajnagar, Charkhi Dadri, Fatehabad, Gadag, Jorapokhar, Kalaburgi, Kohima, Kolar, Maihar, Naharlagun, Panipat, Purnia, Rajgir, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Poor	268	03	1
14	Bagalkot	Good	50	PM _{2.5}	1
15	Bahadurgarh	Moderate	157	PM _{2.5}	1
16	Ballabgarh	Poor	234	PM ₁₀	1
17	Bathinda	Satisfactory	64	PM ₁₀	1
18	Bengaluru	Satisfactory	96	PM ₁₀ , CO, PM _{2.5}	7
19	Bhagalpur	Moderate	180	PM _{2.5}	1
20	Bhilai	Satisfactory	62	PM ₁₀	1
21	Bhiwadi	Moderate	200	PM _{2.5}	1
22	Bhiwani	Moderate	123	PM _{2.5}	1
23	Bhopal	Moderate	105	03	1
24	Bihar Sharif	Poor	246	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Bettiah, Bidar, Brajrajnagar, Charkhi Dadri, Fatehabad, Gadag, Jorapokhar, Kalaburgi, Kohima, Kolar, Maihar, Naharlagun, Panipat, Purnia, Rajgir, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bilaspur	Satisfactory	59	PM ₁₀	1
26	Bulandshahr	Poor	202	PM _{2.5}	1
27	Buxar	Poor	254	PM _{2.5}	1
28	Chamarajanagar	Good	43	PM ₁₀	1
29	Chandigarh	Moderate	113	PM _{2.5} , PM ₁₀	3
30	Chandrapur	Moderate	164	O ₃ , CO	2
31	Chennai	Satisfactory	82	PM ₁₀ , CO	8
32	Chhapra	Poor	259	PM _{2.5}	1
33	Chikkaballapur	Satisfactory	70	PM ₁₀	1
34	Chikkamagaluru	Good	44	PM ₁₀	1
35	Coimbatore	Satisfactory	67	PM ₁₀	1
36	Damoh	Satisfactory	90	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Bettiah, Bidar, Brajrajnagar, Charkhi Dadri, Fatehabad, Gadag, Jorapokhar, Kalaburgi, Kohima, Kolar, Maihar, Naharlagun, Panipat, Purnia, Rajgir, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Darbhanga	Moderate	182	PM _{2.5}	1
38	Davanagere	Satisfactory	80	PM ₁₀	1
39	Delhi	Moderate	178	O ₃ , PM _{2.5} , PM ₁₀	36
40	Dewas	Satisfactory	79	PM ₁₀	1
41	Dharuhera	Moderate	191	PM ₁₀	1
42	Durgapur	Poor	208	PM _{2.5}	1
43	Eloor	Satisfactory	80	PM ₁₀	1
44	Ernakulam	Satisfactory	99	PM _{2.5}	1
45	Faridabad	Poor	228	PM _{2.5} , PM ₁₀ , O ₃	4
46	Firozabad	Moderate	120	PM _{2.5}	2
47	Gandhinagar	Moderate	129	PM _{2.5} , PM ₁₀	3
48	Gaya	Moderate	144	PM _{2.5} , PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Bettiah, Bidar, Brajrajnagar, Charkhi Dadri, Fatehabad, Gadag, Jorapokhar, Kalaburgi, Kohima, Kolar, Maihar, Naharlagun, Panipat, Purnia, Rajgir, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Ghaziabad	Moderate	198	PM _{2.5} , PM ₁₀	4
50	Gorakhpur	Satisfactory	74	PM ₁₀	1
51	Greater Noida	Moderate	176	PM ₁₀	2
52	Gummidipoondi	Satisfactory	65	PM ₁₀	1
53	Gurugram	Moderate	163	PM _{2.5} , PM ₁₀	4
54	Guwahati	Poor	214	PM _{2.5}	2
55	Gwalior	Moderate	154	PM _{2.5}	1
56	Hajipur	Poor	214	PM _{2.5}	1
57	Haldia	Moderate	135	PM ₁₀	1
58	Hapur	Moderate	171	03	1
59	Hassan	Satisfactory	60	PM ₁₀	1
60	Hisar	Moderate	112	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Bettiah, Bidar, Brajrajnagar, Charkhi Dadri, Fatehabad, Gadag, Jorapokhar, Kalaburgi, Kohima, Kolar, Maihar, Naharlagun, Panipat, Purnia, Rajgir, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Howrah	Poor	225	PM _{2.5}	3
62	Hubballi	Satisfactory	94	PM ₁₀	1
63	Hyderabad	Satisfactory	93	PM ₁₀ , PM _{2.5}	4
64	Indore	Moderate	115	PM ₁₀	1
65	Jabalpur	Moderate	126	PM ₁₀	1
66	Jaipur	Moderate	125	CO, PM ₁₀	3
67	Jalandhar	Satisfactory	70	PM ₁₀	1
68	Jhansi	Moderate	144	PM ₁₀	1
69	Jind	Satisfactory	90	PM ₁₀	1
70	Jodhpur	Moderate	121	PM _{2.5}	1
71	Kaithal	Satisfactory	90	PM ₁₀	1
72	Kalyan	Poor	224	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Bettiah, Bidar, Brajrajnagar, Charkhi Dadri, Fatehabad, Gadag, Jorapokhar, Kalaburgi, Kohima, Kolar, Maihar, Naharlagun, Panipat, Purnia, Rajgir, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kannur	Satisfactory	60	PM ₁₀	1
74	Kanpur	Moderate	158	PM _{2.5}	3
75	Karnal	Satisfactory	86	PM ₁₀	1
76	Katihar	Poor	282	PM _{2.5}	1
77	Katni	Moderate	111	PM ₁₀	1
78	Khanna	Satisfactory	89	PM ₁₀	1
79	Kishanganj	Poor	243	PM _{2.5}	1
80	Kochi	Moderate	115	PM _{2.5}	1
81	Kolkata	Moderate	198	PM _{2.5}	7
82	Kollam	Moderate	108	PM ₁₀	1
83	Koppal	Moderate	107	03	1
84	Kota	Moderate	144	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Bettiah, Bidar, Brajrajnagar, Charkhi Dadri, Fatehabad, Gadag, Jorapokhar, Kalaburgi, Kohima, Kolar, Maihar, Naharlagun, Panipat, Purnia, Rajgir, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kozhikode	Satisfactory	74	PM ₁₀	1
86	Kurukshetra	Moderate	102	PM ₁₀	1
87	Lucknow	Moderate	125	PM _{2.5} , PM ₁₀	6
88	Ludhiana	Satisfactory	100	PM ₁₀	1
89	Madikeri	Satisfactory	53	PM ₁₀	1
90	Mandi Gobindgarh	Moderate	178	PM ₁₀	1
91	Mandideep	Moderate	124	PM ₁₀	1
92	Mandikhera	Satisfactory	100	PM ₁₀	1
93	Manesar	Moderate	138	PM _{2.5}	1
94	Manglore	Good	49	O ₃	1
95	Manguraha	Moderate	155	03	1
96	Meerut	Moderate	195	PM ₁₀ , PM _{2.5} , O ₃	3

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Bettiah, Bidar, Brajrajnagar, Charkhi Dadri, Fatehabad, Gadag, Jorapokhar, Kalaburgi, Kohima, Kolar, Maihar, Naharlagun, Panipat, Purnia, Rajgir, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Moradabad	Moderate	150	PM _{2.5} , PM ₁₀	4
98	Motihari	Poor	215	PM _{2.5}	1
99	Mumbai	Poor	204	PM _{2.5} , O ₃ , PM ₁₀	15
100	Munger	Moderate	163	PM ₁₀	1
101	Muzaffarnagar	Poor	237	03	1
102	Muzaffarpur	Poor	240	PM _{2.5} , PM ₁₀	3
103	Mysuru	Satisfactory	83	O ₃	1
104	Nagpur	Moderate	101	СО	1
105	Nandesari	Satisfactory	75	со	1
106	Narnaul	Moderate	108	PM _{2.5}	1
107	Nashik	Satisfactory	76	PM ₁₀	1
108	Navi Mumbai	Poor	201	PM ₁₀ , O ₃	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Bettiah, Bidar, Brajrajnagar, Charkhi Dadri, Fatehabad, Gadag, Jorapokhar, Kalaburgi, Kohima, Kolar, Maihar, Naharlagun, Panipat, Purnia, Rajgir, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Noida	Moderate	160	PM ₁₀	4
110	Pali	Moderate	109	PM _{2.5}	1
111	Palwal	Moderate	132	PM ₁₀	1
112	Panchkula	Satisfactory	93	PM _{2.5}	1
113	Patiala	Satisfactory	85	PM ₁₀	1
114	Patna	Poor	235	PM _{2.5} , PM ₁₀	6
115	Pithampur	Satisfactory	92	PM ₁₀	1
116	Prayagraj	Moderate	105	PM ₁₀	3
117	Puducherry	Satisfactory	63	PM ₁₀	1
118	Pune	Moderate	132	PM _{2.5}	7
119	Raichur	Moderate	103	PM ₁₀	1
120	Rajamahendravaram	Satisfactory	67	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Bettiah, Bidar, Brajrajnagar, Charkhi Dadri, Fatehabad, Gadag, Jorapokhar, Kalaburgi, Kohima, Kolar, Maihar, Naharlagun, Panipat, Purnia, Rajgir, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Ramanagara	Satisfactory	77	PM ₁₀	1
122	Ratlam	Satisfactory	83	PM ₁₀	1
123	Rohtak	Moderate	112	PM _{2.5}	1
124	Rupnagar	Moderate	113	PM ₁₀	1
125	Sagar	Satisfactory	69	со	1
126	Saharsa	Poor	294	PM ₁₀	1
127	Sasaram	Moderate	159	PM _{2.5}	1
128	Satna	Satisfactory	54	PM ₁₀	1
129	Shillong	Satisfactory	60	PM _{2.5}	1
130	Shivamogga	Good	47	PM ₁₀	1
131	Siliguri	Moderate	145	PM _{2.5}	1
132	Singrauli	Very Poor	303	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Bettiah, Bidar, Brajrajnagar, Charkhi Dadri, Fatehabad, Gadag, Jorapokhar, Kalaburgi, Kohima, Kolar, Maihar, Naharlagun, Panipat, Purnia, Rajgir, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Sirsa	Satisfactory	88	PM ₁₀	1
134	Siwan	Poor	223	PM _{2.5}	1
135	Solapur	Satisfactory	86	PM ₁₀	1
136	Sonipat	Moderate	126	PM ₁₀	1
137	Srinagar	Satisfactory	63	PM ₁₀	1
138	Talcher	Satisfactory	56	PM ₁₀	1
139	Thane	Very Poor	324	PM ₁₀	1
140	Thiruvananthapuram	Satisfactory	72	PM _{2.5}	1
141	Thoothukudi	Good	47	PM ₁₀	1
142	Tirupati	Good	37	со	1
143	Udaipur	Satisfactory	91	PM ₁₀	1
144	Udupi	Moderate	199	03	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Bettiah, Bidar, Brajrajnagar, Charkhi Dadri, Fatehabad, Gadag, Jorapokhar, Kalaburgi, Kohima, Kolar, Maihar, Naharlagun, Panipat, Purnia, Rajgir, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Ujjain	Moderate	129	PM ₁₀	1
146	Vapi	Moderate	156	PM ₁₀	1
147	Varanasi	Satisfactory	100	PM ₁₀ , O ₃ , PM _{2.5}	4
148	Vatva	Moderate	139	PM ₁₀	1
149	Vijayapura	Good	50	PM ₁₀	1
150	Visakhapatnam	Satisfactory	94	O ₃	1
151	Vrindavan	Moderate	130	PM _{2.5}	1
152	Yadgir	Satisfactory	52	PM ₁₀	1
153	Yamunanagar	Moderate	174	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Bettiah, Bidar, Brajrajnagar, Charkhi Dadri, Fatehabad, Gadag, Jorapokhar, Kalaburgi, Kohima, Kolar, Maihar, Naharlagun, Panipat, Purnia, Rajgir, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.