

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	84	PM ₁₀	1
2	Agra	Poor	256	PM _{2.5} , PM ₁₀	5
3	Ahmedabad	Moderate	186	PM _{2.5} , PM ₁₀	6
4	Aizawl	Good	27	PM ₁₀	1
5	Ajmer	Moderate	130	PM _{2.5}	1
6	Alwar	Satisfactory	95	PM _{2.5}	1
7	Amaravati	Good	26	O ₃	1
8	Ambala	Moderate	135	PM ₁₀	1
9	Amritsar	Poor	255	PM _{2.5}	1
10	Ankleshwar	Poor	283	PM _{2.5}	1
11	Asansol	Moderate	134	03	1
12	Bagalkot	Good	35	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bidar, Bihar Sharif, Bilaspur, Damoh, Darbhanga, Dharuhera, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Kohima, Koppal, Maihar, Motihari, Nagpur, Naharlagun, Panchkula, Singrauli, Solapur, Thrissur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Very Poor	314	PM _{2.5}	1
14	Bahadurgarh	Poor	264	PM _{2.5}	1
15	Ballabgarh	Very Poor	362	PM _{2.5}	1
16	Bathinda	Moderate	130	PM ₁₀	1
17	Bengaluru	Satisfactory	67	CO, PM ₁₀ , NO ₂	8
18	Bhiwadi	Poor	289	PM _{2.5}	1
19	Bhiwani	Poor	228	PM _{2.5}	1
20	Bhopal	Moderate	173	03	1
21	Brajrajnagar	Satisfactory	87	03	1
22	Bulandshahr	Poor	279	PM _{2.5}	1
23	Chamarajanagar	Good	43	PM ₁₀	1
24	Chandigarh	Moderate	134	O ₃ , PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bidar, Bihar Sharif, Bilaspur, Damoh, Darbhanga, Dharuhera, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Kohima, Koppal, Maihar, Motihari, Nagpur, Naharlagun, Panchkula, Singrauli, Solapur, Thrissur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Moderate	165	O ₃ , PM ₁₀	2
26	Charkhi Dadri	Poor	252	PM _{2.5}	1
27	Chennai	Good	50	CO, PM ₁₀	8
28	Chikkaballapur	Good	30	NO ₂	1
29	Chikkamagaluru	Good	34	PM ₁₀	1
30	Coimbatore	Satisfactory	51	NO ₂	1
31	Davanagere	Good	21	O ₃	1
32	Delhi	Poor	289	PM ₁₀	36
33	Dewas	Satisfactory	92	PM ₁₀	1
34	Durgapur	Poor	209	PM ₁₀	1
35	Eloor	Good	48	со	1
36	Ernakulam	Satisfactory	63	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bidar, Bihar Sharif, Bilaspur, Damoh, Darbhanga, Dharuhera, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Kohima, Koppal, Maihar, Motihari, Nagpur, Naharlagun, Panchkula, Singrauli, Solapur, Thrissur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Faridabad	Poor	250	PM _{2.5} , PM ₁₀	2
38	Fatehabad	Poor	278	PM _{2.5}	1
39	Firozabad	Poor	212	PM _{2.5}	1
40	Gandhinagar	Moderate	127	PM _{2.5} , PM ₁₀	3
41	Gaya	Moderate	114	PM _{2.5}	2
42	Ghaziabad	Very Poor	342	PM _{2.5} , PM ₁₀	4
43	Gorakhpur	Poor	244	PM _{2.5}	1
44	Greater Noida	Poor	292	PM ₁₀ , PM _{2.5}	2
45	Gurugram	Poor	262	PM ₁₀ , PM _{2.5}	4
46	Guwahati	Moderate	105	PM _{2.5}	1
47	Gwalior	Moderate	148	PM _{2.5} , PM ₁₀	2
48	Hajipur	Moderate	173	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bidar, Bihar Sharif, Bilaspur, Damoh, Darbhanga, Dharuhera, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Kohima, Koppal, Maihar, Motihari, Nagpur, Naharlagun, Panchkula, Singrauli, Solapur, Thrissur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Haldia	Moderate	103	PM ₁₀	1
50	Hapur	Very Poor	324	PM _{2.5}	1
51	Hassan	Good	22	SO ₂	1
52	Hisar	Very Poor	306	PM _{2.5}	1
53	Howrah	Moderate	126	PM ₁₀	3
54	Hubballi	Satisfactory	56	PM ₁₀	1
55	Hyderabad	Moderate	130	PM _{2.5} , PM ₁₀	6
56	Indore	Moderate	145	PM _{2.5}	1
57	Jabalpur	Moderate	159	PM ₁₀	1
58	Jaipur	Poor	225	PM _{2.5}	3
59	Jalandhar	Poor	250	PM _{2.5}	1
60	Jind	Very Poor	334	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bidar, Bihar Sharif, Bilaspur, Damoh, Darbhanga, Dharuhera, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Kohima, Koppal, Maihar, Motihari, Nagpur, Naharlagun, Panchkula, Singrauli, Solapur, Thrissur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jodhpur	Poor	251	PM _{2.5}	1
62	Kaithal	Poor	280	PM _{2.5}	1
63	Kannur	Satisfactory	56	PM ₁₀	1
64	Kanpur	Poor	208	PM _{2.5}	4
65	Karnal	Poor	262	PM _{2.5}	1
66	Katni	Poor	234	PM ₁₀	1
67	Khanna	Poor	246	PM _{2.5}	1
68	Kochi	Good	37	NO ₂	1
69	Kolar	Good	43	PM ₁₀	1
70	Kolkata	Moderate	140	PM _{2.5} , O ₃ , PM ₁₀	7
71	Kollam	Satisfactory	66	PM ₁₀	1
72	Kota	Moderate	163	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bidar, Bihar Sharif, Bilaspur, Damoh, Darbhanga, Dharuhera, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Kohima, Koppal, Maihar, Motihari, Nagpur, Naharlagun, Panchkula, Singrauli, Solapur, Thrissur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kozhikode	Satisfactory	53	PM ₁₀	1
74	Kurukshetra	Very Poor	310	PM _{2.5}	1
75	Lucknow	Poor	205	PM _{2.5} , PM ₁₀	6
76	Ludhiana	Poor	254	PM _{2.5}	1
77	Mandi Gobindgarh	Poor	249	PM _{2.5}	1
78	Mandideep	Moderate	174	PM ₁₀	1
79	Mandikhera	Moderate	190	PM _{2.5}	1
80	Manesar	Poor	251	PM _{2.5}	1
81	Manglore	Satisfactory	53	со	1
82	Medikeri	Good	44	03	1
83	Meerut	Very Poor	333	PM _{2.5}	3
84	Moradabad	Poor	252	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bidar, Bihar Sharif, Bilaspur, Damoh, Darbhanga, Dharuhera, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Kohima, Koppal, Maihar, Motihari, Nagpur, Naharlagun, Panchkula, Singrauli, Solapur, Thrissur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Mumbai	Moderate	155	PM _{2.5} , O ₃ , PM ₁₀	20
86	Muzaffarnagar	Poor	268	PM _{2.5}	1
87	Muzaffarpur	Poor	203	PM _{2.5}	2
88	Mysuru	Good	34	PM ₁₀	1
89	Nandesari	Satisfactory	54	со	1
90	Narnaul	Moderate	146	PM _{2.5}	1
91	Nashik	Satisfactory	99	PM _{2.5}	1
92	Navi Mumbai	Moderate	140	PM _{2.5} , PM ₁₀	3
93	Noida	Poor	292	PM ₁₀ , PM _{2.5}	4
94	Pali	Moderate	147	PM _{2.5}	1
95	Palwal	Moderate	146	PM ₁₀	1
96	Panipat	Very Poor	318	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bidar, Bihar Sharif, Bilaspur, Damoh, Darbhanga, Dharuhera, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Kohima, Koppal, Maihar, Motihari, Nagpur, Naharlagun, Panchkula, Singrauli, Solapur, Thrissur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Patiala	Poor	229	PM _{2.5}	1
98	Patna	Moderate	143	PM _{2.5} , PM ₁₀	5
99	Pithampur	Moderate	146	PM _{2.5}	1
100	Prayagraj	Moderate	143	PM _{2.5}	3
101	Puducherry	Good	44	со	1
102	Pune	Moderate	114	PM _{2.5}	3
103	Raichur	Satisfactory	59	PM ₁₀	1
104	Rajamahendravaram	Good	30	PM ₁₀	1
105	Ramanagara	Good	49	O ₃	1
106	Ratlam	Moderate	148	PM ₁₀	1
107	Rohtak	Poor	286	PM _{2.5}	1
108	Rupnagar	Moderate	101	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bidar, Bihar Sharif, Bilaspur, Damoh, Darbhanga, Dharuhera, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Kohima, Koppal, Maihar, Motihari, Nagpur, Naharlagun, Panchkula, Singrauli, Solapur, Thrissur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Sagar	Satisfactory	69	PM _{2.5}	1
110	Satna	Satisfactory	79	PM ₁₀	1
111	Shillong	Good	12	SO ₂	1
112	Shivamogga	Good	38	PM ₁₀	1
113	Siliguri	Satisfactory	98	PM _{2.5}	1
114	Sirsa	Moderate	182	PM ₁₀	1
115	Sonipat	Severe	410	PM ₁₀	1
116	Srinagar	Moderate	113	PM ₁₀	1
117	Talcher	Moderate	114	PM _{2.5}	1
118	Thane	Poor	217	PM ₁₀	1
119	Thiruvananthapuram	Good	29	со	1
120	Thoothukudi	Good	37	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bidar, Bihar Sharif, Bilaspur, Damoh, Darbhanga, Dharuhera, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Kohima, Koppal, Maihar, Motihari, Nagpur, Naharlagun, Panchkula, Singrauli, Solapur, Thrissur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Tirupati	Good	43	со	1
122	Udaipur	Moderate	109	PM ₁₀	1
123	Ujjain	Moderate	158	PM _{2.5}	1
124	Vapi	Moderate	184	PM _{2.5}	1
125	Varanasi	Satisfactory	82	PM ₁₀ , PM _{2.5}	4
126	Vatva	Moderate	175	NO ₂	1
127	Vijayapura	Good	45	PM ₁₀	1
128	Visakhapatnam	Satisfactory	67	PM ₁₀	1
129	Vrindavan	Poor	279	PM _{2.5}	1
130	Yamunanagar	Moderate	138	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bidar, Bihar Sharif, Bilaspur, Damoh, Darbhanga, Dharuhera, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Kohima, Koppal, Maihar, Motihari, Nagpur, Naharlagun, Panchkula, Singrauli, Solapur, Thrissur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.