Air Quality Index on Nov 26, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	113	$PM_{2.5}$	1
2	Agra	Very Poor	318	$PM_{2.5}$	1
3	Ahmedabad	Moderate	167	$PM_{2.5}$	1
4	Aizawl	Good	13	CO	1
5	Ajmer	Moderate	185	$PM_{2.5}$	1
6	Alwar	Moderate	122	$PM_{2.5}$	1
7	Amaravati	Satisfactory	54	$PM_{2.5}$	1
8	Ambala	Moderate	137	PM_{10}	1
9	Amritsar	Satisfactory	99	$PM_{2.5}$	1
10	Ankleshwar	Poor	262	$PM_{2.5}$	1
11	Asansol	Moderate	173	$PM_{2.5}$	1
12	Aurangabad	Satisfactory	93	O_3	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bathinda, Coimbatore, Fatehabad, Jorapokhar, Kochi, Maihar, Nagpur, Narnaul, Palwal, Ramanagara, Shillong, Siliguri, Singrauli, Varanasi, Visakhapatnam as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Nov 26, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Satisfactory	55	NO_2	1
14	Baghpat	Poor	232	$PM_{2.5}$	1
15	Bahadurgarh	Poor	287	$PM_{2.5}$	1
16	Ballabgarh	Moderate	135	PM_{10}	1
17	Bengaluru	Good	44	CO, PM_{10}, $PM_{2.5}$	10
18	Bhiwadi	Poor	299	$PM_{2.5}$	1
19	Bhiwani	Poor	236	O_3	1
20	Bhopal	Moderate	170	$PM_{2.5}$	1
21	Brajrajnagar	Moderate	156	$PM_{2.5}$	1
22	Bulandshahr	Very Poor	331	$PM_{2.5}$	1
23	Chamarajanagar	Moderate	106	CO	1
24	Chandigarh	Satisfactory	54	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bathinda, Coimbatore, Fatehabad, Jorapokhar, Kochi, Maihar, Nagpur, Narnaul, Palwal, Ramanagara, Shillong, Siliguri, Singrauli, Varanasi, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Nov 26, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Moderate	144	$PM_{2.5}$, PM_{10}	2
26	Charkhi Dadri	Moderate	138	$PM_{2.5}$	1
27	Chennai	Satisfactory	84	O_3	2
28	Chikkaballapur	Good	49	$PM_{2.5}$	1
29	Chikkamagaluru	Good	50	PM_{10}	1
30	Damoh	Moderate	117	$PM_{2.5}$	1
31	Delhi	Very Poor	302	$PM_{2.5}$	35
32	Dewas	Moderate	101	O_3	1
33	Dharuhera	Very Poor	329	PM_{10}	1
34	Eloor	Good	36	CO	1
35	Ernakulam	Satisfactory	72	CO	1
36	Faridabad	Very Poor	312	$PM_{2.5}$	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bathinda, Coimbatore, Fatehabad, Jorapokhar, Kochi, Maihar, Nagpur, Narnaul, Palwal, Ramanagara, Shillong, Siliguri, Singrauli, Varanasi, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Nov 26, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gandhinagar	Moderate	110	PM_{10}	1
38	Gaya	Moderate	136	$PM_{2.5}$	2
39	Ghaziabad	Very Poor	301	$PM_{2.5}$	4
40	Greater Noida	Poor	296	$PM_{2.5}$	2
41	Gurugram	Poor	289	$PM_{2.5}$	4
42	Guwahati	Moderate	153	$PM_{2.5}$	1
43	Gwalior	Very Poor	340	$PM_{2.5}$	1
44	Hajipur	Moderate	154	$PM_{2.5}$	1
45	Hapur	Moderate	153	PM_{10}	1
46	Hisar	Poor	245	$PM_{2.5}$	1
47	Howrah	Poor	203	PM_{10}, $PM_{2.5}$	2
48	Hubballi	Satisfactory	75	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bathinda, Coimbatore, Fatehabad, Jorapokhar, Kochi, Maihar, Nagpur, Narnaul, Palwal, Ramanagara, Shillong, Siliguri, Singrauli, Varanasi, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Nov 26, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hyderabad	Satisfactory	71	PM_{10}, $PM_{2.5}$	6
50	Indore	Moderate	153	$PM_{2.5}$	1
51	Jabalpur	Poor	243	$PM_{2.5}$	1
52	Jaipur	Moderate	185	$PM_{2.5}$	2
53	Jalandhar	Satisfactory	74	PM_{10}	1
54	Jind	Poor	222	$PM_{2.5}$	1
55	Jodhpur	Poor	257	$PM_{2.5}$	1
56	Kaithal	Moderate	113	$PM_{2.5}$	1
57	Kalaburgi	Satisfactory	99	PM_{10}	1
58	Kalyan	Poor	230	$PM_{2.5}$	1
59	Kannur	Satisfactory	60	PM_{10}	1
60	Kanpur	Very Poor	390	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bathinda, Coimbatore, Fatehabad, Jorapokhar, Kochi, Maihar, Nagpur, Narnaul, Palwal, Ramanagara, Shillong, Siliguri, Singrauli, Varanasi, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Nov 26, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Karnal	Moderate	153	$PM_{2.5}$	1
62	Katni	Poor	251	$PM_{2.5}$	1
63	Khanna	Satisfactory	53	PM_{10}	1
64	Kohima	Satisfactory	78	PM_{10}	1
65	Kolkata	Poor	214	$PM_{2.5}$	7
66	Kollam	Moderate	103	$PM_{2.5}$	1
67	Kota	Poor	208	$PM_{2.5}$	1
68	Kozhikode	Satisfactory	70	PM_{10}	1
69	Kurukshetra	Moderate	148	$PM_{2.5}$	1
70	Lucknow	Very Poor	375	$PM_{2.5}$	3
71	Ludhiana	Satisfactory	97	PM_{10}	1
72	Mandi Gobindgarh	Moderate	112	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bathinda, Coimbatore, Fatehabad, Jorapokhar, Kochi, Maihar, Nagpur, Narnaul, Palwal, Ramanagara, Shillong, Siliguri, Singrauli, Varanasi, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Nov 26, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Mandideep	Poor	227	PM_{10}	1
74	Mandikhera	Moderate	140	$PM_{2.5}$	1
75	Manesar	Poor	296	$PM_{2.5}$	1
76	Medikeri	Good	43	PM_{10}	1
77	Meerut	Poor	216	$PM_{2.5}$, PM_{10}	3
78	Moradabad	Poor	240	$PM_{2.5}$	1
79	Mumbai	Poor	221	$PM_{2.5}$	15
80	Muzaffarnagar	Moderate	156	$PM_{2.5}$	1
81	Muzaffarpur	Poor	274	$PM_{2.5}$, PM_{10}	2
82	Mysuru	Satisfactory	74	PM_{10}	1
83	Nandesari	Moderate	188	CO	1
84	Nashik	Moderate	121	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bathinda, Coimbatore, Fatehabad, Jorapokhar, Kochi, Maihar, Nagpur, Narnaul, Palwal, Ramanagara, Shillong, Siliguri, Singrauli, Varanasi, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Nov 26, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Navi Mumbai	Poor	268	$PM_{2.5}$	2
86	Noida	Very Poor	301	$PM_{2.5}$	4
87	Pali	Moderate	171	$PM_{2.5}$	1
88	Panchkula	Satisfactory	65	$PM_{2.5}$	1
89	Panipat	Moderate	168	$PM_{2.5}$	1
90	Patiala	Satisfactory	97	$PM_{2.5}$	1
91	Patna	Very Poor	319	$PM_{2.5}$	6
92	Pithampur	Moderate	108	$PM_{2.5}$	1
93	Pune	Moderate	153	$PM_{2.5}$	4
94	Rajamahendravaram	Satisfactory	60	$PM_{2.5}$	1
95	Ratlam	Poor	214	$PM_{2.5}$	1
96	Rohtak	Poor	235	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bathinda, Coimbatore, Fatehabad, Jorapokhar, Kochi, Maihar, Nagpur, Narnaul, Palwal, Ramanagara, Shillong, Siliguri, Singrauli, Varanasi, Visakhapatnam as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Nov 26, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Rupnagar	Satisfactory	72	PM_{10}	1
98	Sagar	Moderate	175	$PM_{2.5}$	1
99	Satna	Satisfactory	61	PM_{10}	1
100	Shivamogga	Satisfactory	68	PM_{10}	1
101	Sirsa	Moderate	104	PM_{10}	1
102	Solapur	Satisfactory	98	PM_{10}	1
103	Sonipat	Moderate	200	$PM_{2.5}$	1
104	Talcher	Moderate	132	PM_{10}	1
105	Thane	Moderate	198	PM_{10}	1
106	Thiruvananthapuram	Satisfactory	60	PM_{10}	2
107	Thoothukudi	Satisfactory	87	PM_{10}	1
108	Thrissur	Satisfactory	98	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bathinda, Coimbatore, Fatehabad, Jorapokhar, Kochi, Maihar, Nagpur, Narnaul, Palwal, Ramanagara, Shillong, Siliguri, Singrauli, Varanasi, Visakhapatnam as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Nov 26, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Tirupati	Good	32	CO	1
110	Udaipur	Moderate	148	$PM_{2.5}$	1
111	Ujjain	Moderate	190	$PM_{2.5}$	1
112	Vapi	Poor	271	$PM_{2.5}$	1
113	Vatva	Moderate	178	PM_{10}	1
114	Vijayapura	Satisfactory	85	$PM_{2.5}$	1
115	Yadgir	Satisfactory	56	O_3	1
116	Yamunanagar	Moderate	150	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bathinda, Coimbatore, Fatehabad, Jorapokhar, Kochi, Maihar, Nagpur, Narnaul, Palwal, Ramanagara, Shillong, Siliguri, Singrauli, Varanasi, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.